

# ECONOMETRICA

JOURNAL OF THE ECONOMETRIC SOCIETY

*An International Society for the Advancement of Economic  
Theory in its Relation to Statistics and Mathematics*

<http://www.econometricsociety.org/>

*Econometrica*, Vol. 84, No. 6 (November, 2016), 2071–2111

## THE DYNAMICS OF INEQUALITY

XAVIER GABAIX

*Harvard University, Cambridge, MA 02138, U.S.A.*

JEAN-MICHEL LASRY

*Université Paris-Dauphine, 75775 Paris Cedex 16, France*

PIERRE-LOUIS LIONS

*College de France, 75005 Paris, France*

BENJAMIN MOLL

*Princeton University, Princeton, NJ 08544, U.S.A.*

---

The copyright to this Article is held by the Econometric Society. It may be downloaded, printed and reproduced only for educational or research purposes, including use in course packs. No downloading or copying may be done for any commercial purpose without the explicit permission of the Econometric Society. For such commercial purposes contact the Office of the Econometric Society (contact information may be found at the website <http://www.econometricsociety.org> or in the back cover of *Econometrica*). This statement must be included on all copies of this Article that are made available electronically or in any other format.

---

## THE DYNAMICS OF INEQUALITY

BY XAVIER GABAIX, JEAN-MICHEL LASRY,  
PIERRE-LOUIS LIONS, AND BENJAMIN MOLL  
APPENDIX G WITH ZHAONAN QU<sup>1</sup>

The past forty years have seen a rapid rise in top income inequality in the United States. While there is a large number of existing theories of the Pareto tail of the long-run income distributions, almost none of these address the fast rise in top inequality observed in the data. We show that standard theories, which build on a random growth mechanism, generate transition dynamics that are too slow relative to those observed in the data. We then suggest two parsimonious deviations from the canonical model that can explain such changes: “scale dependence” that may arise from changes in skill prices, and “type dependence,” that is, the presence of some “high-growth types.” These deviations are consistent with theories in which the increase in top income inequality is driven by the rise of “superstar” entrepreneurs or managers.

KEYWORDS: Inequality, superstars, Pareto distribution, speed of transition, operator methods, spectral methods.

### 1. INTRODUCTION

THE PAST FORTY YEARS have seen a rapid rise in top income inequality in the United States (Piketty and Saez (2003), Atkinson, Piketty, and Saez (2011)).<sup>2</sup> Since Pareto (1896), it has been well known that the upper tail of the income distribution follows a power law, or equivalently, that top inequality is “fractal,” and the rise in top income inequality has coincided with a “fattening” of the right tail of the income distribution. That is, the “super rich” have pulled ahead *relative* to the rich. This rise in top inequality requires an understanding of the forces that have led to a fatter Pareto tail. There is also an ongoing debate about the dynamics of top wealth inequality.<sup>3</sup> To the extent that wealth inequality has also increased, we similarly need to understand the dynamics of its Pareto tail.

<sup>1</sup>We thank the editor and referees for many constructive suggestions, Fernando Alvarez, Roland Bénabou, Jess Benhabib, Fatih Guvenen, Chad Jones, Greg Kaplan, Erzo Luttmer, Wojciech Kopczuk, Makoto Nirei, Ezra Oberfield, Jonathan Parker, Jesse Perla, John Shea, Joe Sullivan, and Gabriel Zucman for their insights, and seminar participants at UQAM, Queen’s University, Cornell, the Chicago Fed, Princeton, the University of Maryland, the University of Chicago, the 2015 NBER Summer Institute on Income Distribution and Macroeconomics, the NBER EFG meeting, and 2015 SAET conference for useful comments, and Moll thanks the Kauffman Foundation for financial support. We also thank Joseph Abadi, Cristian Alonso, Joshua Bernstein, Nik Engbom, Monty Essid, Mildred Hager, Zhaonan Qu, and Jason Ravit for excellent research assistance.

<sup>2</sup>There are some uncertainties about the precise quantitative increase in top income inequality which depends on the precise income measure and data series being used. We discuss these issues in Section 2.

<sup>3</sup>See, for example, Piketty (2014), Saez and Zucman (2016), Bricker, Henriques, Krimmel, and Sabelhaus (2015), and Kopczuk (2015).

What explains the observed rapid rise in top inequality is an open question. While there is a large number of existing theories of the Pareto tails of the income and wealth distributions at a point in time, almost none of these address the fast rise in top inequality observed in the data, or any fast change for that matter.

The main contributions of this paper are: first, to show that the most common framework (a simple Gibrat's law for income dynamics) cannot explain rapid changes in tail inequality, and second, to suggest parsimonious deviations from the basic model that can explain such changes. Our analytical results bear on a large class of economic theories of top inequality, so that our results shed light on the ultimate drivers of the rise in top inequality observed in the data.

The first result of our paper is negative: standard random growth models, like those considered in much of the existing literature, feature extremely slow transition dynamics and cannot explain the rapid changes that arise empirically. To address this issue, we consider the following thought experiment: initially at time zero, the economy is in a steady state with a stationary distribution that has a Pareto tail. At time zero, there is a change in the underlying economic environment that leads to higher top inequality in the long run. The question is: what can we say about the speed of this transition? Will this increase in inequality come about quickly or take a long time? We present two answers to this question. First, we derive an analytic formula for a measure of the "average" speed of convergence throughout the distribution. We argue that, when calibrated to be consistent with microeconomic evidence, the implied half-life is too high to explain the observed rapid rise in top income inequality. Second, we derive a measure of the speed of convergence for the part of the distribution we are most interested in, namely, its upper tail. We argue that, in standard theories, transitions are even slower in the tail and, additionally, that our low measure of the average speed of convergence overestimates the speed of convergence in the upper tail. We also show that allowing for jumps in the income process, while useful for descriptively matching micro-level data, does not help with generating fast transitions.

Given this negative result, we are confronted with a puzzle: what, then, explains the observed rise in top income inequality? We develop an "augmented random growth model" that features two parsimonious departures from the canonical model that do generate fast transitions. Both departures are deviations from Gibrat's law, the assumption that the distribution of income growth rates is independent of the income level. The first departure is *type dependence* of the growth rate distribution and, in particular, the presence of some "high-growth types."<sup>4</sup> For instance, some highly skilled entrepreneurs or managers

<sup>4</sup>Guvenen (2007) argued that heterogeneity in mean growth rates is an important feature of the data on income dynamics. Luttmer (2011) studied a similar framework applied to firm dynamics and argued that persistent heterogeneity in mean firm growth rates is needed to account for the relatively young age of very large firms at a given point in time (a statement about the stationary distribution rather than transition dynamics as in our paper).

may experience much higher average earnings growth rates than other individuals over short to medium horizons. We argue analytically and quantitatively that this first departure can explain the observed fast rise in income inequality. The second departure consists of *scale dependence* of the growth rate distribution which arises from shocks that disproportionately affect high incomes, for example, changing skill prices in assignment models.<sup>5</sup> Scale dependence can generate infinitely fast transitions in inequality.

To obtain our analytic formulas for the speed of convergence, we employ tools from ergodic theory and the theory of partial differential equations. Our measure of the average speed of convergence is the first nontrivial eigenvalue or “spectral gap” of the differential operator governing the stochastic process for income. One of the main contributions of this paper is to derive an analytic formula for this first nontrivial eigenvalue (i.e., the second eigenvalue) for a large variety of random growth processes.<sup>6</sup> We obtain our measure of the speed of convergence in the tail of the distribution by making use of the fact that the solution to the Kolmogorov Forward equation for random growth processes can be characterized tightly by calculating the Laplace transform of this equation. Our clean results, which a discrete-time analysis would be unable to deliver, constitute an example of the usefulness of continuous-time methods in economics.

A large theoretical literature builds on random growth processes to theorize about the upper tails of income and wealth distributions. Early theories of the income distribution include [Champernowne \(1953\)](#) and [Simon \(1955\)](#), with more recent contributions by [Nirei \(2009\)](#), [Toda and Walsh \(2015\)](#), [Kim \(2015\)](#), [Jones and Kim \(2014\)](#), and [Luttmer \(2015\)](#). Similarly, random growth theories of the wealth distribution include [Wold and Whittle \(1957\)](#) and, more recently, [Benhabib, Bisin, and Zhu \(2011, 2015, 2016\)](#), [Jones \(2015\)](#), and [Acemoglu and Robinson \(2015\)](#). All of these papers focus on the income or wealth distribution *at a given point in time* by studying stationary distributions, and none of them analyze transition dynamics. [Aoki and Nirei \(2015\)](#) are a notable exception; they examined the dynamics of the income distribution and asked whether tax changes can account for the rise in top income inequality observed in the United States. Our paper differs from theirs in that we obtain a number of analytic results providing a tight characterization of transition dynamics in random growth models, whereas their analysis of transition dynamics is purely numerical. Some of our results on slow convergence were anticipated in [Luttmer \(2012\)](#), who studied an economy with a power law firm size distribution and established the slow speed of convergence of aggregates like the aggregate

<sup>5</sup>Technically, shocks that generate scale dependence affect log income multiplicatively, rather than additively, as in the usual random growth model.

<sup>6</sup>See [Hansen and Scheinkman \(2009\)](#) for a related application of operator methods in economics.

capital stock.<sup>7</sup> In contrast, our methods allow us to study the speed of convergence of the entire cross-sectional distribution with quite general stochastic processes, thereby making them applicable to the study of the dynamics of inequality.

Our finding that type dependence delivers fast dynamics of top inequality is also related to [Guvenen \(2007\)](#), who has argued that an income process with heterogeneous income profiles provides a better fit to the micro data than a model in which all individuals face the same income profile. In our model variant with multiple “growth types,” we also allow for heterogeneity in the standard deviation of income innovations in different regimes which is akin to the mixture specification advocated by [Guvenen, Karahan, Ozkan, and Song \(2015\)](#). One key difference between our model with multiple growth types and the standard random growth model is that, in the standard model, the key determinant for an individual’s place in the income distribution is her age. In contrast, in a model with type dependence, another important determinant is the individual’s growth type which may represent her occupation or her talent as an entrepreneur. This is consistent with salient patterns of the tail of the income distribution in the United States ([Guvenen, Kaplan, and Song \(2014\)](#)).<sup>8</sup>

One of the most ubiquitous regularities in economics and finance is that the empirical distribution of many variables is well approximated by a power law. For this reason, theories of random growth are an integral part of many different strands of the literature beside those studying the distributions of income and wealth.<sup>9</sup> For example, they have been used to study the distribution of city sizes ([Gabaix \(1999\)](#)) and firm sizes ([Luttmer \(2007\)](#)), the shape of the production function ([Jones \(2005\)](#)), and in many other contexts (see the review by [Gabaix \(2009\)](#)). The tools and results presented in this paper should therefore also prove useful in other applications.<sup>10</sup>

The paper is organized as follows. Section 2 states the main motivating facts for our analysis, and Section 3 reviews random growth theories of the

<sup>7</sup>See also footnote 37 regarding Proposition 3.

<sup>8</sup>[Luttmer \(2011\)](#) made a similar observation about the relationship between a firm’s age and its place in the firm size distribution. As Luttmer put it succinctly: “Gibrat implies 750-year-old firms.”

<sup>9</sup>Our focus is on the dynamics of income inequality. However, our criticism and suggested fixes apply without change to random growth models of the wealth distribution. In Appendix E ([Gabaix, Lasry, Lions, and Moll \(2016\)](#)), we work out in detail the implications of our theoretical results for the dynamics of wealth inequality.

<sup>10</sup>Other useful tools are in the following works. [Bouchaud and Mézard \(2000\)](#) calculated the decay rate of the autocorrelation of an individual’s wealth, and found that it depends on the tail exponent (when this tail exponent is smaller than 2 so that the variance ceases to exist, the expression for this decay rate coincides with the speed of convergence in a special case of our model). [Saichev, Malevergne, and Sornette \(2009\)](#) and [Malevergne, Saichev, and Sornette \(2013\)](#) calculated a number of probability densities and hazard rates at finite times. Those works study the dynamics of individuals in an economy already at the steady state, while we study the entire economy off its steady state, but transitioning towards it.

income distribution at a point in time. In Section 4, we present our main negative results on the slow transitions generated by such models and we explore their empirical implications for the dynamics of income inequality. Section 5 presents two theoretical mechanisms for generating fast transitions, and shows that these have the potential to account for the fast transitions observed in the data. Section 6 concludes. Additional information may be found in the Supplemental Material (Appendices C–I; [Gabaix et al. \(2016\)](#)).

## 2. MOTIVATING FACTS

In this section, we briefly review some facts regarding the evolution of top income inequality in the United States. We return to these in Sections 4 and 5 when comparing various random growth models and their ability to generate the trends observed in the data.

Panel (a) of Figure 1 displays the evolution of a measure of the top 1% income share. It shows the large and rapid increase in the top 1% income share that has been extensively documented by [Piketty and Saez \(2003\)](#), [Atkinson, Piketty, and Saez \(2011\)](#), and others. The precise amount by which the top 1% income share has increased depends on the precise income measure and data series being used, with alternative measures showing a more modest increase, a point we explore in Appendix B.<sup>11</sup> However, all commonly used data series




FIGURE 1.—Evolution of top 1% income share and “fractal inequality” in U.S.

<sup>11</sup>The series used in Figure 1 is from the “World Top Incomes Database.” Here, we plot total income (salaries plus business income plus capital income) excluding capital gains. The series display a similar trend when we include capital gains or focus on salaries only (though the levels are different). Note also that a significant part of the increase in top inequality is concentrated in 1987 and 1988 just after the Tax Reform Act of 1986 which sharply reduced top marginal income tax rates. Part of this increase may therefore be due to changes in tax reporting and realizations

do show a substantive increase in the top 1% income share of at least five percentage points between the 1970s and today.

As already noted, the upper tail of the income distribution follows a power law, or equivalently, top inequality is fractal in nature. For an exact power law, the top 0.1% are  $X$  times richer on average than the top 1% who are, in turn,  $X$  times richer than the top 10%, where  $X$  is a fixed number. Equivalently, the top 0.1% income share is a fraction  $Y$  of the top 1% income share, which, in turn, is a fraction  $Y$  of the top 10% income share, and so on. We now explore this fractal pattern in the data using a strategy borrowed from Jones and Kim (2014). Panel (b) of Figure 1 plots the income share of the top 0.1% relative to that of the top 1% and the income share of the top 1% relative to that of the top 10%. As expected, the two lines track each other relatively closely. More importantly, there is an upward trend in both lines. That is, there has been a *relative* increase in top income shares. As we explain in more detail below, this increase in “fractal inequality” implies equivalently a “fattening” of the Pareto tail of the income distribution.<sup>12</sup>

There are two main takeaways from this section. First, top income shares have increased substantially since the late 1970s. Second, the Pareto tail of the income distribution has become fatter over time.

### 3. RANDOM GROWTH THEORIES OF INCOME INEQUALITY

Our starting point is the existing theories that can explain top income inequality at a point in time, meaning that they can generate stationary income distributions that have Pareto tails. Many of these share the same basic mechanism for generating power laws, namely, proportional random growth. In this section, we present a relatively general random growth model of income dynamics and characterize its stationary distribution. This framework will also be the focus of our analysis of transition dynamics in the next section.

#### 3.1. *Income Dynamics*

Time is continuous, and there is a continuum of workers indexed by  $i$ . Workers are heterogeneous in their income or wage  $w_{it}$ . For brevity, we here only spell out the reduced-form dynamics of income. We discuss possible micro-foundations below and provide one example in Appendix C. We will later find it useful to conduct much of the analysis in terms of the logarithm of income,  $x_{it} = \log w_{it}$ , whose dynamics are

$$(1) \quad dx_{it} = \mu dt + \sigma dZ_{it} + g_{it} dN_{it},$$

---

rather than actual changes in inequality. See Appendix B for a more detailed discussion of these points.

<sup>12</sup>As for the levels of the shares, it should be noted that there is again some uncertainty regarding the precise quantitative amount by which these relative shares have increased. See again Appendix B.

where  $Z_{it}$  is a standard Brownian motion and where  $N_{it}$  is a jump process with intensity  $\phi$ .<sup>13</sup> The innovations  $g_{it}$  are drawn from an exogenous distribution  $f$ . The distribution  $f$  can have arbitrary support and it may be either thin-tailed (e.g., a normal distribution) or fat-tailed.

All theories of top inequality add some “stabilizing force” to the pure random growth process (1) to ensure the existence of a stationary distribution (Gabaix (2009)). In the absence of such a stabilizing force, the cross-sectional variance of  $x_{it}$  grows without bound. We consider two possibilities. First, workers may die (retire) at rate  $\delta$ , in which case they are replaced by a young worker with wage  $x_{it}$  drawn from a distribution  $\psi(x)$ . Second, there may be a lower bound  $\underline{x}$  on income. The simplest possibility is that this lower bound takes the form of a reflecting barrier. More generally, we consider exit at  $\underline{x}$  with entry (i.e., reinjection) at a point  $x > \underline{x}$  drawn from a distribution  $\rho(x)$ . For instance, Luttmer (2007) analyzed the case of a “return process” where the reinjection occurs at a point  $x_*$ , which is the special case in which  $\rho$  is a Dirac distribution at  $x_*$ ,  $\rho(x) = \delta_{x_*}(x)$ .<sup>14</sup> A natural interpretation for a lower bound on income is that workers exit the labor force if their income falls below some threshold. For simplicity, we normalize  $\underline{x} = 0$  throughout the remainder of the paper, that is, the corresponding threshold for income is  $\underline{w} = 1$ . When the process (1) features jumps  $\phi \neq 0$ , we only consider death as a stabilizing force.<sup>15</sup>

The income dynamics (1) can be microfounded in a variety of ways. Appendix C provides one such microfoundation: workers optimally invest to accumulate human capital, a process that also involves some luck. But other microfoundations are possible as well and a large number of theories of the upper tail of the income distribution ends up with a similar reduced form.<sup>16</sup>

Because the process (1) allows for jumps, it is considerably more general than the more commonly used specification in which income innovations are log-normally distributed (a geometric Brownian motion for income). Recent research suggests that the standard specification is a quite imperfect description of the data. For instance, Guvenen et al. (2015) documented, using administrative data, that earnings innovations are very fat-tailed and much more so than a normally distributed random variable. In our continuous-time setup, the most natural way of generating such kurtosis is to allow for jumps.<sup>17</sup> At the

<sup>13</sup>That is, the innovations  $dZ_{it}$  are normally distributed: approximately,  $dZ_{it} \simeq \varepsilon_{it}\sqrt{dt}$ ,  $\varepsilon_{it} \sim \mathcal{N}(0, 1)$ , for a small  $dt$ . Similarly, there is a jump in  $(t - dt, t]$  (i.e.,  $dN_{it} = 1$ ) with probability  $\phi dt$  and no jump (i.e.,  $dN_{it} = 0$ ) with probability  $1 - \phi dt$ ; if there is a jump, it is a random  $\tilde{g}$ .

<sup>14</sup>Luttmer (2007) showed that the stationary distribution of the process with exit and entry converges to one associated with a reflecting barrier at  $\underline{x}$  as  $x_* \downarrow \underline{x}$ .

<sup>15</sup>For instance, it is messy to define a reflecting barrier in the presence of jumps.

<sup>16</sup>See, for example, Champernowne (1953), Simon (1955), Nirei (2009), Toda and Walsh (2015), Aoki and Nirei (2015), Kim (2015), Jones and Kim (2014), and Luttmer (2015) for models with similar reduced forms. Some of these are derived from individual optimization, but others are not.

<sup>17</sup>It is not surprising that income innovations will be leptokurtic if the distribution from which jumps are drawn features kurtosis itself. Interestingly, this is not necessary for income innovations

same time, the process (1) makes the strong assumption that the parameters  $\mu$  and  $\sigma$  as well as the distribution  $f$  do not depend on the level of income, a strict form of Gibrat’s law. Furthermore, the coefficients are assumed to be constant over time. We show below that these assumptions can be relaxed considerably to the case when the drift and diffusion are arbitrary functions  $\mu(x, t)$  and  $\sigma(x, t)$  of the income level that converge to constants for large  $x$ . This situation will arise in many applications where the drift and diffusion are the outcomes of individual optimization problems that do not permit a closed-form solution (i.e., that are more general than the simple optimization problem in Appendix C) and when these optimizing individuals face time-varying prices during transition dynamics.

A large literature estimates reduced-form labor income processes similar to (1) using panel data.<sup>18</sup> In particular, (1) is the special case of the widespread “permanent-transitory model” of income dynamics, but with only a permanent component. As a result, good estimates are available for its parameter values. The process could easily be extended to feature a transitory component, for example, by introducing jumps that are distributed i.i.d. over time and across individuals.

### 3.2. Stationary Income Distribution

The properties of the stationary distribution of the process (1) for the logarithm of income  $x_{it} = \log w_{it}$  are well understood. In particular, under certain parameter restrictions, this stationary distribution has a Pareto tail<sup>19</sup>

$$\mathbb{P}(w_{it} > w) \sim Cw^{-\zeta},$$

where  $C$  is a constant and  $\zeta > 0$  is a simple function of the parameters  $\mu$ ,  $\sigma$  and the distribution of jumps  $f$  (see, e.g., Gabaix (2009)). Equivalently, the distribution of log income has an exponential tail,  $\mathbb{P}(x_{it} > x) \sim Ce^{-\zeta x}$ . Without jumps  $\phi = 0$ ,  $\zeta$  is the positive root of<sup>20</sup>

$$(2) \quad 0 = \frac{\sigma^2}{2} \zeta^2 + \zeta \mu - \delta,$$

which equals

$$(3) \quad \zeta = \frac{-\mu + \sqrt{\mu^2 + 2\sigma^2\delta}}{\sigma^2}.$$

to be leptokurtic: even normally distributed jumps that arrive with a Poisson arrival rate can generate kurtosis in data observed at discrete time intervals. The same logic is used in the theory of “subordinated stochastic processes.”

<sup>18</sup>See, for example, MaCurdy (1982), Heathcote, Perri, and Violante (2010), and Meghir and Pistaferri (2011).

<sup>19</sup>Here and elsewhere, “ $f(x) \sim g(x)$ ” for two functions  $f$  and  $g$  means  $\lim_{x \rightarrow \infty} f(x)/g(x) = 1$ .

<sup>20</sup>The proof is standard: we plug  $p(x) = Ce^{-\zeta x}$  into (5), which leads to (2).

The constant  $\zeta$  is called the “power law exponent,” with a smaller  $\zeta$  corresponding to a fatter tail. We find it useful to refer to the inverse of the power law exponent  $\eta = 1/\zeta$  as “top inequality.” Intuitively, tail inequality is increasing in  $\mu$  and  $\sigma$  and decreasing in the death rate  $\delta$ . In Appendix D, we provide a complete characterization of the stationary distributions for different “stabilizing forces.” In particular, we spell out the assumptions under which there exists a unique stationary distribution. For the remainder of the paper, we assume that these assumptions are satisfied.<sup>21</sup>

To make the connection to the empirical evidence in the [Introduction](#), note that if the distribution of  $w$  has a Pareto tail above the  $p$ th percentile, then the share of the top  $p/10$ th percentile relative to that of the  $p$ th percentile is given by  $\frac{S(p/10)}{S(p)} = 10^{\eta-1}$ . There is, therefore, a one-to-one mapping between the relative income shares in panel (b) of [Figure 1](#) and the top inequality parameter  $\eta = 1/\zeta$ .<sup>22</sup> Most existing contributions focus on the stationary distribution of the process (1) and completely ignore the corresponding transition dynamics. It is unclear whether these theories can explain the observed dynamics of the tail parameter  $\eta$ . This is what we turn to next.

#### 4. THE BASELINE RANDOM GROWTH MODEL GENERATES SLOW TRANSITIONS

Changes in the parameters of the income process (1) lead to changes in the fatness of the right tail of its stationary distribution. For example, an increase in the innovation variance  $\sigma^2$  leads to an increase in stationary tail inequality  $\eta$  in (3). But this leaves unanswered the question whether this increase in inequality will come about quickly or will take a long time to manifest itself. The main message of this section is that the standard random growth model (1) gives rise to very slow transition dynamics.

Throughout this section, we conduct the following thought experiment. Initially, at time  $t = 0$ , the economy is in a Pareto steady state corresponding to some initial parameters  $\mu_0$ ,  $\sigma_0^2$  and so on. At time  $t = 0$ , a parameter changes; for example, the innovation variance  $\sigma^2$  may increase. Asymptotically as  $t \rightarrow \infty$ , the distribution converges to its new stationary distribution. The question is: what can we say about the speed of this transition? We present two sets of results corresponding to different notions of the speed of convergence. The first notion measures an “average” speed of convergence throughout the

<sup>21</sup>Note that these assumptions may not be satisfied in some economic applications of interest. In particular, the presence of prices and other endogenous equilibrium objects implies that it is theoretically possible for there to exist multiple stationary distributions. For instance, in [Luttmer \(2007\)](#), the critical points for exit and reinjection  $\underline{x}$  and  $x_*$  are themselves functions of the distribution rather than exogenously given parameters. There may therefore be multiple stationary distributions (though, as Luttmer showed for his setup, compactly supported initial distributions converge to one particular, unique stationary distribution).

<sup>22</sup>In particular,  $\eta = 1 + \log_{10} \frac{S(p/10)}{S(p)}$ . See [Jones and Kim \(2014\)](#) and [Jones \(2015\)](#) for two papers that use this fact extensively.

distribution. The second notion captures differential speeds of convergence across the distribution, allowing us in particular to put the spotlight on its upper tail.

Throughout the remainder of the paper, we denote the cross-sectional distribution of the logarithm of income  $x$  at time  $t$  by  $p(x, t)$ , the initial distribution by  $p_0(x)$ , and the stationary distribution by  $p_\infty(x)$ . In order to talk about convergence, we also need a measure of distance between the distribution at time  $t$  and the stationary distribution. Throughout the paper, we use the  $L^1$ -norm or total variation norm  $\| \cdot \|$  defined as

$$(4) \quad \|p(x, t) - p_\infty(x)\| := \int_{-\infty}^{\infty} |p(x, t) - p_\infty(x)| dx.$$

The cross-sectional distribution  $p(x, t)$  satisfies a Kolmogorov Forward equation. Without jumps ( $\phi = 0$ ), this equation is

$$(5) \quad p_t = -\mu p_x + \frac{\sigma^2}{2} p_{xx} - \delta p + \delta \psi,$$

with initial condition  $p(x, 0) = p_0(x)$ , where we use the compact notation  $p_t := \frac{\partial p(x,t)}{\partial t}$ ,  $p_x := \frac{\partial p(x,t)}{\partial x}$ ,  $p_{xx} := \frac{\partial^2 p(x,t)}{\partial x^2}$ . The first two terms on the right-hand side capture the evolution of  $x$  due to diffusion with drift  $\mu$  and variance  $\sigma^2$ . The third term captures death and, hence, an outflow of individuals at rate  $\delta$ , and the fourth term captures birth, namely, that every “dying” individual is replaced with a newborn drawn from the distribution  $\psi(x)$ .

When there is a reflecting barrier,  $p$  must additionally satisfy the boundary condition<sup>23</sup>

$$(6) \quad 0 = -\mu p + \frac{\sigma^2}{2} p_x, \quad \text{at } x = 0, \quad \text{for all } t.$$

When there is exit at  $x = 0$  with reinjection at points strictly above  $x = 0$ , that is,  $\rho(0) = 0$ , the boundary condition is

$$(7) \quad p(0, t) = 0 \quad \text{for all } t,$$

and an additional term  $\gamma(t)\rho(x)$  is added to the right-hand side of (5), with  $\gamma(t) = \frac{\sigma^2}{2} p_x(0, t)$ :  $p_t = -\mu p_x + \frac{\sigma^2}{2} p_{xx} - \delta p + \delta \psi + \gamma \rho$ . This term captures reinjection after exit: a density  $\gamma(t) = \frac{\sigma^2}{2} p_x(0, t)$  of agents touch the barrier at time  $t^-$ , and they are reinjected at the random location drawn from the distribution  $\rho(x)$ .<sup>24</sup>

<sup>23</sup>This boundary condition comes from integrating (5) from  $x = 0$  to  $\infty$ .

<sup>24</sup>To see why the rate at which people exit is given by  $\gamma(t) = \frac{\sigma^2}{2} p_x(0, t)$ , integrate the Kolmogorov equation (5) from  $x = 0$  to  $\infty$ , which gives  $0 = \mu p(0, t) - \frac{\sigma^2}{2} p_x(0, t) + \gamma$  (using  $\int_0^\infty \rho(x) dx = 1$ ). Given  $p(0, t) = 0$ , we obtain  $\gamma(t) = \frac{\sigma^2}{2} p_x(0, t)$ .

When there are jumps, the Kolmogorov Forward equation (5) becomes

$$(8) \quad p_t = -\mu p_x + \frac{\sigma^2}{2} p_{xx} - \delta p + \delta \psi + \phi \mathbb{E}[p(x - g) - p(x)].$$

Relative to (5), the new term is the expectation  $\mathbb{E}[p(x - g) - p(x)]$ , which is taken over the random jump  $g$  and is multiplied by  $\phi$ , the arrival rate of jumps.<sup>25</sup>

It is often convenient to write these partial differential equations in terms of a differential operator. For instance, (5) is

$$(9) \quad p_t = \mathcal{A}^* p + \delta \psi, \quad \mathcal{A}^* p := -\mu p_x + \frac{\sigma^2}{2} p_{xx} - \delta p.$$

This formulation is quite flexible and can be extended in a number of ways, in particular to the case with jumps or with exit and reinjection. What is critical for all our results is that the differential operator  $\mathcal{A}^*$  in the Kolmogorov Forward equation (9) is linear. Note that “linearity” here refers to the operator and not the coefficients, and in particular the operator will still be linear in the case with income- and time-dependent coefficients  $\mu(x, t)$  and  $\sigma(x, t)$  that we consider below.<sup>26</sup> Our apparatus can therefore potentially be applied to more general setups where these coefficients are the outcome of an individual optimization problem without an analytic solution.<sup>27</sup>

#### 4.1. Average Speed of Convergence

We now state Proposition 1, one of the two main theoretical results of our paper. For now, we assume that the process (1) does not feature jumps ( $\phi = 0$ ) and do not allow for exit and reinjection. We extend the results to the case with exit and reinjection in Proposition 2 and to jumps in Proposition 3. As mentioned above, we assume that the process (1) satisfies the assumptions in Appendix D that guarantee the existence of a unique stationary distribution  $p_\infty(x)$ . We additionally make the following assumption.

<sup>25</sup>A jump of  $g$  at  $x - g$  will transport  $p(x - g)$  individuals to location  $x$ , hence the term  $\phi \mathbb{E}[p(x - g)]$ . Jumps at  $x$  make  $\phi p(x)$  people leave location  $x$ , hence the term  $-\phi p(x)$ . The net effect is  $\phi \mathbb{E}[p(x - g) - p(x)]$ .

<sup>26</sup>An operator  $\mathcal{A}^*$  is said to be “linear” if, for any two functions  $p$  and  $q$  in its domain,  $\mathcal{A}^*(p + q) = \mathcal{A}^* p + \mathcal{A}^* q$ . In the case with income- and time-dependent coefficients, the operator in the Kolmogorov Forward equation (9) generalizes to  $\mathcal{A}^*(t)p := -(\mu(x, t)p)_x + (\frac{\sigma^2(x, t)}{2} p)_{xx} - \delta p$ . It is easy to see that this operator still satisfies the condition defining linearity.

<sup>27</sup>Most models of distributional dynamics give rise to a linear operator. However, nonlinear differential operators can arise in models of knowledge diffusion (e.g., Perla and Tonetti (2014), Lucas and Moll (2014), Benhabib, Perla, and Tonetti (2016)).

ASSUMPTION 1: *The initial distribution  $p_0(x)$  satisfies  $\int_{-\infty}^{\infty} \frac{(p_0(x))^2}{e^{-\zeta x}} dx < \infty$ , where  $\bar{\zeta} := \frac{-2\mu}{\sigma^2} \leq \zeta$ , and  $\mu, \sigma$  are the parameters of the new steady-state process.*

Note that Assumption 1 is a relatively weak restriction. For instance, assume that  $p_0$  has a Pareto tail  $p_0(x) \sim c_0 e^{-\zeta_0 x}$  for large  $x$ . Then Assumption 1 is equivalent to  $\zeta_0 > \bar{\zeta}/2$ , and a sufficient condition is  $\zeta_0 > \zeta/2$ ,<sup>28</sup> or in terms of top inequality  $\eta = 1/\zeta$ :  $\eta_0 < 2\eta$ . That is, Assumption 1 rules out cases in which top inequality in the initial steady state is more than twice as large as that in the new steady state. In particular, it is satisfied in all cases where top inequality in the new steady state is larger than that in the initial steady state,  $\eta_0 < \eta$ , the case we are interested in.<sup>29</sup>

PROPOSITION 1—Average Speed of Convergence: *Consider the income process (1) with death and/or a reflecting barrier as a stabilizing force but without jumps ( $\phi = 0$ ). The cross-sectional distribution  $p(x, t)$  converges to its stationary distribution  $p_{\infty}(x)$  in the total variation norm for any initial distribution  $p_0(x)$ . The rate of convergence*

$$(10) \quad \lambda := -\lim_{t \rightarrow \infty} \frac{1}{t} \log \|p(x, t) - p_{\infty}(x)\|$$

*depends on whether there is a reflecting barrier at  $x = 0$ . Without a reflecting barrier,*

$$(11) \quad \lambda = \delta.$$

*With a reflecting barrier, under Assumption 1 and for generic initial conditions,*

$$(12) \quad \lambda = \frac{\mu^2}{2\sigma^2} \mathbf{1}_{\{\mu < 0\}} + \delta,$$

*where  $\mathbf{1}_{\{\cdot\}}$  is the indicator function.*

The interpretation of the rate of convergence (10) is that, asymptotically as  $t \rightarrow \infty$ , the distribution converges exponentially at rate  $\lambda$ :  $\|p(x, t) - p_{\infty}(x)\| \sim k e^{-\lambda t}$ . We shall see that Proposition 1 implies that the traditional canonical model delivers convergence that is far too slow:  $\lambda$  is too low compared to empirical estimates.

The intuition for formulas (11) and (12) is as follows. Without a reflecting barrier, the speed is simply given by the death intensity  $\delta$ . This is intuitive:

<sup>28</sup>Indeed, if  $\delta = 0$ ,  $\zeta = \bar{\zeta}$ . If  $\delta > 0$ , call  $P(r) = -\delta + \mu r + \frac{\sigma^2}{2} r^2$ , so that  $P(\zeta) = 0$ . Given  $P(\bar{\zeta}) = -\delta < 0$ , we have  $\bar{\zeta} < \zeta$ .

<sup>29</sup>Proposition 1 can also be extended to the case where  $p_0$  does not decay fast enough, that is, if  $\eta_0 > 2\eta$ . In particular, one can bound the speed of convergence, which becomes lower.

the higher  $\delta$  is, the more churning there is in the cross-sectional distribution and the faster the distribution settles down to its invariant distribution. In the extreme case where  $\delta \rightarrow \infty$ , the distribution jumps to its steady state immediately. Next, consider the case with a reflecting barrier,  $\mu < 0$ , and no death,  $\delta = 0$ . From (3), stationary tail inequality for this case is  $\eta = 1/\zeta = -\frac{\sigma^2}{2\mu}$  and therefore the speed of convergence can also be written as

$$(13) \quad \lambda = \frac{\sigma^2}{8\eta^2}.$$

This expression has intuitive comparative statics. It states that the transition is faster the higher is the standard deviation of growth rates  $\sigma$  and the lower is tail inequality  $\eta$ ; that is, high inequality goes hand in hand with slow transitions.<sup>30</sup> The interpretation of the formula with a reflecting barrier and  $\delta > 0$  is similar.

In Section 4.3, we show that when the parameters  $\mu$ ,  $\sigma$ , and  $\delta$  are calibrated to be consistent with the micro data and the observed inequality at a point in time, the implied speed of convergence is an order of magnitude too low to explain the observed increase in inequality in the data.

As mentioned above, the process (1) is a bit restrictive because it assumes that Gibrat’s law holds everywhere in the state space. In fact, it is possible to relax this assumption and still obtain an *upper bound* on the speed of convergence. To this end, consider the more general process

$$(14) \quad dx_{it} = \mu(x_{it}, t) dt + \sigma(x_{it}, t) dZ_{it},$$

where the growth and standard deviation of income depend on both the income state itself and time. As already mentioned, state dependence often arises in applications where the drift and diffusion are the outcomes of individual optimization problems that do not permit a closed-form solution. Similarly, time dependence is natural when these individuals face time-varying prices during transitions to a stationary equilibrium. Here  $\mu(x, t)$  and  $\sigma(x, t)$  are quite arbitrary functions that satisfy one condition: the process converges to a strict random growth process as income  $x$  becomes arbitrarily large. More precisely, we make the following assumptions on  $\mu(x, t)$  and  $\sigma(x, t)$ .<sup>31</sup>

**ASSUMPTION 2:** *The coefficients of the process (14) satisfy  $\mu(x, t) \rightarrow \tilde{\mu}(x)$  and  $\sigma(x, t) \rightarrow \tilde{\sigma}(x)$  uniformly in  $x$ , as  $t \rightarrow \infty$ , for some time-independent coefficients  $\tilde{\mu}(x)$  and  $\tilde{\sigma}(x)$ , which in turn satisfy  $\tilde{\mu}(x) \rightarrow \bar{\mu}$  and  $\tilde{\sigma}(x) \rightarrow \bar{\sigma}$  as  $x \rightarrow \infty$ .*

<sup>30</sup>Equation (13) shows that high inequality goes hand in hand with slow transitions for the case of an exact Pareto income distribution. This comparative static need not hold in the case of income- and time-dependent coefficients in which the distribution only has an asymptotic Pareto tail. However, Proposition 2 still establishes an upper bound for the speed of convergence in this case.

<sup>31</sup>In addition, we assume that the functions  $\mu$  and  $\sigma$  satisfy simple sufficient conditions ensuring the existence and uniqueness of a steady state. See Appendix G.1.

Moreover,  $\sigma^2(x, t) \geq \gamma \bar{\sigma}^2$  for all  $x, t$  and some  $\gamma > 0$ , and  $\sigma_x(0, t) \rightarrow \bar{\sigma}'(0)$  as  $t \rightarrow \infty$ .

Under these assumptions, we obtain the following extension of Proposition 1 to the income- and time-dependent process (14). Furthermore, we now allow for exit with reinjection in addition to a reflecting barrier.

**PROPOSITION 2—Upper Bound on Average Speed of Convergence With General Process (14):** *Consider the income process (14) satisfying Assumption 2 and with a stabilizing force. The cross-sectional distribution  $p(x, t)$  converges to its stationary distribution  $p_\infty(x)$  in the total variation norm. The rate of convergence  $\lambda := -\lim_{t \rightarrow \infty} \frac{1}{t} \log \|p(x, t) - p_\infty(x)\|$  is at most as large as that with a strict random growth process (1) from Proposition 1. Without a lower bound on income,  $\lambda \leq \delta$ . With a lower bound on income (either a reflecting barrier or exit with reinjection),  $\lambda \leq \frac{1}{2} \frac{\bar{\mu}^2}{\bar{\sigma}^2} \mathbf{1}_{\{\bar{\mu} < 0\}} + \delta$ .*

As most readers will be more interested in the message of Propositions 1 and 2 than their proofs, we only sketch here the intuition for the proofs. The proof of Proposition 1 without a reflecting barrier analyzes directly the  $L^1$ -norm (4) by means of a differential equation for  $|p(x, t) - p_\infty(x)|$ . The rough idea of the proof of Proposition 1 with a lower bound is as follows. The entire dynamics of the process for  $x_{it}$  are summarized by the operator  $\mathcal{A}^*$  defined in (9). This operator is the appropriate generalization of a transition matrix for a finite-state process to processes with a continuum of states such as (1), and it can be analyzed in an exactly analogous way. In particular, the critical property of  $\mathcal{A}^*$  governing the speed of convergence of  $p$  is its largest nontrivial eigenvalue, that is, the second eigenvalue. The intuition why it is the second eigenvalue that matters for the speed of convergence is exactly the same as for a finite-state process: the first (principal) eigenvalue of the transition matrix is zero and corresponds to the stationary distribution  $p_\infty$ ; instead, it is the second eigenvalue that governs the speed of convergence to this stationary distribution because the loadings of the initial distribution on all other eigenvectors decay more quickly. See Appendix F.1 for a detailed explanation.<sup>32</sup> The key contribution of Proposition 1 and the main step of the proof is then to obtain an explicit formula for the second eigenvalue of  $\mathcal{A}^*$  in the form of (12).<sup>33</sup> The

<sup>32</sup>Note that the largest nontrivial eigenvalue  $\lambda$  is the relevant speed of convergence for *generic* initial conditions  $p_0$ . As we explain in more detail in Appendix F.2.1, “generic” here means that, for any given  $p_0$ , we can find an arbitrarily close  $\tilde{p}_0$  that converges at the rate  $\lambda$ . The logic is exactly the same as in the finite-dimensional case analyzed in Appendix F.1: there could in principle be initial conditions that are exactly orthogonal to the eigenvector corresponding to the largest nontrivial eigenvalue. But such initial conditions are knife-edge and the second eigenvalue governs the speed of convergence for any perturbations of such initial conditions.

<sup>33</sup>Linetsky (2005) derived a related result for the special case with a reflecting barrier,  $\mu < 0$  and  $\delta = 0$ . For the same case, one can also derive the formula for the speed of convergence

proof of Proposition 2 is more involved and uses “energy methods,” that is, techniques involving the  $L^2$ -norms of various expressions (Evans (1998)).

#### 4.2. Speed of Convergence in the Tail

In the preceding section, we characterized a measure of the average speed of convergence across the entire distribution. The purpose of this section is to examine the possibility that different parts of the distribution may converge at different speeds. In particular, we show that convergence is particularly slow in the upper tail of the distribution. That is, the formula in Proposition 1 *overestimates* the speed of convergence of parts of the distribution.

We also ask whether departing from the standard log-normal framework by introducing jumps can help resolve the puzzle raised in the preceding section that random growth processes cannot explain the fast rise of income inequality observed in the data. We find that they cannot: while jumps are useful descriptively for capturing certain features of the data, they do not increase the speed of convergence of the cross-sectional income distribution.

Because we use somewhat different arguments depending on whether there is a lower bound on income or not, we present the results for the two cases separately.

##### 4.2.1. Speed of Convergence in the Tail Without a Lower Bound on Income

Without a lower bound on income, the distribution  $p(x, t)$  satisfies the Kolmogorov Forward equation (8), which potentially allows for jumps. One can show (see, e.g., Gabaix (2009) and Appendix D) that in this case, the stationary distribution has Pareto tails both as  $x \rightarrow \infty$  and as  $x \rightarrow -\infty$ :

$$(15) \quad p_\infty(x) \sim \begin{cases} e^{-\zeta_+ x}, & x \rightarrow \infty, \\ e^{-\zeta_- x}, & x \rightarrow -\infty, \end{cases}$$

with  $\zeta_- < 0 < \zeta_+$ .<sup>34</sup> Apart from the stationary distribution, the solution to the Kolmogorov Forward equation is cumbersome.

Without a lower bound on income, the entire time path of the solution to the Kolmogorov Forward equation can be characterized conveniently in terms of the “Laplace transform” of  $p$ :

$$(16) \quad \hat{p}(\xi, t) := \int_{-\infty}^{\infty} e^{-\xi x} p(x, t) dx = \mathbb{E}[e^{-\xi x_{it}}],$$

---

by “brute force” from the standard formulas for reflected Brownian motion (see, e.g., Harrison (1985)). Our results are considerably more general.

<sup>34</sup>For instance, without jumps and with rebirth at  $x = 0$ , the stationary distribution is a double Pareto distribution  $p_\infty(x) = c \min\{e^{-\zeta_- x}, e^{-\zeta_+ x}\}$ , where  $c = -\zeta_- \zeta_+ / (\zeta_+ - \zeta_-)$  and where  $\zeta_- < 0 < \zeta_+$  are the two roots of (2).

where  $\xi$  is a real number and  $x_{it}$  represents the random variable (log income) with distribution  $p(x, t)$ .<sup>35</sup> For  $\xi \leq 0$ , the Laplace transform has the natural interpretation of the  $-\xi$ th moment of the distribution of income, that is,  $\hat{p}(\xi, t) = \mathbb{E}[w_{it}^{-\xi}]$ , where  $w_{it} = e^{x_{it}}$  is income. Similarly note that, up to a minus, the Laplace transform is the moment generating function corresponding to the distribution  $p(x, t)$ , and one can therefore also calculate all moments of log income.<sup>36</sup> We show momentarily that we can obtain a clean analytic formula for the entire time path of this object for all  $t$ . This is useful because a complete characterization of a function's Laplace transform is equivalent to a complete characterization of the function itself. This is because by varying the variable  $\xi$ , we can trace out the behavior of different parts of the distribution. In particular, the more negative  $\xi$  is, the more we know about the distribution's tail behavior. In a similar vein, our analysis using Laplace transforms will allow us to characterize tightly the behavior of a weighted version of the  $L^1$ -norm in (4):

$$(17) \quad \|p(x, t) - p_\infty(x)\|_\xi := \int_{-\infty}^\infty |p(x, t) - p_\infty(x)| e^{-\xi x} dx.$$

In the special case  $\xi = 0$ , this distance measure coincides with the  $L^1$ -norm defined in (4). But by taking  $\xi < 0$ , (17) puts more weight on the behavior of the distribution's tail, the main focus of the current section. Note that the Laplace transform (16) ceases to exist if  $\xi$  is too negative or too positive. To ensure that the Laplace transform exists, we impose  $\max\{\zeta_{0,-}, \zeta_-\} < -\xi < \min\{\zeta_{0,+}, \zeta_+\}$ , where  $\zeta_- < 0 < \zeta_+$  are the tail parameters of the stationary distribution (15) and  $\zeta_{0,-} < 0 < \zeta_{0,+}$  those of the initial distribution.

We apply the Laplace transform to the Kolmogorov Forward equation (8). For the first two terms, we use the rules  $\hat{p}_x = \xi \hat{p}$  and  $\hat{p}_{xx} = \xi^2 \hat{p}$ . Next consider the term capturing jumps, which can be written as

$$\begin{aligned} \mathbb{E}[p(x - g) - p(x)] &= \int_{-\infty}^\infty [p(x - g) - p(x)] f(g) dg \\ &= (p * f)(x) - p(x), \end{aligned}$$

where  $*$  is the convolution operator. Conveniently, integral transforms like the Laplace transform are the ideal tool for handling convolutions. In particular, the Laplace transform of a convolution of two functions is the product of the Laplace transforms of the two functions:  $\widehat{(p * f)}(\xi) = \hat{p}(\xi)\hat{f}(\xi)$ . Note that the

<sup>35</sup>Note that we here work with the “bilateral” or “two-sided” Laplace transform which integrates over the entire real line. This is in contrast to the one-sided Laplace transform defined as  $\int_0^\infty e^{-\xi x} p(x, t) dx$ .

<sup>36</sup>The first moment of log income can be calculated from the first derivative as  $-\frac{\partial}{\partial \xi} \hat{p}(0, t) = \int_{-\infty}^\infty xp(x, t) dx = \mathbb{E}[x_{it}]$ , the second moment from the second derivative, and so on.

Laplace transform can handle *arbitrary* jump distributions  $f$ . Applying these rules to (8), we obtain

$$(18) \quad \hat{p}_i(\xi, t) = -\lambda(\xi)\hat{p}(\xi, t) + \delta\hat{\psi}(\xi) \quad \text{where}$$

$$\lambda(\xi) := \mu\xi - \frac{\sigma^2}{2}\xi^2 + \delta - \phi(\hat{f}(\xi) - 1),$$

with initial condition  $\hat{p}(\xi, 0) = \hat{p}_0(\xi)$ , the Laplace transform of  $p_0(x)$ , and where  $\hat{\psi}(\xi)$  and  $\hat{f}(\xi)$  are the Laplace transforms of  $\psi(x)$  and  $f(x)$ . Importantly, note that for fixed  $\xi$ , (18) is a simple ordinary differential equation for  $\hat{p}$  that can be solved analytically. Note that this strategy would work even if the coefficients  $\mu, \sigma, \delta$ , and  $\phi$  were arbitrary functions of time  $t$ . However, it would not work if  $\mu, \sigma, \delta$ , and  $\phi$  depended on income  $x$ .

PROPOSITION 3—Speed of Convergence in the Tail: *Consider the Laplace transform of the income distribution  $\hat{p}(\xi, t)$  defined in (16). Its time path is*

$$(19) \quad \hat{p}(\xi, t) = \hat{p}_\infty(\xi) + (\hat{p}_0(\xi) - \hat{p}_\infty(\xi))e^{-\lambda(\xi)t},$$

$$(20) \quad \lambda(\xi) := \xi\mu - \xi^2\frac{\sigma^2}{2} + \delta - \phi(\hat{f}(\xi) - 1),$$

$$(21) \quad \hat{p}_\infty(\xi) := \frac{\delta\hat{\psi}(\xi)}{\mu\xi - \frac{\sigma^2}{2}\xi^2 + \delta - \phi(\hat{f}(\xi) - 1)}.$$

The Laplace transform of the distribution of jumps  $f$ ,  $\hat{f}(\xi) = \int_{-\infty}^\infty e^{-\xi g} f(g) dg$ , satisfies  $\hat{f}(0) = 1$  and (if  $\mathbb{E}[g] \geq 0$ )  $\hat{f}(\xi) \geq 1$  for all  $\xi < 0$ . Furthermore,  $\lambda(\xi)$  is also the rate of convergence of the weighted  $L^1$ -norm (17):

$$-\lim_{t \rightarrow \infty} \frac{1}{t} \log \|p(x, t) - p_\infty(x)\|_\xi = \lambda(\xi).$$

Consider first the formula for the speed of convergence of the weighted distance measure without jumps  $\phi = 0$ . For the special case  $\xi = 0$ , we have  $\lambda(\xi) = \delta$ ; when the weighted  $L^1$ -norm places no additional weight on the behavior of the distribution’s tail, we recover our original result from Proposition 1, as expected. As we take  $\xi$  to be more and more negative, the weighted norm places more and more weight on the behavior of the distribution’s upper tail, and the corresponding speed of convergence is given by  $\lambda(\xi)$ . Note that for  $\mu > 0$ , the speed of convergence  $\lambda(\xi)$  is always lower the lower  $\xi$  is, for all  $\xi \leq 0$ . If  $\mu < 0$ , the same is true for all  $\xi$  less than some critical value. The formula for  $\lambda(\xi)$  therefore indicates that convergence is slower the more weight we put on observations in the distribution’s tail.

Next, consider the case with jumps  $\phi > 0$ . First note that the average speed of convergence as measured by the unweighted  $L^1$ -norm is entirely unaffected by the presence of jumps: explicitly spelling out the dependence of the speed of convergence  $\lambda(\xi; \phi)$  on  $\phi$ , we have  $\lambda(0; \phi) = \delta$  for all  $\phi$ . With  $\xi < 0$ , jumps make the speed of convergence *lower* than in the absence of jumps:  $\lambda(\xi; \phi) \leq \lambda(\xi; 0)$ ,  $\phi > 0$  (since  $\hat{f}(\xi) \geq 1$  for  $\xi < 0$ ). Furthermore, for  $\xi < 0$ ,  $\lambda(\xi; \phi)$  is *decreasing* in  $\phi$ , that is, the higher is the jump intensity, the lower is the rate of convergence. Summarizing, if we confine attention to the average speed of convergence  $\|p(x, t) - p_\infty(x)\|$ , jumps have no effect whatsoever. If instead we put more weight on observations in the distribution's tail,  $\xi < 0$ , then the rate of convergence becomes worse, not better. We conclude that jump processes, though very useful for the purpose of capturing salient features of the data, are not helpful in terms of providing a theory of fast transitions.

Next consider (19), which provides a closed-form solution for the evolution of the Laplace transform or, equivalently, for the evolution of all moments of the cross-sectional income distribution. These moments converge at the same rate  $\lambda(\xi)$  as the weighted norm in (17). Hence, the closed-form solution for the Laplace transform in (19) shows that high moments converge more slowly than low moments. We illustrate these results graphically below. Also note that all moments of the income distribution converge exponentially and hence monotonically. Our characterization of the dynamics of these moments is anticipated in Luttmer (2012), which contains results that are equivalent to (19) in the case  $\xi = -1$ , that is, concerning the first moment.<sup>37</sup>

Finally, note that one can identify the Pareto tail of the distribution  $p$  from knowledge of its Laplace transform only: the tail parameter is simply the critical value  $\zeta > 0$  such that  $\hat{p}(\xi)$  ceases to exist for all  $\xi \leq -\zeta$ .<sup>38</sup> This strategy is useful because it also works in some cases in which the tail parameter cannot be computed using standard methods, for example, with jumps  $\phi > 0$ .

#### 4.2.2. Speed of Convergence in the Tail With Reflecting Barrier

Proposition 3 can also be extended to an income process with a reflecting barrier. The Kolmogorov Forward equation for the distribution can then no longer be solved by means of the Laplace transform. The proof therefore uses

<sup>37</sup>Luttmer (2016) has since shown how to extend Luttmer's (2012) characterization of the case  $\xi = -1$  to general  $\xi$  using Ito's formula. In contrast to these characterizations of the distribution's moments, our main results in Propositions 1 and 2 characterize the distribution's distance from its stationary distribution in terms of the  $L^1$ -norm, and cover more general processes with a lower bound, exit, and reinjection as well as income- and time-dependent coefficients. Similarly, Proposition 3 also characterizes the weighted  $L^1$ -norm (17).

<sup>38</sup>For any distribution  $p$  with a Pareto tail, that is,  $p(x) \sim ce^{-\zeta x}$   $x \rightarrow \infty$  for constants  $c$  and  $\zeta$ , the Laplace transform (16) satisfies  $\hat{p}(\xi) \sim \frac{c}{\xi + \zeta}$  as  $\xi \downarrow -\zeta$ . Therefore,  $\zeta = -\inf\{\xi : \hat{p}(\xi) < \infty\}$ . The converse is also true and one can conclude whether a distribution has a Pareto tail from a characterization of its Laplace transform alone, as well as characterize the corresponding tail exponent. See Proposition 7 in Appendix D.2.

a different strategy, closely related to that in Proposition 1. While this strategy applies with a reflecting barrier, we can no longer handle jumps.

PROPOSITION 4: Consider the income process (1) without jumps  $\phi = 0$  but with a reflecting barrier. Under Assumption 1, the rate of convergence  $\lambda(\xi) := -\lim_{t \rightarrow \infty} \frac{1}{t} \log \|p(x, t) - p_\infty(x)\|_\xi$  of the weighted  $L^1$ -norm (17) is

$$(22) \quad \lambda(\xi) = \begin{cases} \frac{1}{2} \frac{\mu^2}{\sigma^2} + \delta, & \xi \geq \frac{\mu}{\sigma^2}, \\ \mu\xi - \frac{\sigma^2}{2} \xi^2 + \delta, & \xi < \frac{\mu}{\sigma^2}. \end{cases}$$

The speed of transition  $\lambda(\xi)$  weakly decreases as the weight  $-\xi$  on the right tail increases.

4.2.3. An Instructive Special Case: The Steindl Model

We briefly illustrate the result of Propositions 3 and 4 in an instructive special case originally due to Steindl (1965) with an analytic solution for the time path of the cross-sectional income distribution:  $\sigma = 0$ ,  $\mu, \delta > 0$ , and  $\psi$  is the Dirac delta function at  $x = 0$ . In this model, the logarithm of income  $x_{it}$  grows at rate  $\mu$  and gets reset to  $x_{i0} = 0$  at rate  $\delta$ . The Steindl model has recently also been examined by Jones (2015). The distribution  $p(x, t)$  then satisfies the Kolmogorov Forward equation (5) with  $\sigma = 0$  for  $x > 0$ . The corresponding stationary distribution is a Pareto distribution  $p_\infty(x) = \zeta e^{-\zeta x}$  with  $\zeta = \frac{\delta}{\mu}$ . For concreteness, consider an economy starting in a steady state with some growth rate  $\mu_0$  (and death rate  $\delta_0$ ). At  $t = 0$ , the growth rate changes permanently to  $\mu > \mu_0$  (and death rate  $\delta$ ). Then, the new steady-state distribution is more fat-tailed,  $\zeta < \zeta_0$ . The following lemma derives the path (it is valid for any  $\zeta_0$ , not necessarily greater than  $\zeta$ ).<sup>39</sup>

LEMMA 1—Closed-Form Solution for the Transition in the Steindl Model: The time path of  $p(x, t)$  is the solution to (5) with  $\sigma = 0$  and initial condition  $p_0(x) = \zeta_0 e^{-\zeta_0 x}$ ,  $\zeta_0 = \delta_0/\mu_0$  and is given by

$$(23) \quad p(x, t) = \zeta e^{-\zeta x} \mathbf{1}_{\{x \leq \mu t\}} + \zeta_0 e^{-\zeta_0 x + (\zeta_0 - \zeta)\mu t} \mathbf{1}_{\{x > \mu t\}},$$

where  $\mathbf{1}_{\{\cdot\}}$  is the indicator function.

The solution is depicted in Figure 2(a).<sup>40</sup> Consider, in particular, the local power law exponent  $\zeta(x, t) = -\partial \log p(x, t) / \partial x$ . Since the figure plots the log

<sup>39</sup>Section K of the Supplemental Material gives more closed forms, for example, with  $\sigma > 0$ .

<sup>40</sup>The Steindl model is too stylized for a systematic calibration, an exercise we pursue in Section 4.3. Figure 2 uses comparable parameter values: we set  $\delta = 1/30$ ,  $\zeta_0 = 1/0.39$ ,  $\zeta = 1/0.66$  and choose  $\mu_0 = \delta/\zeta_0 = 0.013$  and  $\mu = \delta/\zeta = 0.022$ . In panel (b), we set  $\sigma = 0.1$  and recalibrate  $\mu_0$  and  $\mu$  to deliver the same  $\zeta$  and  $\zeta_0$ .

density,  $\log p(x, t)$ , against  $\log$  income  $x$ , this local power law exponent is simply the slope of the line in the figure. The time path of the distribution features a “traveling discontinuity.” Importantly, the local power law exponent (the slope of the line) first changes only for low values of  $x$ . In contrast, for high values of  $x$ , the distribution shifts out in parallel and the slope of the line does not move at all. More precisely, for a given point  $x$ , the exponent does not move at all when  $t < \tau(x) = x/\mu$ , then fully jumps to its steady-state value at  $t = \tau(x)$ . In the Steindl model, the convergence of the distribution is slower the further out in the tail we look. In particular, note from the figure that the *asymptotic* (for large  $x$ ) power law exponent  $\zeta(t) = -\lim_{x \rightarrow \infty} \partial \log p(x, t) / \partial x$  takes an *infinite* time to converge to its stationary distribution. In the special case of the Steindl model, this slow convergence in the tail is particularly stark in that some parts of the distribution do not move at all. Figure 2(b) shows that also in the more general case with  $\sigma > 0$ , the power law exponent  $\zeta$  (equivalently, top inequality  $\eta$ ) does not change at first and the distribution instead shifts out in parallel.<sup>41</sup>

Consider the behavior of top income shares in response to the permanent increase in  $\mu$  considered above. Lemma 1 implies that the relative income of the 0.1% versus 1% income quantiles is *constant* for a while; it budges only when the “traveling discontinuity” hits the top 1% quantile. In contrast, the levels of the top 1% income quantile and the 0.1% income quantile increase quickly after the shock (to be more precise, after any time  $t > 0$ , they have moved, in parallel). Hence, the ratio of the 0.1% to 1% share moves slowly (indeed, not at all for a while), though the top 1% share moves fairly fast.




FIGURE 2.—Transition of cross-sectional income distribution.

<sup>41</sup>This is more than a numerical result. Defining the local power law exponent  $\zeta(x, t) := -P_x(x, t)/P(x, t)$  where  $P$  is the CDF corresponding to  $p$ , one can show using (5) that this local power law exponent does not move on impact following a shock,  $\zeta_t(x, t)|_{t=0} = 0$  for all  $x > 0$ .

### 4.3. *The Baseline Model Cannot Explain the Fast Rise in Income Inequality*

We now revisit Figure 1 from Section 2 and ask: can standard random growth models generate the observed increase in income inequality? We find that they cannot. In particular, the transition dynamics generated by the model are too slow relative to the dynamics observed in the data. This operationalizes, by means of a simple calibration exercise using estimates from the micro data, the theoretical results in the preceding two sections.

More precisely, we ask whether an increase in the variance of the permanent component of wages  $\sigma^2$  can explain the increase in income inequality observed in the data. That an increase in the variance of permanent earnings has contributed to the rise of inequality observed in the data has been argued by Moffitt and Gottschalk (1995), Haider (2001), Kopczuk, Saez, and Song (2010), and DeBacker, Heim, Panousi, Ramnath, and Vidangos (2013) (however, Guvenen, Ozkan, and Song (2014) examined administrative data and disputed that there has been such a trend—either way, our argument is that an increase in  $\sigma$  cannot explain the rise in top inequality). The particular experiment we consider below is an increase in the variance of permanent earnings  $\sigma^2$  from 0.01 in 1973 to 0.025 today. This implies that the standard deviation  $\sigma$  increases from 0.1 to 0.158, broadly consistent with evidence in Heathcote, Perri, and Violante (2010).

Before proceeding to the calibration exercise, we first use our theoretical results for some simple back-of-the-envelope calculations that illustrate our main point that transition dynamics of standard random growth models are extremely slow. We here focus on the case  $\mu \geq 0$ , that is, that individuals' incomes grow at least as fast, on average, as the aggregate economy.<sup>42</sup> Proposition 1 then implies that the average speed of convergence is simply  $\lambda = \delta$  and the corresponding half-life is  $t_{1/2} = \log(2)/\delta$ .<sup>43</sup> As shown in Propositions 3 and 4, the speed of convergence in the tail can be much slower. In particular, consider the formula (20) for the speed of convergence without jumps  $\phi = 0$ :

$$(24) \quad \lambda(\xi) = \xi\mu - \xi^2 \frac{\sigma^2}{2} + \delta.$$

<sup>42</sup>Our model is stationary, whereas the U.S. economy features long-run growth. The parameter  $\mu$  should therefore be interpreted as the growth rate of individual incomes over the life cycle relative to the growth rate of the aggregate economy (this can also be seen from the fact that in the model, the distribution of starting wages  $\psi(x)$  is stationary). Parameterizations with  $\mu < 0$  are therefore relatively natural as well. In that case and with a reflecting barrier, convergence may be marginally faster—see (12).

<sup>43</sup>Because we are dealing with exponential decay in multiple (in fact, infinite) dimensions,  $t_{1/2}$  only equals half the time it takes for  $\|p - p_\infty\|$  to converge for the particular initial conditions  $p_0$  for which  $\|p - p_\infty\| = \|p_0 - p_\infty\|e^{-\lambda t}$  (so that  $\|p_0 - p_\infty\|e^{-\lambda t_{1/2}} = \frac{1}{2}\|p_0 - p_\infty\|$  implies  $t_{1/2} = \log 2/\lambda$ ). For other initial conditions, this equation only holds asymptotically—see (10). It is nevertheless standard to refer to  $t_{1/2}$  as “half-life.”

Here the reader should recall that by varying  $\xi$ , we can trace out the speed of convergence of all moments of the distribution and  $\lambda(\xi)$  is the speed of convergence of the  $-\xi$ th moment. Equivalently,  $-\xi$  is the weight on the tail in the weighted  $L^1$ -norm (17). For our calculations, it is convenient to express (24) in terms of tail inequality  $\eta = 1/\zeta$ , which is directly measurable from cross-sectional data. From (2), we have  $\mu = \delta\eta - \sigma^2/(2\eta)$  and therefore

$$(25) \quad \lambda(\xi) = \xi \left( \delta\eta - \frac{\sigma^2}{2\eta} \right) - \xi^2 \frac{\sigma^2}{2} + \delta = \left( \delta\eta - \frac{\sigma^2}{2}\xi \right) \left( \frac{1}{\eta} + \xi \right).$$

In the relevant range  $-1/\eta < \xi < 0$ , the speed of convergence is strictly decreasing in tail inequality  $\eta$ , that is, higher inequality goes hand in hand with a slower transition. It is also strictly increasing in the innovation variance  $\sigma^2$ .

Using this formula, we can now examine how the parameters  $\eta$ ,  $\delta$ , and  $\sigma^2$  affect the speed of convergence. To get a “quantitative feel” for (25), consider first the “Steindl” case  $\sigma^2 = 0$  so that  $\lambda(\xi) = \delta(1 + \eta\xi)$ . While unrealistic, this simple case has the advantages that computations are particularly easy and only require estimates for two parameters,  $\eta$  and  $\delta$  (the implied speed also turns out to be similar for the more realistic case where  $\sigma^2 > 0$ ). We use  $\delta = 1/30$  corresponding to an expected work life of thirty years. A slight difficulty arises because  $\eta$  in (25) is tail inequality in the new stationary equilibrium. We use observed tail inequality in 2012, which equals  $\eta_{2012} = 0.66$ , a conservative estimate because  $\lambda(\xi)$  is decreasing in  $\eta$  (and  $\eta$  is increasing in the data).<sup>44</sup> The resulting half-life of the  $-\xi$ th moment is given by  $t_{1/2}(\xi) = \log 2/\lambda(\xi) = 0.69 \times 30 \times \frac{1}{1+0.66\xi}$ . For example, the half-life of convergence of the first moment ( $\xi = -1$ ) is around 60 years. Note that this calibration is conservative. In particular, a longer expected work life or higher estimate of tail inequality would result in even slower transitions.

We use (25) to perform similar calculations for the more general case where  $\sigma^2 > 0$ . Figure 3 plots the corresponding half-life  $t_{1/2}(\xi) = \log(2)/\lambda(\xi)$  for the parameter values used in our experiment as a function of the moment under consideration  $-\xi$ . Consider first the solid line which plots the half-life  $t_{1/2}(\xi)$  for  $\sigma^2 = 0.025$ , the variance of the permanent component of wages used in our experiment. There are two main takeaways from the figure. First, even for relatively low moments, the speed of convergence is considerably lower. For example, the half-life of convergence of the first moment ( $\xi = -1$ ) is around 40 years, that is, twice as much as the average speed of roughly 20 years. Second, the speed of convergence becomes slower and slower the higher the moment under consideration, with half-lives of 100 years close to the highest admissible moment  $1/\eta = 1.52$ . The figure also shows that the speed of convergence is not particularly sensitive to the value of the variance  $\sigma^2$ .

<sup>44</sup>We compute  $\eta$  from the relative income shares in panel (b) of Figure 1. If the distribution is Pareto, relative income shares satisfy  $\frac{S(p/10)}{S(p)} = 10^{\eta-1}$  and we therefore compute  $\eta(p) = 1 + \log_{10} S(p/10)/S(p)$ . We here use  $\eta(1) = 1 + \log_{10} S(0.1)/S(1)$ .




FIGURE 3.—Theoretical speed of convergence of different moments of income distribution.

We next consider the effects of an increase in  $\sigma^2$  from 0.01 in 1973 to 0.025 today in the baseline random growth model and how they compare to the evolution of inequality in the data. We set  $\delta = 1/30$  as above and set  $\mu$  to match the observed tail inequality in 1973,  $\eta_{1973} = 0.39$ , which yields  $\mu = \delta\eta - \sigma^2/(2\eta) = 0.002$ , that is, individual income growth 0.2% above the economy’s long-run growth rate. Figure 4 plots the time paths for the top 1% income share (panel (a)) and the empirical power law exponent (panel (b)) following the increase in  $\sigma^2$  in the baseline random growth model and compares them to the same data series that we have already plotted in Figure 1.<sup>45</sup> Not surprisingly given our analytical results, the model fails spec-




FIGURE 4.—Dynamics of income inequality in the baseline model.

<sup>45</sup>We solve the Kolmogorov Forward equation (5) numerically using a finite difference method.

tacularly.<sup>46</sup> As we have mentioned in Section 2, there is some uncertainty about the precise quantitative increase in top inequality and in the corresponding empirical power law exponent. To explore this, in Appendix B, we repeat the experiment in Figure 4 but using only wage (salary) data rather than total income (excluding capital gains). With the alternative data series, the gap between the data and the model is more modest. But it remains true that the baseline random growth model cannot explain the observed rise in top inequality.

Summarizing, an increase in the variance in the permanent component of income  $\sigma^2$  in the standard random growth model is not a promising candidate for explaining the observed increase in top income inequality. It is also worth emphasizing again that allowing for jumps ( $\phi > 0$ ) in the income process would only slow down the speed of convergence even more (Proposition 3).

## 5. MODELS THAT GENERATE FAST TRANSITIONS

Given the negative results of the preceding section, it is natural to ask: what then explains the observed fast rise in top income inequality? We argue that fast transitions require very specific departures from the standard random growth model. We extend the model along two dimensions, both of which constitute deviations from Gibrat's law. First, we allow for *type dependence* in the growth rate distribution. Second, we consider *scale dependence*. We discuss the role of these two additions in turn in Sections 5.2 and 5.3. In Section 5.4, we then revisit the rise in income inequality and argue that our augmented random growth model can generate transitions that are as fast as those observed in the data.

### 5.1. The Augmented Random Growth Model

In its most general form, we consider a random growth model with *type dependence* in the form of distinct “growth types” indexed by  $j = 1, \dots, J$ , and *scale dependence* captured by a process  $\chi_t$ . The dynamics of log income  $x_{it}$  of individual  $i$  of type  $j$  are given by

$$(26) \quad \begin{aligned} x_{it} &= \chi_t^{b_j} y_{it}, \\ dy_{it} &= \mu_j dt + \sigma_j dZ_{it} + g_{jit} dN_{jit} + \text{Injection} - \text{Death}, \end{aligned}$$

where  $dN_{jit}$  is a Poisson process with intensity  $\phi_j$  and  $g_{jit}$  is a random variable with distribution  $f_j$ . The latent variable  $y_{it}$  can be interpreted as a worker's skill. As before, workers retire at rate  $\delta$  and get replaced by labor entrants with income drawn from a distribution  $\psi$ . A fraction  $\theta_j$  of labor force entrants are

<sup>46</sup>Note that the power law exponent in panel (b) is completely flat on impact, consistent with Figure 2 and footnote 41.

born as type  $j$  and workers switch from being type  $j$  to type  $k$  at rate  $\alpha_{j,k}$ . Our baseline model is the special case with  $J = 1$  and  $\chi_t = 1$ .

The process features type dependence in that  $\mu_j$ ,  $\sigma_j$ ,  $\phi_j$ , and  $f_j$  differ across types. Guvenen (2007) has argued that an income process with heterogeneous income profiles provides a better fit to the micro data than a model in which all individuals face the same income profile, and he found large heterogeneity in the slope of income profiles. The model above also allows for heterogeneity in the standard deviation of income innovations  $\sigma_j$ , similar to the mixture specification advocated by Guvenen et al. (2015). We also build on Luttmer (2011), who studied a related framework applied to firm dynamics and argued that persistent heterogeneity in mean firm growth rates is needed to account for the relatively young age of very large firms at a given point in time (a statement about the stationary distribution rather than transition dynamics as in our paper). Aoki and Nirei (2015) presented a related and more complex economic model with entrepreneurs and workers that are subject to different income growth rates, and Jones and Kim (2014) examined a model with different types of entrepreneurs.

Scale dependence is captured by  $\chi_t$ , an arbitrary stochastic process satisfying  $\chi_t > 0$  and  $\lim_{t \rightarrow \infty} \mathbb{E}[\log \chi_t] < \infty$ . Basically, with  $b_j > 0$ , an increase in  $\chi_t$  means that the income growth rate is higher for higher incomes: hence it violates Gibrat's law. To see this, write (26) as

$$(27) \quad dx_{it} = \tilde{\mu}_{jt} dt + \tilde{\sigma}_{jt} dZ_{it} + b_j x_{it} d \log \chi_t + g_{jit} d\tilde{N}_{jit} + \text{Injection} - \text{Death},$$

where  $\tilde{\mu}_{jt} = \mu_j \chi_t^{b_j}$ ,  $\tilde{\sigma}_{jt} = \sigma_j \chi_t^{b_j}$ , and  $d\tilde{N}_{jit} = dN_{jit} \chi_t^{b_j}$ . If  $b_j d \log \chi_t > 0$ , the growth rate of income  $x_{it}$  is increasing in income, that is, a deviation from Gibrat's law.<sup>47</sup> Appendix I.1 provides conditions under which the process (26) features a unique stationary distribution with a Pareto tail, and we assume that these conditions hold throughout this section.<sup>48</sup>

### 5.2. The Role of Type Dependence

First, consider the special case of (26) with type dependence but without scale dependence  $\chi_t = 1$  (or jumps  $\phi = 0$ ). Here we focus on a simple case with two types, a high-growth type and a low-growth type, but our results can be extended to more types (Appendix I.2).

<sup>47</sup>Also note that  $Z_{it}$  is an idiosyncratic stochastic process whereas  $S_t$  is an aggregate or common shock that hits all individuals simultaneously.

<sup>48</sup>More precisely, we provide conditions under which the process for skill  $y_{it}$  has a fat-tailed stationary distribution. A necessary and sufficient condition for income  $x_{it}$  to also have a fat-tailed stationary distribution is that  $\chi_t$  is constant. More generally, though, we want to allow for time-variation in  $\chi_t$ , thereby capturing secular changes in skill prices or shocks disproportionately affecting high incomes at business-cycle frequencies.

Denote the density of individuals who are currently in the high- and low-growth states by  $p^H(x, t)$  and  $p^L(x, t)$  and the cross-sectional wage distribution by  $p(x, t) = p^H(x, t) + p^L(x, t)$ . We assume that a fraction  $\theta$  of individuals start their career as high-growth types and the remainder as low-growth types, and that individuals switch from high to low growth with intensity  $\alpha$ . Low growth is an absorbing state that is only left upon retirement. Newborn individuals start with income  $x = 0$ . Then, the densities satisfy the following system of Kolmogorov Forward equations:

$$(28) \quad \begin{aligned} p_t^H &= -\mu_H p_x^H + \frac{\sigma_H^2}{2} p_{xx}^H - \alpha p^H - \delta p^H + \beta_H \delta_0, \\ p_t^L &= -\mu_L p_x^L + \frac{\sigma_L^2}{2} p_{xx}^L + \alpha p^H - \delta p^L + \beta_L \delta_0, \end{aligned}$$

with initial conditions  $p^H(x, 0) = p_0^H(x)$ ,  $p^L(x, 0) = p_0^L(x)$ , where  $\delta_0$  is the Dirac delta function at  $x = 0$  capturing rebirth, and where  $\beta_H = \theta\delta$  and  $\beta_L = (1 - \theta)\delta$  are the birth rates of the two types.

While we are not aware of an analytic solution method for the system of partial differential equations (28), this system can be conveniently analyzed by means of Laplace transforms as in Section 4.2. In particular,  $\hat{p}^H(\xi, t)$  and  $\hat{p}^L(\xi, t)$  satisfy

$$(29) \quad \hat{p}_t^H(\xi, t) = -\lambda_H(\xi) \hat{p}^H(\xi, t) + \beta_H,$$

$$\lambda_H(\xi) := \xi\mu_H - \xi^2 \frac{\sigma_H^2}{2} + \alpha + \delta,$$

$$(30) \quad \hat{p}_t^L(\xi, t) = -\lambda_L(\xi) \hat{p}^L(\xi, t) + \alpha \hat{p}^H(\xi, t) + \beta_L,$$

$$\lambda_L(\xi) := \xi\mu_L - \xi^2 \frac{\sigma_L^2}{2} + \delta,$$

with initial conditions  $\hat{p}^H(\xi, 0) = \hat{p}_0^H(\xi)$ ,  $\hat{p}^L(\xi, 0) = \hat{p}_0^L(\xi)$ . Importantly, for fixed  $\xi$ , this is again simply a system of ordinary (rather than partial) differential equations which can be solved analytically. Note that the system is triangular so that one can first solve the equation for  $\hat{p}^H(\xi, t)$  and then the one for  $\hat{p}^L(\xi, t)$ .<sup>49</sup>

**PROPOSITION 5—Speed of Convergence With Type Dependence:** *Consider the cross-sectional distribution  $p(x, t) := p^H(x, t) + p^L(x, t)$ . The stationary dis-*

<sup>49</sup>Proposition 5 can easily be extended to a non-triangular system, that is, if the low state is not an absorbing state and low types can switch to being high types. See Appendix I.2. This is achieved by writing the analogue of (29) and (30) in matrix form. The speed of convergence is then governed by the eigenvalues of that matrix. In the triangular case, these eigenvalues are simply  $-\lambda_L(\xi)$  and  $-\lambda_H(\xi)$ . Therefore, while triangularity yields simple formulae, all results can be extended to the more general case.

tribution  $p_\infty(x) = p_\infty^H(x) + p_\infty^L(x)$  has a Pareto tail with tail exponent  $\zeta = \min\{\zeta_L, \zeta_H\}$ , where  $\zeta_H$  is the positive root of  $0 = \zeta^2 \frac{\sigma_H^2}{2} + \zeta \mu_H - \alpha - \delta$  and  $\zeta_L$  is the positive root of  $0 = \zeta^2 \frac{\sigma_L^2}{2} + \zeta \mu_L - \delta$ . The time paths of the Laplace transforms of  $p^H(x, t)$  and  $p(x, t)$  are

$$(31) \quad \hat{p}^H(\xi, t) - \hat{p}_\infty^H(\xi) = e^{-\lambda_H(\xi)t} (\hat{p}_0^H(\xi) - \hat{p}_\infty^H(\xi)),$$

$$(32) \quad \hat{p}(\xi, t) - \hat{p}_\infty(\xi) = c_H(\xi)e^{-\lambda_H(\xi)t} + c_L(\xi)e^{-\lambda_L(\xi)t},$$

where  $\lambda_H(\xi)$  and  $\lambda_L(\xi)$  are defined in (29) and (30),  $\hat{p}_\infty^H(\xi)$  and  $\hat{p}_\infty(\xi)$  are the Laplace transforms of the stationary distributions, and  $c_H(\xi)$  and  $c_L(\xi)$  are constants of integration. Finally, the weighted  $L^1$ -norm of the distribution of high types converges at rate  $-\lim_{t \rightarrow \infty} \frac{1}{t} \log \|p^H(x, t) - p_\infty^H(x)\|_\xi = \lambda_H(\xi)$ .

The transition dynamics of the income distribution therefore take place on two different time scales: part of the transition happens at rate  $\lambda_H(\xi)$  and another part at rate  $\lambda_L(\xi)$ .<sup>50</sup> The model then has the theoretical potential to explain fast short-run dynamics and, as we argue in Section 5.4, the observed rise in income inequality.

### 5.3. The Role of Scale Dependence

Next, consider the special case of (26) with scale dependence  $d \log \chi_t \neq 0$  but without type dependence  $J = 1$  (only one growth type). The logarithm of income then satisfies  $x_{it} = \chi_t y_{it}$  and the level of income is  $w_{it} = (e^{y_{it}})^{\chi_t}$ , with  $\chi_t$  disciplining the convexity of income as a function of skill  $e^{y_{it}}$ .

Intuitively, changes in  $\chi_t$  may arise from a “convexification” in skill prices, as in models with “superstar” effects or, more generally, in task-based assignment models.<sup>51</sup> To illustrate this point, Appendix I.3 presents a completely microfounded model (which is a dynamic extension of the static model of Gabaix and Landier (2008)). There, CEOs of differing talent are matched with firms of differing size. The variable  $y_{it}$  denotes the log quantile of talent of the CEO (so that highly talented individuals have a high  $y_{it}$ ; indeed, in this model, only a fraction  $e^{-y_{it}}$  of individuals are more talented than individual  $i$ ). The value

<sup>50</sup>A natural assumption is that the switching rate  $\alpha$  is large enough to swamp any differences between the  $\mu$ 's and  $\sigma$ 's in the two states and so  $\lambda_H(\xi) > \lambda_L(\xi)$  in (29) and (30). In contrast to the baseline random growth model of Section 4, transition dynamics following a parameter change now take place on two different time scales: part of the transition happens quickly at rate  $\lambda_H(\xi)$ , but the other part of the transition happens at a much slower pace  $\lambda_L(\xi)$ . In the short run, the dynamics governed by  $\lambda_H(\xi)$  dominate, whereas in the long run, the slower dynamics due to  $\lambda_L(\xi)$  determine the dynamics of the income distribution.

<sup>51</sup>For models with superstar effects, see Rosen (1981), Garicano and Rossi-Hansberg (2006), Gabaix and Landier (2008), Tervio (2008), and Geerolf (2016). For an overview of task-based assignment models, see Acemoglu and Autor (2011, Section 4).

added of a CEO with talent  $y_{it}$  managing a firm of size  $S_{it}$  is proportional to  $S_{it}^{\gamma_t} T(y_{it})$ , where  $\gamma_t$  captures the “scope of CEO talent” and  $T$  is an increasing function. In equilibrium, more talented CEOs are matched with larger firms. After some algebra, one can then show that the log income of a CEO is indeed  $x_{it} = \chi_t y_{it}$ , where  $\chi_t := \alpha \gamma_t - \beta$  and where  $\alpha$  and  $\beta$  are other model parameters.

Hence, when the “scope of CEO talent”  $\gamma_t$  increases (perhaps because of an increase of the ability of the CEO to manage other people, as in [Garicano and Rossi-Hansberg \(2006\)](#)), the talent multiplier  $\chi_t$  increases. In addition, an individual CEO’s skill varies, which leads to dynamics of  $y_{it}$ . This is just an example of a full-fledged microfoundation for scale dependence. We are hopeful that other models will be developed that generate scale dependence, calibrated on dynamic micro data. Here we simply illustrated that generating scale dependence is possible by writing a dynamic version of already existing static models (like [Gabaix and Landier \(2008\)](#)).

Next, we note that this is a potentially powerful effect, as the next proposition records. Since income is  $w_{it} = (e^{y_{it}})^{\chi_t}$ , it is easy to see that an increase in  $\chi_t$  (which generates scale dependence) leads to an instantaneous fattening of the tail of the income distribution.

**PROPOSITION 6—Infinitely Fast Adjustment in Models With Scale Dependence:** *Consider the special case of (26)  $x_{it} = \chi_t y_{it}$ , where the distribution of  $y_{it}$  is stationary and where  $\chi_t$  is an aggregate shock. This process has an infinitely fast speed of adjustment:  $\lambda = \infty$ . Denoting by  $\zeta_t^x$  and  $\zeta_t^y$  the power law exponents of log income and skill  $x_{it}$  and  $y_{it}$ , we have  $\zeta_t^x = \zeta_t^y / \chi_t$ .*

**PROOF:** The mechanism is so basic that the proof is very simple: if  $\mathbb{P}(y_{it} > y) = ce^{-\zeta^y y}$ ,

$$\begin{aligned} \mathbb{P}(x_{it} > x) &= \mathbb{P}(\chi_t y_{it} > x) = \mathbb{P}(y_{it} > x/\chi_t) = ce^{-\zeta^y x/\chi_t} \\ \Rightarrow \zeta_t^x &= \zeta^y / \chi_t. \end{aligned} \quad \text{Q.E.D.}$$

Hence, the process is extremely fast—it features instantaneous transitions in the power law exponent. Therefore, if  $\chi_t$  has a secular trend, the power law exponent inherits this trend. Fast transitions are therefore consistent with theories in which the increase in top income inequality is driven by changing skill prices, for example, due to the rise of “superstars.”

[Parker and Vissing-Jorgensen \(2010\)](#) provided supportive evidence for scale dependence at high frequencies. They found that in good (respectively bad) times, the incomes of top earners increase (respectively decrease), in a manner consistent with (27): the sensitivity to the shock at time  $t$  is proportional to  $x_{it}$ , as in

$$dx_{it} = x_{it} dS_t + \mu dt + \sigma dZ_{it},$$

with  $S_t := d \log \chi_t$ . Note that the shock  $x_{it} dS_t$  to log income is multiplicative in log income, as opposed to additive as in the traditional random growth model. This finding is broadly confirmed by Guvenen (2015, p. 40). Finally, Acemoglu and Autor (2011) cited some evidence for an increasing “convexification” in returns to schooling over time, again broadly consistent with scale dependence arising due to changing skill prices. We conclude that scale dependence is an empirically grounded source of fast transitions.

#### 5.4. Fast Transitions in the Augmented Model

We now use the framework of this section to revisit the rise in income inequality in the United States. We argue that, in contrast to the spectacular failure of the standard random growth model, the model with type dependence presented in the preceding sections has the potential to explain the observed rise in top income inequality.

We conduct an analogous exercise to that in Section 4.3. The shock we consider in the present exercise is an increase in the mean growth rate of high types  $\mu_H$  (while  $\mu_L$  is unchanged). This is motivated in part by casual evidence of very rapid income growth rates since the 1980s, for instance for Bill Gates, Mark Zuckerberg, hedge fund managers, and the like—their growth is very high for a while, then tails off. This impression was confirmed by Jones and Kim (2014), who found that there has been a substantial increase in the average growth rate in the upper tail of the growth rate distribution since the late 1970s.<sup>52</sup> We follow a similar calibration strategy as in Section 4.3. First, note from Proposition 3 that, if  $\mu_H$  is sufficiently bigger than  $\mu_L$ , the Pareto tail of the stationary income distribution is determined only by the dynamics of high-growth types and given by

$$(33) \quad \zeta = \min\{\zeta_L, \zeta_H\} = \frac{-\mu_H + \sqrt{\mu_H^2 + 2\sigma_H^2(\delta + \alpha)}}{\sigma_H^2},$$

and the parameters  $\sigma_L$  and  $\mu_L$  do not affect top inequality. As before, we set  $\delta = 1/30$  and impose that the economy is initially in a Pareto steady state with

<sup>52</sup>Jones and Kim (2014) proxied  $\mu_H$  with the median of the upper decile, that is, the 95th percentile, of the distribution of income growth rates. Combining evidence from the IRS public use panel of tax returns and from Guvenen, Ozkan, and Song (2014), they showed that this measure of  $\mu_H$  has increased substantially from 1979–1981 to 1988–1990 to 1995–1996. Jones and Kim noted that this evidence should be viewed as suggestive due to limited sample sizes in the IRS data and comparability of the IRS and the Social Security Administration data used by Guvenen, Ozkan, and Song (2014). Below, we discuss ongoing work and directions for future work that could improve on these estimates. In the meantime, Jones and Kim provided the best available evidence documenting potential drivers of the increase in top income inequality.




FIGURE 5.—Transition dynamics in model with type dependence.

$\eta_{1973} = 0.39$ . We set  $\sigma_H = 0.15$ , which is a conservative estimate.<sup>53</sup> We do not have precise estimates for  $\alpha$ , the rate of switching from high to low growth. For our baseline results, we set  $\alpha = 1/6$ , corresponding to an expected duration of being a high-growth type of 6 years, and we report results under alternative parameter values. Given values for  $\sigma_H$ ,  $\delta$ , and  $\alpha$ , we calibrate the initial  $\mu_H$  so that (33) yields  $\eta_{1973} = 0.39$ . In the initial steady state, the difference in mean growth rates between high- and low-growth types is  $\mu_H - \mu_L = 0.05$ .

Our baseline exercise considers a once-and-for-all increase in  $\mu_H$  by 8 percentage points. The resulting gap of  $\mu_H - \mu_L = 0.13$  is broadly consistent with empirical evidence in Guvenen, Kaplan, and Song (2014).<sup>54</sup> Figure 5 plots the corresponding results. The difference to the earlier experiment in Figure 4 is striking. The model with type dependence can replicate the rapid rise in income inequality observed in the United States.

The key parameters that govern the speed of transition are  $\mu_H$  and  $\alpha$ , the growth rate of high types and the probability of leaving it. In the Supplemental Material, we report results from alternative parameterizations and experiments. As expected given our theoretical results, transitions are fastest when  $\alpha$  and  $\mu_H$  are high, that is, when individuals can experience very short-lived, very high-growth spurts, what one may call “live-fast-die-young dynamics.”<sup>55</sup> In

<sup>53</sup>Larger values of  $\sigma_H$  lead to even faster transition dynamics. We set  $\sigma_L = 0.1$  based on the evidence discussed in Section 4.3. We view  $\sigma_H = 0.15$  as conservative because the growth rates of parts of the population may be much more volatile (think of startups).

<sup>54</sup>Guvenen, Kaplan, and Song (2014) documented differences in average growth rates of different population groups as large as 0.23 log points per year. See in particular their Figure 7. Readers may also wonder how the model with type dependence compares to the baseline model when subjected to the same shock, that is, an increase in  $\sigma_H$ . Appendix I.4 reports results from such an experiment. As expected, transitions are faster.

<sup>55</sup>In their ongoing work using a very similar model, Jones and Kim (2014) proposed such a “live-fast-die-young” calibration with very high  $\alpha$  and  $\mu_H$ .

summary, the model with type dependence is capable of generating fast transition dynamics of top inequality for a number of alternative parameterizations that are broadly consistent with the micro data. The common feature of these parameterizations is a combination of relatively high growth rates for part of the population (high enough  $\mu_H$ ) over relatively short time horizons (high enough  $\alpha$ ). The absence of better micro estimates for these critical parameters and the stylized nature of our model mean that the quantitative explorations in this section should be viewed as suggestive. Future research should explore these mechanisms in richer, more fully-fledged quantitative models. Similarly, better empirical evidence is a clear priority.

## 6. CONCLUSION

This paper makes two contributions. First, it finds that standard random growth models cannot explain rapid changes in tail inequality, for robust analytical reasons. This required developing new tools to analyze transition dynamics, as most previous literature could analyze only separate steady states, without being able to assess analytically the speed of transition between them and without identifying the above-mentioned important defect of the standard model. Second, it suggests two parsimonious deviations from the basic model that can explain such fast changes: (i) type dependence and (ii) scale dependence. We view them as promising, because they have some support in the data (as we argued above; see especially [Parker and Vissing-Jorgensen \(2010\)](#), [Jones and Kim \(2014\)](#), and [Guvenen \(2015\)](#)). We hope that future research explores their importance in more detail.

We illustrated our findings in the context of the dynamics of income inequality. However, our criticism and suggested fixes apply without change to random growth models of the wealth distribution. In [Appendix E](#), we work out in detail the implications of our theoretical results for the dynamics of wealth inequality. As we discuss there, recent empirical work finds some support for both type and scale dependence in wealth dynamics ([Bach, Calvet, and Sodini \(2015\)](#), [Fagereng, Guiso, Malacrino, and Pistaferri \(2016\)](#)). A clear priority for future research is empirical evidence, in combination with quantitative theory, that allows for an assessment of various concrete economic mechanisms put forth in the public debate. (“Is the rise in top inequality due to: technical change, superstars, rent-seeking, globalization, and so on?”) The forces we have analyzed in this paper may serve to guide future empirical and theoretical work on the determinants of fast changes in inequality.

## APPENDIX A: PROOF OF PROPOSITION 1

[Proposition 1](#) is concerned with two different cases. The first case involves models with death and rebirth where the dynamics without those terms are not ergodic. The second one concerns ergodic models (with or without death and

rebirth). The strategy of the proof in both cases is different and we therefore present the two cases separately. In the first case (“non-ergodic case”), the rate of convergence is obtained by directly analyzing the dynamics of the  $L^1$  norm (4) of the cross-sectional distribution. In the second case (“ergodic case”), the convergence is to a real invariant measure and the rate of convergence is obtained by a spectral analysis (in particular, it is given by the “spectral gap”).<sup>56</sup>

A.1. *Proof of Proposition 1: Non-ergodic Case*

We here study the non-ergodic case, starting with a generally useful lemma.

LEMMA 2: *Suppose that a function  $q(x, t)$  solves  $q_t = \mathcal{A}q$  with  $\mathcal{A}q = a(x, t)q + b(x, t)q_x + c(x, t)q_{xx}$  with  $c(x, t) \geq 0$  for all  $x$ . Then  $|q(x, t)|$  is a “subsolution” of the same equation, that is,*

$$(34) \quad |q|_t \leq \mathcal{A}|q|.$$

PROOF: The key is that  $|q|$  is a convex function of  $q$ . Assume  $\varphi$  is a  $C^2$  convex function and set  $z = \varphi(q)$ . Then  $z_t = \varphi'(q)q_t$ ,  $z_x = \varphi'(q)q_x$ ,  $z_{xx} = \varphi''(q)q_x^2 + \varphi'(q)q_{xx}$ , so

$$\begin{aligned} z_t - \mathcal{A}z &= \varphi'(q) \underbrace{[q_t - bq_x - cq_{xx}]}_{=aq} - az - c \underbrace{\varphi''(q)}_{\geq 0} \underbrace{q_x^2}_{\geq 0} \\ &\leq a(\varphi'(q)q - \varphi(q)). \end{aligned}$$

Take  $\varphi(q) = \varphi^{(\varepsilon)}(q) = \sqrt{\varepsilon^2 + q^2}$  for some  $\varepsilon > 0$  and  $z^{(\varepsilon)} = \varphi^{(\varepsilon)}(q)$ . Then  $\varphi'(q)q - \varphi(q) = \frac{q^2}{\sqrt{\varepsilon^2 + q^2}} - \sqrt{\varepsilon^2 + q^2} = \frac{-\varepsilon^2}{\sqrt{\varepsilon^2 + q^2}} \in [-\varepsilon, 0]$ , so  $z_t^{(\varepsilon)} - \mathcal{A}z^{(\varepsilon)} \leq |a(x, t)|\varepsilon$ . As  $\varepsilon \rightarrow 0$ ,  $z^{(\varepsilon)} \rightarrow |q|$ , so this inequality becomes:  $|q|_t - \mathcal{A}|q| \leq 0$ . Q.E.D.

We next apply Lemma 2 to  $q(x, t) := p(x, t) - p_\infty(x)$  to prove a useful inequality. We note that since  $p_t = \mathcal{A}^*p + \delta\psi$  and  $0 = \mathcal{A}^*p_\infty + \delta\psi$ , we have  $q_t = \mathcal{A}^*q = -\mu q_x + \frac{\sigma^2}{2}q_{xx} - \delta q$ .

LEMMA 3: *The decay rate of the  $L^1$  norm  $d(t) := \|q(\cdot, t)\|$  is at least  $\delta$ :  $\lambda \geq \delta$ .*

<sup>56</sup>More precisely, in the “ergodic case,” there is a reflecting barrier and  $\delta \geq 0, \mu < 0, \sigma^2 > 0$ . In the “non-ergodic case,” there is no reflecting barrier and no restriction on  $\mu$  but  $\delta > 0, \sigma^2 \geq 0$ . In the proposition, we distinguish between the case “with a reflecting barrier” and the one “without a reflecting barrier.” Note that this distinction is related to but somewhat different from “ergodic” and “non-ergodic.”

PROOF: We have  $d(t) := \|q(\cdot, t)\| = \int |q(x, t)| dx$  and hence

$$\begin{aligned} d'(t) &= \int |q(x, t)|_t dx \leq \int \left( -\delta|q| - \mu|q|_x + \frac{\sigma^2}{2}|q|_{xx} \right) dx \\ &= -\delta \int |q| dx, \end{aligned}$$

where the inequality follows from Lemma 2 and the last equality from the boundary conditions corresponding to  $p$ . Hence  $d'(t) \leq -\delta \int |q| dx = -\delta d(t)$  and therefore  $d(t) \leq e^{-\delta t} d(0)$  by Grönwall’s lemma. Q.E.D.

We next prove the opposite inequality (the overly technical proof is in Appendix F.2.2):

LEMMA 4: *The decay rate of the  $L^1$  norm  $d(t) := \|q(\cdot, t)\|$  is at most  $\delta$ :  $\lambda \leq \delta$ .*

Gathering the arguments and putting together Lemmas 3 and 4, we obtain that  $\lambda = \delta$ .

### A.2. Proof of Proposition 1: Ergodic Case

We next study the “ergodic case”: there is a reflecting barrier on income and additionally  $\mu < 0$ . Then the process (1) is ergodic even with  $\delta = 0$ . In this case, the cross-sectional distribution satisfies (9) with boundary condition (6). The key insight is that the speed of convergence of  $p$  is governed by the second eigenvalue of the operator  $\mathcal{A}^*$  ( $\mathcal{A}^* p := -\mu p_x + \frac{\sigma^2}{2} p_{xx} - \delta p$ ), and the key step is to obtain an analytic formula for this second eigenvalue given by  $|\lambda_2| = \frac{1}{2} \frac{\mu^2}{\sigma^2} + \delta$ .

#### A.2.1. Preparation: Key Concepts and Boundary Conditions

We first review some mathematical concepts that will be useful.<sup>57</sup> First, the *inner product* of two continuous functions  $u$  and  $v$  is  $\langle u, v \rangle = \int_{-\infty}^{\infty} u(x)v(x) dx$ . Second, for an operator  $\mathcal{A}$ , the (formal) *adjoint* of  $\mathcal{A}$  is the operator  $\mathcal{A}^*$  satisfying  $\langle \mathcal{A}u, p \rangle = \langle u, \mathcal{A}^* p \rangle$ . Third, an operator  $\mathcal{B}$  is *self-adjoint* if  $\mathcal{B}^* = \mathcal{B}$ .<sup>58</sup> It is well known that eigenvalues of a self-adjoint operator are real. Fourth, the *infinitesimal generator* of a Brownian motion with death at Poisson rate  $\delta$  is the operator  $\mathcal{A}$  defined by

$$(35) \quad \mathcal{A}u = \mu u_x + \frac{\sigma^2}{2} u_{xx} - \delta u.$$

<sup>57</sup>A more systematic treatment can be found in many textbooks on functional analysis or partial differential equations, particularly applications to physics. See, for example, Weidmann (1980) and the more accessible Hunter and Nachtergaele (2001) and Stone and Goldbart (2009, Chapter 4).

<sup>58</sup>Note that the adjoint is the infinite-dimensional analogue of a matrix transpose.

Some care is needed with the boundary condition. As we shall see, the boundary condition is

$$(36) \quad u_x(0) = 0.$$

The domain of  $\mathcal{A}$  here is the set of functions  $u$  in  $L^2$  (i.e., square-integrable functions) such that  $\mathcal{A}u$  is also in  $L^2$ , that is, the  $u$ 's such that  $u, u_x, u_{xx}$  are in  $L^2$ .

We next state a lemma. Its proof is instructive, because it shows where the boundary condition (36) comes from.

LEMMA 5: *The Kolmogorov Forward operator  $\mathcal{A}^*$  in (9) with boundary condition (6) in the reflecting case is the adjoint of the infinitesimal generator  $\mathcal{A}$  in (35) with boundary condition (36).*

PROOF: The boundary for  $p(x)$  is  $\mu p(0) - \frac{\sigma^2}{2} p_x(0) = 0$  (this comes from integrating the Forward Kolmogorov equation from  $x = 0$  to  $\infty$ ). We have

$$\begin{aligned} \langle u, \mathcal{A}^* p \rangle &= \int_0^\infty u \left( -\mu p_x + \frac{\sigma^2}{2} p_{xx} - \delta p \right) dx \\ &= \left[ -u\mu p + \frac{\sigma^2}{2} u p_x \right]_0^\infty - \int_0^\infty \left( -\mu u_x p + \frac{\sigma^2}{2} u_x p_x \right) dx \\ &\quad - \int_0^\infty \delta u p dx \\ &= \left[ -u\mu p + \frac{\sigma^2}{2} u p_x - \frac{\sigma^2}{2} u_x p \right]_0^\infty \\ &\quad + \int_0^\infty \left( \mu u_x p + \frac{\sigma^2}{2} u_{xx} p - \delta u p \right) dx \\ &= u(0) \left( \mu p(0) - \frac{\sigma^2}{2} p_x(0) \right) + \frac{\sigma^2}{2} u_x(0) p(0) + \langle \mathcal{A}u, p \rangle \\ &= \frac{\sigma^2}{2} u_x(0) p(0) + \langle \mathcal{A}u, p \rangle \quad \text{from (6)} \\ &= \langle \mathcal{A}u, p \rangle. \end{aligned}$$

For the last equality, we need  $\frac{\sigma^2}{2} u_x(0) p(0) = 0$ , which leads to the boundary condition (36). *Q.E.D.*

### A.2.2. Main Proof

With these preliminaries in hand, we proceed with the proof of the proposition.

We first show how the case  $\delta \geq 0$  can be derived from the case  $\delta = 0$ . Suppose an initial condition  $p_0(x)$ . Given that  $p_t = \mathcal{A}^*p + \delta\psi$  (equation (9)), we have  $0 = \mathcal{A}^*p_\infty + \delta\psi$ , and by subtraction  $\tilde{q} := p - p_\infty$  satisfies  $\tilde{q}_t = \mathcal{A}^*\tilde{q}$ . Next, define  $q(x, t) := e^{\delta t}\tilde{q}(x, t) = e^{\delta t}(p(x, t) - p_\infty(x))$ . Then, a simple calculation gives:  $q_t = \mathcal{C}^*q := -\mu q_x + \frac{\sigma^2}{2}q_{xx}$ . Operator  $\mathcal{C}^*$  has no “death,” and has the same boundary condition as  $\mathcal{B}^*$ , so that the case  $\delta = 0$  applies to  $q$ . If we have shown (as we will shortly) that  $\|q(x, t)\|$  decays in  $e^{-\lambda t}$  (more precisely, that  $\lambda = -\lim_{t \rightarrow \infty} \frac{1}{t} \log \|q(x, t)\|$ ), that will show that  $\|p(x, t) - p_\infty(x)\| = e^{-\delta t}\|q(x, t)\|$  decays in  $e^{-\delta t - \lambda t}$  (more precisely, that  $\delta + \lambda = -\lim_{t \rightarrow \infty} \frac{1}{t} \log \|p(x, t) - p_\infty(x)\|$ ). Hence, the case  $\delta > 0$  follows easily from the case  $\delta = 0$ .

We next proceed to the case  $\delta = 0$ . The goal is to analyze the eigenvalues of the infinitesimal generator  $\mathcal{A}$  or, equivalently, its adjoint  $\mathcal{A}^*$ . The difficulty is that  $\mathcal{A}$  is not self-adjoint,  $\mathcal{A}^* \neq \mathcal{A}$ , and therefore its eigenvalues could, in principle, be anywhere in the complex plane. We therefore construct a self-adjoint transformation  $\mathcal{B}$  of  $\mathcal{A}$  as follows.

LEMMA 6: Consider  $u$  satisfying  $u_t = \mathcal{A}u$  with  $\delta = 0$  and boundary condition (36) and the corresponding stationary distribution  $\bar{p}_\infty(x) = -\frac{2\mu}{\sigma^2}e^{(2\mu/\sigma^2)x}$ . Then  $v := u\bar{p}_\infty^{1/2} = \sqrt{-\frac{2\mu}{\sigma^2}}ue^{(\mu/\sigma^2)x}$  satisfies

$$(37) \quad v_t = \mathcal{B}v := \frac{\sigma^2}{2}v_{xx} - \frac{1}{2}\frac{\mu^2}{\sigma^2}v,$$

with boundary condition  $v_x(0) = \frac{\mu}{\sigma^2}v(0)$  and where the domain of  $\mathcal{B}$  is the set of functions  $v$  in  $L^2$  such that  $\mathcal{B}v$  is also in  $L^2$ .<sup>59</sup> Furthermore,  $\mathcal{B}$  is self-adjoint.

PROOF: Equation (37) follows from differentiating  $\sqrt{-\frac{2\mu}{\sigma^2}}ue^{(\mu/\sigma^2)x}$ . To see that  $\mathcal{B}$  is self-adjoint, we integrate by parts as in Lemma 5 to conclude that for any  $v, q$  in the domain of  $\mathcal{B}$ ,  $\langle \mathcal{B}v, q \rangle = \langle v, \mathcal{B}q \rangle$ . Q.E.D.

LEMMA 7: The spectrum of  $\mathcal{B}$  consists of an isolated first eigenvalue  $\Lambda_1 = 0$ ,  $\Lambda_2 = -\frac{1}{2}\frac{\mu^2}{\sigma^2}$ , and all other points in the spectrum satisfy  $|\Lambda| > |\Lambda_2|$ . Hence the spectral gap of  $\mathcal{B}$  equals  $\lambda := |\Lambda_2| = \frac{1}{2}\frac{\mu^2}{\sigma^2}$ .

PROOF: Since  $\mathcal{B}$  with boundary condition  $v_x(0) = \frac{\mu}{\sigma^2}v(0)$  is non-positive definite, any  $\Lambda$  in the spectrum of  $\mathcal{B}$  must be non-positive. Consider the eigenvalue

<sup>59</sup>Note that  $\mathcal{B}$  is unbounded. To show  $f, f'' \in L^2$  implies  $f' \in L^2$ , apply Gagliardo–Nirenberg embedding. Then to show  $f$  decays at infinity, use Morrey’s inequality to conclude  $f \in C^{0, \frac{1}{2}}$ , the space of  $\frac{1}{2}$ -Hölder continuous functions. Then argue by contradiction to conclude that  $f$  decays at infinity. For Gagliardo–Nirenberg and Morrey’s inequality, see Evans (1998).

problem  $\mathcal{B}\varphi = \Lambda\varphi$  or, equivalently,

$$(38) \quad \frac{\sigma^2}{2} \varphi''(x) - \frac{1}{2} \frac{\mu^2}{\sigma^2} \varphi(x) = \Lambda\varphi(x),$$

with boundary condition

$$(39) \quad \varphi'(0) = \frac{\mu}{\sigma^2} \varphi(0).$$

The question is: for what values of  $\Lambda \leq 0$  does (38) have a solution  $\varphi(x)$  that satisfies the boundary condition (39) and is either in the domain of  $\mathcal{B}$  (i.e.,  $v, v_x, v_{xx}$  are in  $L^2$ ) or has at most polynomial growth. If so,  $\varphi$  is an eigenfunction of  $\mathcal{B}$  and  $\Lambda$  is in the spectrum of  $\mathcal{B}$  (essentially meaning that  $\Lambda$  is an eigenvalue of  $\mathcal{B}$ ).<sup>60</sup>

To answer this question, note that for a given  $\Lambda \leq 0$ , the general solution to (38) is  $\varphi(x) = c_1 e^{ax} + c_2 e^{-ax}$  where  $a$  satisfies

$$(40) \quad \frac{\sigma^2}{2} a^2 = \frac{1}{2} \frac{\mu^2}{\sigma^2} + \Lambda.$$

Consider four different cases:

1.  $\Lambda = 0$ . In this case, the solution to (40) is  $a = \frac{\mu}{\sigma^2}$ , that is,  $\varphi(x) = e^{\frac{\mu}{\sigma^2}x}$  which satisfies (39) and stays bounded as  $x \rightarrow \infty$  (since  $\mu < 0$ ). Hence  $\Lambda = 0$  is an eigenvalue of  $\mathcal{B}$  and is therefore in the spectrum of  $\mathcal{B}$ .

2.  $-\frac{1}{2} \frac{\mu^2}{\sigma^2} < \Lambda < 0$ . In this case,  $a$  solving (40) is real and positive. We therefore need  $c_1 = 0$  so that  $\varphi$  does not explode exponentially as  $x \rightarrow \infty$ . But then the boundary condition (39) implies  $-a = \frac{\mu}{\sigma^2}$ , which is a contradiction. Hence points in  $(-\frac{1}{2} \frac{\mu^2}{\sigma^2}, 0)$  are not in the spectrum of  $\mathcal{B}$ .

3.  $\Lambda = -\frac{1}{2} \frac{\mu^2}{\sigma^2}$ . In this case, (38) becomes  $\varphi''(x) = 0$ . A solution is  $\varphi(x) = \alpha x + b$ , where we can take  $\alpha > 1$  and  $b$  is adjusted to satisfy the boundary condition (39). Since  $\varphi$  is polynomially bounded,  $\Lambda = -\frac{1}{2} \frac{\mu^2}{\sigma^2}$  is in the spectrum of  $\mathcal{B}$ .

4.  $\Lambda < -\frac{1}{2} \frac{\mu^2}{\sigma^2}$ . In this case,  $a$  solving (40) is a purely imaginary number. We have  $e^{ix} = \cos x + i \sin x$ , so  $\varphi(x) = c_1 e^{ax} + c_2 e^{-ax}$  oscillates but stays bounded as  $x \rightarrow \infty$ . We can therefore choose  $c_1, c_2 \neq 0$  to satisfy the boundary condition (39). Hence any  $\Lambda < -\frac{1}{2} \frac{\mu^2}{\sigma^2}$  is also in the spectrum of  $\mathcal{B}$ .

<sup>60</sup>There is a subtle distinction between the eigenvalues of  $\mathcal{B}$  and the spectrum of  $\mathcal{B}$ :  $\Lambda$  is only an eigenvalue if  $\varphi$  is in the domain of  $\mathcal{B}$ . If  $\varphi$  is not in the domain of  $\mathcal{B}$  but has at most polynomial growth,  $\Lambda$  is not an eigenvalue but still in the spectrum of  $\mathcal{B}$ . Similarly, in this case  $\varphi$  is not an eigenfunction but a “generalized eigenfunction.” Intuitively,  $\varphi$  is “almost in the domain of  $\mathcal{B}$ .” See Simon (1981) for a proof that a polynomially bounded solution  $\varphi$  implies that  $\Lambda$  is in the spectrum of  $\mathcal{B}$ .

Summarizing, the spectrum of  $\mathcal{B}$  consists of an isolated first eigenvalue  $\lambda = 0$  and all  $\lambda \in (-\infty, -\frac{1}{2} \frac{\mu^2}{\sigma^2}]$ . *Q.E.D.*

#### APPENDIX B: ROBUSTNESS CHECK: ALTERNATIVE INCOME MEASURE

Figures 1 and 4 plotted top income shares for the United States, where income was defined as total income (salaries plus business income plus capital income) excluding capital gains from the “World Top Incomes Database” based on data from the Internal Revenue Service (IRS). A natural question is how our results change when we consider different measures of top income inequality. There are three reasons to be skeptical of the data series for top inequality in Figures 1 and 4. One is the Tax Reform Act of 1986 which sharply cut the top marginal income tax rates and may have affected tax reporting and realization decisions (Feenberg and Poterba (1993), Piketty and Saez (2003)). Consistent with this narrative, a significant part of the increase in the top one percent income share is concentrated in 1987 and 1988, right after the implementation of the Tax Reform Act. Second, a large fraction of the rise in top income shares post-2000 seems to come from capital income (excluding capital gains) of the top 0.01%; for the remaining 0.99% of the top 1%, the income share may be mostly flat. This point was made by Guvenen, Kaplan, and Song (2014) using a different data series from the Social Security Administration (SSA—they argued that the same also applies to the series of the “World Top Incomes Database”). Third, since the series in Figures 1 and 4 is based on IRS data, the unit of analysis is a “tax unit” as opposed to either individuals (as in the SSA data) or families (as in household surveys like the SCF), and this distinction may matter for the magnitude of the rise in top income inequality (Bricker et al. (2015)).<sup>61</sup>

To examine the robustness of our results to using alternative measures of top inequality, we repeat our main experiments using only wage (salary) data rather than total income (excluding capital gains) as in our baseline exercises (the top wage shares are also from the “World Top Incomes Database”). Wage income is arguably more immune to the first two concerns listed above. In particular, it is likely less affected by changes in tax reporting and realization (and indeed the jump in the top 1% wage share in 1987–1988 is much less pronounced than that in the top 1% income share). Similarly, changes in capital income only will not show up (and indeed the top 1% wage share is relatively flat post-2000). The main drawback of using wage data only is the presence of business income in the data; in particular, it is conceptually hard to draw the line between wages and capital income.

<sup>61</sup>Fatih Guvenen and Greg Kaplan shared with us in private communication that they plan to further detail the reasons for skepticism listed here in a forthcoming working paper “Some Words of Warning About the ‘Increase in Top Income Inequality’.”




FIGURE 6.—Robustness check: alternative income measure.

Figure 6 repeats the exercise from Figure 4 using wage data. For comparison, we superimpose the results from our previous experiment (the dashed lines). Panel (a) plots the top 1% income share as before. With the alternative data series, it remains true that the baseline random growth model cannot explain the observed rise in top inequality. However, the gap between the data and the model is more modest. Panel (b) plots the empirical inverse power law exponent  $\eta(1)$ , our preferred measure of top inequality. The use of the alternative data series affects this measure of top inequality somewhat, but less so than the income inequality measure (in panel (b), solid “wage data” line increases by as much as the solid “income data” line). We conclude that our first main result, that the standard random growth model features transitions that are too slow relative to the increase in top inequality observed in the data, is robust to measuring income as wage income rather than total income.

## REFERENCES

- ACEMOGLU, D., AND D. AUTOR (2011): “Skills, Tasks and Technologies: Implications for Employment and Earnings,” in *Handbook of Labor Economics*, Vol. 4. Amsterdam: Elsevier, 1043–1171, Chapter 12. [2097,2099]
- ACEMOGLU, D., AND J. A. ROBINSON (2015): “The Rise and Decline of General Laws of Capitalism,” *Journal of Economic Perspectives*, 29 (1), 3–28. [2073]
- AOKI, S., AND M. NIREI (2015): “Zipf’s Law, Pareto’s Law, and the Evolution of Top Incomes in the U.S.,” Working Paper, Hitotsubashi University. [2073,2077,2095]
- ATKINSON, A. B., T. PIKETTY, AND E. SAEZ (2011): “Top Incomes in the Long Run of History,” *Journal of Economic Literature*, 49 (1), 3–71. [2071,2075]
- BACH, L., L. E. CALVET, AND P. SODINI (2015): *Rich Pickings? Risk, Return, and Skill in the Portfolios of the Wealthy*. Les Cahiers de Recherche, Vol. 1126. Paris: HEC. [2101]
- BENHABIB, J., A. BISIN, AND S. ZHU (2011): “The Distribution of Wealth and Fiscal Policy in Economies With Finitely Lived Agents,” *Econometrica*, 79 (1), 123–157. [2073]
- (2015): “The Wealth Distribution in Bewley Economies With Capital Income Risk,” *Journal of Economic Theory*, 159, 489–515. [2073]

- (2016): “The Distribution of Wealth in the Blanchard–Yaari Model,” *Macroeconomic Dynamics*, 20 (2), 466–481. [2073]
- BENHABIB, J., J. PERLA, AND C. TONETTI (2016): “The Growth Dynamics of Innovation, Diffusion, and the Technology Frontier,” Working Paper. [2081]
- BOUCHAUD, J.-P., AND M. MÉZARD (2000): “Wealth Condensation in a Simple Model of Economy,” *Physica A*, 282 (3), 536–545. [2074]
- BRICKER, J., A. M. HENRIQUES, J. KRIMMEL, AND J. SABELHAUS (2015): “Measuring Income and Wealth at the Top Using Administrative and Survey Data,” Finance and Economics Discussion Series 2015-30, Board of Governors of the Federal Reserve System. [2071,2107]
- CHAMPERNOWNE, D. G. (1953): “A Model of Income Distribution,” *The Economic Journal*, 63 (250), 318–351. [2073,2077]
- DEBACKER, J., B. HEIM, V. PANOUSI, S. RAMNATH, AND I. VIDANGOS (2013): “Rising Inequality: Transitory or Persistent? New Evidence From a Panel of U.S. Tax Returns,” *Brookings Papers on Economic Activity*, 46 (1), 67–142. [2091]
- EVANS, L. C. (1998): *Partial Differential Equations*. Graduate Studies in Mathematics, Vol. 19. Providence, RI: American Mathematical Society. [2085,2105]
- FAGERENG, A., L. GUIISO, D. MALACRINO, AND L. PISTAFERRI (2016): “Heterogeneity and Persistence in Returns to Wealth,” Working Paper. [2101]
- FEENBERG, D. R., AND J. M. POTERBA (1993): “Income Inequality and the Incomes of Very High-Income Taxpayers: Evidence From Tax Returns,” in *Tax Policy and the Economy*, Vol. 7. Chicago: University of Chicago Press, 145–177. [2107]
- GABAIX, X. (1999): “Zipf’s Law for Cities: An Explanation,” *The Quarterly Journal of Economics*, 114 (3), 739–767. [2074]
- (2009): “Power Laws in Economics and Finance,” *Annual Review of Economics*, 1 (1), 255–293. [2074,2077,2078,2085]
- GABAIX, X., AND A. LANDIER (2008): “Why Has CEO Pay Increased so Much?” *The Quarterly Journal of Economics*, 123 (1), 49–100. [2097,2098]
- GABAIX, X., J.-M. LASRY, P.-L. LIONS, AND B. MOLL (2016): “Supplement to ‘The Dynamics of Inequality,’” *Econometrica Supplemental Material*, 84, <http://dx.doi.org/10.3982/ECTA13569>. Appendix G with Zhaonan Qu. [2074,2075]
- GARICANO, L., AND E. ROSSI-HANSBERG (2006): “Organization and Inequality in a Knowledge Economy,” *The Quarterly Journal of Economics*, 121 (4), 1383–1435. [2097,2098]
- GEEROLF, F. (2016): “A Theory of Pareto Distributions,” Working Paper, UCLA. [2097]
- GUVENEN, F. (2007): “Learning Your Earning: Are Labor Income Shocks Really Very Persistent?” *American Economic Review*, 97 (3), 687–712. [2072,2074,2095]
- (2015): “Income Inequality and Income Risk: Old Myths vs. New Facts,” Lecture Slides. Available at [https://fguvenendotcom.files.wordpress.com/2014/04/handout\\_inequality\\_risk\\_webversion\\_may20151.pdf](https://fguvenendotcom.files.wordpress.com/2014/04/handout_inequality_risk_webversion_may20151.pdf). [2099,2101]
- GUVENEN, F., G. KAPLAN, AND J. SONG (2014): “The Glass Ceiling and the Paper Floor: Gender Differences Among Top Earners, 1981–2012,” Working Paper 20560, NBER. [2074,2100,2107]
- GUVENEN, F., F. KARAHAN, S. OZKAN, AND J. SONG (2015): “What Do Data on Millions of U.S. Workers Reveal About Life-Cycle Earnings Risk?” Working Paper 20913, NBER. [2074,2077, 2095]
- GUVENEN, F., S. OZKAN, AND J. SONG (2014): “The Nature of Countercyclical Income Risk,” *Journal of Political Economy*, 122 (3), 621–660. [2091,2099]
- HAIDER, S. J. (2001): “Earnings Instability and Earnings Inequality of Males in the United States: 1967–1991,” *Journal of Labor Economics*, 19 (4), 799–836. [2091]
- HANSEN, L. P., AND J. A. SCHEINKMAN (2009): “Long-Term Risk: An Operator Approach,” *Econometrica*, 77 (1), 177–234. [2073]
- HARRISON, M. (1985): *Brownian Motion and Stochastic Flow Systems*. New York: Wiley. [2085]
- HEATHCOTE, J., F. PERRI, AND G. L. VIOLANTE (2010): “Unequal We Stand: An Empirical Analysis of Economic Inequality in the United States: 1967–2006,” *Review of Economic Dynamics*, 13 (1), 15–51. [2078,2091]

- HUNTER, J., AND B. NACHTERGAELE (2001): *Applied Analysis*. Singapore: World Scientific. [2103]
- JONES, C. I. (2005): "The Shape of Production Functions and the Direction of Technical Change," *The Quarterly Journal of Economics*, 120 (2), 517–549. [2074]
- (2015): "Pareto and Piketty: The Macroeconomics of Top Income and Wealth Inequality," *Journal of Economic Perspectives*, 29 (1), 29–46. [2073,2079,2089]
- JONES, C. I., AND J. KIM (2014): "A Schumpeterian Model of Top Income Inequality," Working Papers 20637, NBER. [2073,2076,2077,2079,2095,2099-2101]
- KIM, J. (2015): "The Effect of the Top Marginal Tax Rate on Top Income Inequality," Working Paper, KAIST. [2073,2077]
- KOPCZUK, W. (2015): "What Do We Know About the Evolution of Top Wealth Shares in the United States?" *Journal of Economic Perspectives*, 29 (1), 47–66. [2071]
- KOPCZUK, W., E. SAEZ, AND J. SONG (2010): "Earnings Inequality and Mobility in the United States: Evidence From Social Security Data Since 1937," *The Quarterly Journal of Economics*, 125 (1), 91–128. [2091]
- LINETSKY, V. (2005): "On the Transition Densities for Reflected Diffusions," *Advances in Applied Probability*, 37 (2), 435–460. [2084]
- LUCAS, R. E., AND B. MOLL (2014): "Knowledge Growth and the Allocation of Time," *Journal of Political Economy*, 122 (1), 1–51. [2081]
- LUTTMER, E. G. J. (2007): "Selection, Growth, and the Size Distribution of Firms," *The Quarterly Journal of Economics*, 122 (3), 1103–1144. [2074,2077,2079]
- (2011): "On the Mechanics of Firm Growth," *Review of Economic Studies*, 78 (3), 1042–1068. [2072,2074,2095]
- (2012): "Slow Convergence in Economies With Firm Heterogeneity," Working Paper 696, Federal Reserve Bank of Minneapolis. [2073,2088]
- (2015): "An Assignment Model of Knowledge Diffusion and Income Inequality," Staff Report 509, Federal Reserve Bank of Minneapolis. [2073,2077]
- (2016): "Further Notes on Micro Heterogeneity and Macro Slow Convergence," Working Paper, Federal Reserve Bank of Minneapolis. [2088]
- MACURDY, T. E. (1982): "The Use of Time Series Processes to Model the Error Structure of Earnings in a Longitudinal Data Analysis," *Journal of Econometrics*, 18 (1), 83–114. [2078]
- MALEVERGNE, Y., A. SAICHEV, AND D. SORNETTE (2013): "Zipf's Law and Maximum Sustainable Growth," *Journal of Economic Dynamics and Control*, 37 (6), 1195–1212. [2074]
- MEGHIR, C., AND L. PISTAFERRI (2011): "Earnings, Consumption and Life Cycle Choices," in *Handbook of Labor Economics*, Vol. 4. Amsterdam: Elsevier, 773–854, Chapter 12. [2078]
- MOFFITT, R. A., AND P. GOTTSCHALK (1995): "Trends in the Covariance Structure of Male Earnings in the U.S., 1969–1987," Working Paper, Johns Hopkins University. [2091]
- NIREI, M. (2009): "Pareto Distributions in Economic Growth Models," IIR Working Paper 09-05, Institute of Innovation Research, Hitotsubashi University. [2073,2077]
- PARETO, V. (1896): "Cours d'Économie politique," Librairie Droz. Reprinted in 1964. [2071]
- PARKER, J. A., AND A. VISSING-JORGENSEN (2010): "The Increase in Income Cyclicity of High-Income Households and Its Relation to the Rise in Top Income Shares," *Brookings Papers on Economic Activity*, 41 (2), 1–70. [2098,2101]
- PERLA, J., AND C. TONETTI (2014): "Equilibrium Imitation and Growth," *Journal of Political Economy*, 122 (1), 52–76. [2081]
- PIKETTY, T. (2014): *Capital in the Twenty-First Century*. Cambridge: Harvard University Press. [2071]
- PIKETTY, T., AND E. SAEZ (2003): "Income Inequality in the United States, 1913–1998," *The Quarterly Journal of Economics*, 118 (1), 1–39. [2071,2075,2107]
- ROSEN, S. (1981): "The Economics of Superstars," *American Economic Review*, 71 (5), 845–858. [2097]
- SAEZ, E., AND G. ZUCMAN (2016): "Wealth Inequality in the United States Since 1913: Evidence From Capitalized Income Tax Data," *The Quarterly Journal of Economics*, 131 (2), 519–578. [2071]

- SAICHEV, A., Y. MALEVERGNE, AND D. SORNETTE (2009): *Theory of Zipf's Law and Beyond*, Vol. 632. Berlin: Springer. [2074]
- SIMON, B. (1981): "Spectrum and Continuum Eigenfunctions of Schrödinger Operators," *Journal of Functional Analysis*, 42 (3), 347–355. [2106]
- SIMON, H. A. (1955): "On a Class of Skew Distribution Functions," *Biometrika*, 42 (3/4), 425–440. [2073,2077]
- STEINDL, J. (1965): *Random Processes and the Growth of Firms: A Study of the Pareto Law, Economic Theory and Applied Statistics*. New York: Hafner Publishing Company. [2089]
- STONE, M., AND P. GOLDBART (2009): *Mathematics for Physics: A Guided Tour for Graduate Students*. Cambridge: Cambridge University Press. [2103]
- TERVIO, M. (2008): "The Difference That CEOs Make: An Assignment Model Approach," *American Economic Review*, 98 (3), 642–868. [2097]
- TODA, A. A., AND K. WALSH (2015): "The Double Power Law in Consumption and Implications for Testing Euler Equations," *Journal of Political Economy*, 123 (5), 1177–1200. [2073,2077]
- WEIDMANN, J. (1980): *Linear Operators in Hilbert Spaces*. Berlin: Springer. [2103]
- WOLD, H. O. A., AND P. WHITTLE (1957): "A Model Explaining the Pareto Distribution of Wealth," *Econometrica*, 25 (4), 591–595. [2073]

*Dept. of Economics, Harvard University, Littauer Center, 1805 Cambridge St., Cambridge, MA 02138, U.S.A.; xgabaix@fas.harvard.edu,*  
*Université Paris-Dauphine, Place du Maréchal de Lattre de Tassigny, 75775 Paris Cedex 16, France; 2007lasry@gmail.com,*  
*College de France, 3 rue d'Ulm, 75005 Paris, France; pierre-louis.lions@college-de-france.fr,*

*and*

*Dept. of Economics, Princeton University, 106 Fisher Hall, Princeton, NJ 08544, U.S.A.; moll@princeton.edu.*

*Co-editor Daron Acemoglu handled this manuscript.*

*Manuscript received June, 2015; final revision received August, 2016.*