

Index

- Adverse health effects, 4,9-10,43
- Air
 - amount inhaled, 3, 15
 - composition of, 6, 15,29
 - contaminants, 56
 - hazardous pollutants of, 7,49,52
 - pollutants, 6-8,25,31,62-65
 - quality, 6-8
- Airborne substances, 4,6,8
- Aldehydes, 66
- Alkyl halide, substituted, 51
- Alpha₁-antitrypsin, 21
- American Thoracic Society (ATS), 43
- Animal, selection of appropriate test, 6,34
- Arsenic, inorganic, 49
- Asbestos, 22,29,49,61,63-64,66
- Asthma, 5,21,22,64
- Benzene, 49,61,66
- Beryllium, 34,49,62,66
- Biological agents, 4,8
- Biologically effective dose, 6,31-33
- Black lung disease, 61
- Bronchitis, chronic, 19-20,21
- Bronchoalveolar lavage (BAL), 41
- Bronchoalveolar lavage fluid (BALF), 38
- Bronchoconstriction, 21,34
- Butadiene, 66
- Bysinosis, 21
- Cadmium, 21
- Carbon monoxide (CO), 8,25,29,49
- Centers for Disease Control (CDC), 64
- Chemical pneumonitis, 61
- Chronic bronchitis, 5,19,64
- Chronic obstructive airway disease (COAD), 21
- Chronic obstructive lung disease (COLD), 21
- Chronic obstructive pulmonary disease (COPD), 21
- Clean Air Act (CAA), 7,49-51
- Clean Air Science Advisory Committee (CASAC), 9
- Clinical studies, 35-40
- Coal, 61,64
- Coke oven emissions, 49
- Colorado State University, 65
- Consumer Product Safety Act (CPSA), 61
- Consumer Product Safety commission (CPSC), 49,61
- Data, assessments of, 41
- Department of Energy (DOE), 65-66
- Department of Health and Human Services (DHHS), 62-65
- Department of Labor (DOL), 49,55
- Diesel exhaust, 66
- Diisocyanates, 51
- Division of Respiratory Disease Studies (DRDS), 64
- Dose-response assessment, 30-31
- Dosimetry, 31,34-35,66
- Duke University, 62
- Dust, 4,21-22,29,62-65
- Early Reduction Program (ERP), 49-51,54
- Emphysema, 5,20-21,64
- Environmental Protection Agency (EPA),
 - regulation, 9,49-55
 - research, 9,62,66-67
- Epidemiologic studies, 40-43
- Epidemiology, defined, 4,6
- Exposure
 - acute, 7-9,31,43,51,62
 - chronic, 9,31,43,51,62
 - defined, 6,31
 - environmentally relevant levels of, 4,43
 - indoor, 8, 29
 - occupational, 4,5,7,25,66
 - outdoor, 4, 29
 - technologies to measure, 35-36,41
- Exposure assessment, 8,30-31,34-35
- Extrinsic allergic alveolitis, 22
- Farmers, 22,65
- Federal Hazardous Substances Act (FHSA), 61
- Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA), 49,54-55
- Federal Mine Safety and Health Act (FMSHA), 7, 55,64
- Fiberglass, 66
- Fibrosis, 5
- Food and Drug Administration (FDA), 49,61-62
- Food, Drug, and Cosmetics Act (FDCA), 61
- Formaldehyde, 8,25,29,61
- Gas exchange, 16,20,22,63
- Gasoline, 61
- Harvard University, 63,64
- Hazard identification, 30-31
- Health effects assessment, 35-43
- Health Effects Institute (HEI), 66
- Health Effects Institute—Asbestos Research

- (HEIAR), 66
- Health Effects Research Laboratory (HERL), 62
- Hydrocarbons, 25
- Immune
 - responses, 19,22
 - system, 19,38
- Indoor air, 8,29
- Inhalation Toxicology Research Institute (ITRI), 65-66
- Isobutyl nitrite (IBN), 63
- Kerosene, 61
- Laboratories studies, 35-40
- Lead, 49
- Los Amigos Research and Education Institute, 66
- Los Angeles, CA 7,9,42
- Louisiana State University, 63
- Lung
 - injury and disease, 5, 19-22
 - structure and function, 5, 15-19
 - toxicology and epidemiology of, 5-6,29-33
- Magnetopneumography, 33
- Maximum achievable control technology (MACT), 49
- Medical College of Wisconsin, 62
- Mercury, 49
- Methanol, 66
- Microscopy, 33,39
- Mine Safety and Health Administration (MSHA), 49,61
- Miners, 64
- Morgantown, WV, 64
- Morphometry, 38
- Naphtha, 61
- Nasopharyngeal region, 5,15
- National Academy of Sciences (NAS), 38
- National Ambient Air Quality Standards (NAAQS), 49,50
- National Center for Toxicological Research (NCTR), 65
- National Coal Workers' Autopsy Study, 64
- National Farm Medicine Center, 65
- National Heart Lung and Blood Institute (NHLBI), 63-64
- National Institute for Occupational Safety and Health (NIOSH), 64
- National Institutes of Health (NIH), 62
- National Institute of Environmental Health Sciences (NIEHS), 62
- National Jewish Center for Immunology and Respiratory Medicine, 63
- Nickel, 66
- Nitric acid, 62
- Nitrogen dioxide, 8,29,49
- Nitrogen oxides, 6,9,25,29,66
- Occupational Safety and Health Act (OSH Act), 7,55
- Occupational Safety and Health Administration (OSHA),49, 55-60
- Office of Technology Assessment
 - scope of the report, 3-4
 - studies on neurotoxicity and immunotoxicity, 6, 19
 - terminology used by, 3-4
- Oxidants, 25
- Oxirane, substituted, 51
- Ozone, 9,29,49,62-64,66
- Particulate, 6,20,25,29,49,63
- Pennsylvania State University, 63
- Perhalo alkoxy ether, 54
- Pesticides, 55
- Pleural cavity, 17
- Pneumoconiosis, 61,
- Pneumonia, 61
- Pulmonary circulation, 16
- Pulmonary edema, 54,61
- Pulmonary fibrosis, 22
- Pulmonary region, 5,16,32
- Pulmonary toxicants, 3,29,51,62,67
- Pulmonary toxicity, 9,37,43,66
- Radionuclides, 49
- Radon, 8
- Regulators, 3-4,8,10,29,44
- Regulatory activities, Federal
 - Consumer Product Safety Commission, 49,61
 - Department of Labor, 49,55
 - Environmental Protection Agency, 49-55
 - Food and Drug Administration, 49,61
 - Occupational Safety and Health Administration, 49,55
 - Mine Safety and Health Administration, 49,61
- Research, Federal
 - Centers for Disease Control, 64
 - Department of Energy, 65-66
 - Department of Health and Human Services, 62-65
 - Environmental Protection Agency, 9,62,66-67
 - National Center for Toxicological Research, 65
 - National Heart Lung and Blood Institute, 63-64
 - National Institute for Occupational Safety and Health, 64
 - National Institute of Environmental Health Sciences, 62-63
 - National Institutes of Health, 62
 - see also Studies.
- Research Triangle Park, NC, 62
- Resource Conservation and Recovery Act (RCRA), 49,51,55

- Respirable particles, 22
- Respiratory system
- cells of the, 17-19
 - defense mechanisms, 5, 15,19,32
 - responses to harmful substances, 5, 19-22
 - species differences, 34
 - structure and function, 5, 15-19
- Risk assessment, 29-31
- Risk characterization, 30-31
- Senate, Committee on Environment and Public Works, Subcommittee on Toxic Substances, Environmental Oversight, Research and Development, 3
- Silane, 54
- Silicosis, 62
- Smoking, 5,20,21,29,40
- Spirometry, 37,39,41
- State University of New York at Buffalo, 64
- State University of New York at Stony Brook, 63
- Studies
- clinical, 3,5-6,8-9,35-40,43,44, 62,64
 - epidemiologic, 3,5-6,8-9,20,35,40-43, 62,64
 - laboratory, 3,5-6,8,34-35,38,43-44
 - limitations of, 43-44
 - see also Research; Tests
- Sulfur dioxide, 5,20,22,29
- Sulfur oxides, 6,25,29,49,66
- Sulfuric acid, 62
- Susceptible populations, 8,44,62
- Tests
- biochemical, 6,9,38
 - biological, 40-43
 - molecular, 38
 - physiologic, 36-38
 - structure, 38
 - see also Studies
- Textiles, 21,64
- 33/50 Program, 51,54
- Tobacco smoke, 5,8,25,29,42,63
- Toluene, 61
- Toxic Release Inventory (TRI), 51
- Toxic Substances Control Act (TSCA), 49,51-54
- Toxicants
- Federal regulation of, 49-62
 - Federal research on, 62-66
 - industrial, 23
 - monitoring of, 31
 - physical properties of, 33-34
- Toxicology, 4,5-6,30
- Tracheobronchial region, 5, 15,32,62
- Turpentine, 61
- University of California at Berkeley, 63-64
- University of California at Davis, 63,65
- University of California at Irvine, 63
- University of California at Los Angeles (ULCA), 42
- University of California at Santa Barbara, 64
- University of Maryland, 63
- University of New Mexico, 64
- University of North Carolina, 62
- University of Rochester School of Medicine, 63
- University of Vermont, 64
- Vinyl chloride, 49
- Volatile organic compounds, 8-9,25,32,62
- Woodsmoke, 6,8,25
- Workers, 6,64,66
- Xylene, 61