

# Index

- Accident risk, 5, 12,65,67-69,80
- Accident Sequence Precursor program, 69
- ACE. See Atlantic City Electric Company
- ACRS. See Advisory Committee on Reactor Safeguards
- Administrative Procedures Act, 13,45
- Advisory Committee on Reactor Safeguards, 19,68
- AEA. See Atomic Energy Act of 1954
- AEC. See Atomic Energy Commission
- Age-related degradation unique to license renewal, 16-17, 18,58-59
- Aging.
  - causes and effects, 37-44
  - effects on cost and performance, 93
  - experience with, 6-9
  - degradation 9, 37
  - federal safety policy considerations, 6, 17-20
  - impact of aging on safety goals, 64-69
  - institutional efforts, 11-13, 44-47
  - license expiration and renewal, 13-17,57-59,61
  - management of, 10,47-57
  - maintenance practices, 49-52
  - mechanisms for metals, 38
  - nuclear power plant design, 48-49
  - occupational health impacts, 69-71
  - overview, 10-11
  - public health goals, 61,63-64
  - research, 52-53, 55-57
- ALARA. See As low as is reasonably achievable
- American Nuclear Insurers, 145
- American Society of Mechanical Engineers, 39-40, 48,49, 162
- ANI. See American Nuclear Insurers
- Annealing, reactor pressure vessel **embrittlement** and, 40
- ARDUTLR. See Age-related degradation unique to license renewal
- As low as is reasonably achievable, 64, 140
- ASME. See American Society of Mechanical Engineers
- Atlantic City Electric Company, 156, 165
- Atomic Energy Act of 1954, 11,44,57
- Atomic Energy Commission, 48, **84, 170**
- Atomic Industrial Forum, 135
- Babcock and Wilcox, 16, 149
- Babcock and Wilcox Owners' Group, 16
- Backfitting** rule, 59,61
- Background radiation, 64-65, 107
- Baltimore Gas and Electric Company, See **Calvert** Cliffs Nuclear Power Plants
- Below regulatory concern, 32, 103, 104-105
- BG&E.** See Baltimore Gas and Electric Company
- Boiling water reactors
  - collective radiation doses, 139-141
  - cost estimates from decommissioning, 137-138
  - low-level waste, 109, 111
  - recirculation piping aging, 53-54
- BRC. See Below regulatory concern
- BWOG.** See Babcock and Wilcox Owners' Group
- BWRs.** See Boiling water reactors
- CAAA.** See Clean Air Act Amendments of 1990
- Cables. See Electrical equipment
- California Public Utilities Commission, 3,26,84,85, 171
- Calvert** Cliffs Nuclear Power Plants, 39
  - decommissioning, 156
  - life attainment and license renewal, 153-155
  - performance and operating history, 150-153
  - spent fuel storage, 98
- Cancer mortality rates, 65,70-71
- Capacity factors, 84-88,89
- Capacity margins, 76
- Capital additions, 25,89-91
- Carbon dioxide emissions, 22,79
- Case studies
  - Calvert** Cliffs site, 150-156
  - Hope Creek site, 156-160
  - Monticello site, 160-164
  - Salem site, 165-170
  - San **Onofre** site, 170-178
- CFs.** See Capacity factors
- Chemical decontamination, 95, 129
- Chernobyl nuclear accident, 67
- CLB. See Current licensing basis

- Clean Air Act Amendments of 1990, 80
- climate change. See Global climate change
- Collective radiation doses, 139-141
- Colorado Public Utilities Commission, 84, 123
- Combustion Engineering, 149-150
- Commonwealth Edison Company, 75, 89
- ConEd. See Consolidated Edison Company of New York
- Conflation Baseline Documentation Project, 158-159, 167
- Consolidated Edison Company of New York, 95
- Corrosion **definition**, 38
- Critical Mass Energy **Project**, 147
- Current licensing basis, 11, 58
  
- DBD. See **Design Bases Documentation Program**
- D&D. Decontamination and decommissioning See **Decommissioning**
- Decommissioning**
  - cost estimation, 132-139
  - decontamination and decommissioning, 127, 129-130
  - definition**, 101
  - dismantlement technologies, 130, 132, 133
  - early retirement financial requirements, 141-147
  - federal policy considerations, 6, 33-36
  - financing, 33, 128-129
  - international experience, 125, 127, 130
  - overview, 30-31
  - radiation exposure estimation, 132, 134, 139-141
  - radioactive waste disposal, 108-118
  - residual radioactivity standards, 31-33, 102-108
  - U.S. experience, 118-125
- DECON, 32, 101, 112, 122, 134, 137, 139-140, 95
- Decontamination factor, 127, 129
- Delmarva** Power and Light, 165
- Demand-side management, 76-77
- Design Bases Documentation Program, 173, 175
- DF. See Decontamination factor
- Division of **Ratepayer** Advocates, 3, 84
- DLC. See **Duquesne Light** Company
- DOE. See U.S. Department of Energy
- DP&L**. See **Delmarva** Power and Light
- DRA**. See Division of **Ratepayer** Advocates
- DSM. See Demand-side management
- Duke Power Company, 42
- Duquesne Light** Company, 120
  
- Early retirements. See *also* **Decommissioning**
  - recent plant closures, 3-4
- Economic incentive programs, 84-86
- Economic issues
  - aging issues, 24-25
  - changing electric utility context, 73-81
  - factors affecting future costs, 92-99
  - federal policy considerations, 6, 27-30
  - institutional roles, 26-27, 81-86
  - overview, **2-4**
  - performance of existing plants, 86-92
  - prospects for existing plants, 20-24
- EDF. See Electricite de France
- EDG. See Emergency diesel generator
- EDO. See Executive Director for Operations
- EIA. See Energy Information **Administration** project
- Electric Power Research Institute, 29, 44-45, 52, 81
- Electric industry competition, 76-79
- Electricity demand and capacity margins, 75-77
- Electrical equipment, 10, 57, 62
- Electricite de France, 51
- Embrittlement**
  - definition**, **38**
  - reactor pressure vessels and, **39-40**
- Emergency diesel generator, 39, 51
- Energy Information Administration 76
- Energy Policy Act of 1992, 29, 78, 82, 105
- enhanced participatory **rulemaking**, residual radioactivity standards and, 32, 104-106
- ENTOMB, 32-33, 34-35, 101-102, 112, 142
- Environmental issues, 22, 79-81
- Environmental qualification of electrical equipment, 10, 57, 62, 162
- Environmental Restoration and Waste Management program, 122, 125
- EPA. See U.S. Environmental Protection Agency
- EPA Standard: 40 CFR 192.12, 106
- FPA Standard: 40 CFR Part 261, 116
- EPACT**. See Energy Policy Act of 1992
- Epidemiological** studies, 66
- EPRI**. See Electric Power Research Institute
- EQ. See Environmental qualification of electrical equipment
- Equipment forced outage rate, 60, 61
- ERWM**. See Environmental Restoration and Waste Management program
- Executive Director for Operations, 46
  
- Fabrication defects, 38
- Fatigue , 10, 38, 57
- Federal Energy Regulatory Commission, 26, 171
- Federal policy considerations
  - assuring adequate aging safety, 17-20
  - decommissioning, 33-36
  - overview, 6
  - supporting economic decisions, 27-30
- FERC. See Federal Energy Regulatory Commission
- Fitzpatrick Nuclear Power Plant, 75-76
- Formally Utilized Sites Remedial Action Project, 122
- Fort St. **Vrain** Nuclear Generating Station
  - decommissioning, 123-125
  - early retirement, 3, 84, 40 CFR 192.12. See EPA Standard: 40 CFR 192.12, 40 CFR Part 261, See EPA Standard: 40 CFR Part 261
- Foster-Wheeler Energy Corporation, 124
- FSD. See Full system decontamination
- FSV**. See Fort St. **Vrain** Nuclear Generating Station
- FTOL**. See Full-term Operating License
- Fuel costs, 91-92
- Full system decontamination, **95**
- FUSRAP. See Formally Utilized Sites Remedial Action Project
  
- General Atomics Technologies, 84
- "General Design Criteria for Nuclear Power Plants. " See **NRC**
  - Standard: 10 CFR Part 50, Appendix A
- General Electric, 149-150
- General Public Utilities Nuclear Corporation, 128

- Generic Safety Issues, 17, 57  
 Global climate change, 22,79  
 GPU. See General Public Utilities Nuclear Corporation  
 Greater-than-Class C, 111  
 GSIs. See Generic Safety Issues  
 GTCC. See Greater-than-Class C
- High-level waste. *See* Spent fuel disposal  
 Historical capital costs, 88-89  
 Hope Creek site  
   decommissioning, 159  
   life attainment and license renewal, 158-159  
   performance and operating history, 156-158  
 Hydropower, 81
- IAEA. See International Atomic Energy Agency  
 ICC. See Illinois Commerce Commission  
 ICRP. See International Commission on Radiological Protection  
 Idaho, 124  
 Idaho National Engineering Laboratory, 124  
 IEEE. See Institute of Electrical and Electronics Engineers  
 IGSCC. See **Intergranular** stress corrosion cracking  
 Illinois Commerce Commission, 89  
 Important to license renewal components, 58, 153  
 Important to power production components, 153  
 Independent spent fuel storage installations, 28,98, 155  
 Individual plant examinations, 68  
 Industrywide Initiative, 81,96  
 INEL. See Idaho National Engineering Laboratory  
 INPO. See Institute of Nuclear Power Operations  
 Inspections, 57  
 Institute of Electrical and Electronics **Engineers**, 62, 162  
 Institute of Nuclear Power Operations  
   description, 45  
   evaluations of operating plants, 53, 57  
   maintenance guidelines, 49-50  
   quantitative indicators of nuclear performance, 60  
 Integrated plant assessment, 16, 59  
 Integrated resource planning, 21, 82-83  
 Intergranular stress corrosion cracking, 38, 152  
 International Atomic Energy Agency, 6, 103  
 International Commission on Radiological Protection, 70  
 LPA. See Integrated plant assessment  
 IPEs. See Individual plant **examinations**  
 IRP. See Integrated resource planning  
 ISFSIs. See Independent spent fuel storage installations  
 ITLR. See Important to license renewal components  
 ITTP. See Important to power production components
- LCMDATA. See Life-cycle management data  
 Least-cost planning. See Integrated resource planning  
 LERs. See Licensee event reports  
 License renewal  
   aging management, 57-59, 61  
   and aging safety, 13-17, 18-19  
 License termination, 142-143  
 Licensee event reports, 60, 152  
 Life-cycle management data, 155  
 Life-cycle management programs, 6, 8, 153, 167  
 LILCO. See Long Island Lighting Company  
 LIPA. See Long Island Power Authority
- LLRWPA. See Low-Level Radioactive Waste Policy Act  
 LLRWPA. See **Low-Level** Radioactive Waste Policy Amendments Act of 1985  
 LLW. See Low-level waste  
 Long Island Lighting Company, 3, 126  
 Long Island Power Authority, 127  
 Low-Level Radioactive Waste Policy Act, 108-109, 113  
**Low-Level** Radioactive Waste Policy Amendments Act of 1985, 104, 108-109, 113  
 Low-level waste  
   disposal, 96-99, 108-112  
   mixed waste, 35, 116-117  
   projected volumes, 112-116  
   regulatory policies, 35-36
- MAELU. See Mutual Atomic Energy Liability Underwriters  
 Maintenance rule, 10, 18,49  
 Maintenance **Team** Inspections, 57  
 Mechanical effects of metal aging, 38  
 Metals degradation, 38  
 Minnesota, 23, 98, 164  
 Minnesota Public Service Commission, 98  
 Mixed waste. See **Low-level** waste  
 Monitored retrievable storage facility, 23, 28, 97  
 Monticello Nuclear Power Plant  
   decommissioning, 164  
   life attainment and license renewal, 14, 59, 161-164  
   performance and operating history, 160-161  
 MRS. See Monitored retrievable storage facility  
 Mutual Atomic Energy Liability Underwriters, 145
- National Energy Strategy, 21  
 National Environmental Policy Act, 14  
 National Research Council, 29  
 NDE. See Nondestructive examination methods  
 NDTs. See Nuclear decommissioning trusts  
 NEIL. See Nuclear Electric Insurance Limited  
 NERC. See North American Electric Reliability Council  
 New Jersey, 160  
 New York, 3, 82  
 New York Power Authority, 75-76  
 Niagara Mohawk, 94  
 Nitrogen oxide, 80  
 Nondestructive examination methods, 40,51  
 North American Electric Reliability Council, 74  
 North Anna Nuclear Power Plant, 88,94  
 Northern States Power Company, 23, 98, 160-164. See also  
   Monticello Nuclear Power Plant  
 NPAR program. See Nuclear Plant Aging Research program  
 NRC. See U.S. Nuclear Regulatory Commission  
 NRC Regulatory Guide 1.86, 142  
 NRC Standard: 10 CFR 50.2, 106  
 NRC Standard: 10 CFR 50.46, 142  
 NRC Standard: 10 CFR 50.49, 162  
 NRC Standard: 10 CFR 50.55a(g), 142  
 NRC Standard: 10 CFR 50.75, 144, 146  
 NRC Standard: 10 CFR 60.61, 142  
 NRC Standard: 10 CFR 61.50, 115  
 NRC Standard: 10 CFR Part 50, Appendix A, 48, 58  
 NRC Standard: 10 CFR Part 50.75, 126  
 NSP. See Northern States Power Company  
 Nuclear decommissioning trusts, 147

- Nuclear Electric Insurance Limited, 145
- Nuclear Maintenance Applications Center, 52
- Nuclear Management and Resources Council, 13,44-45, 81
- Nuclear Plant Aging Research program, 20,53,55-57
- Nuclear power plants. *See also* Aging
  - challenges to industry, 1-2
  - costs, 86-92
  - design and aging, 48-49
  - external review of activities, 53, 57
  - license expirations, 15
  - locations, 6, 7
  - policy issues, 2-6
- Nuclear Waste Fund, 23,97
- Nuclear Waste Policy Act of 1982, 23,28,96-97
- Nuclear Waste Technical Review Board, 97
- NUMARC. *See* Nuclear Management and Resources council
- NWF. *See* Nuclear Waste Fund
- NWPA. *See* Nuclear Waste Policy Act
- NYPA. *See* New York Power Authority
  
- Occupational health, 69-71, 140-141
- Office of Civilian Radioactive Waste Management, 97
- O&M. *See* Operation and maintenance costs
- Operation and maintenance costs, 24,91-92
- Organization of Economic Cooperation and Development, 6
- Other radioactive waste, 110
  
- Pacific Gas and Electric Company, 85
- PDMS. *See* Post **defueling** monitored storage
- Pennsylvania State **Low-Level** Waste Advisory Commission, 20
- Performance indicators
  - Calvert Cliffs site, 152
  - description, 60
  - Hope Creek site, 158
  - Monticello site, 161
  - Salem site, 167
  - San Onofre site, 173
- PGE. *See* Portland General Electric
- PG&E. *See* Pacific Gas and Electric Company
- Philadelphia Electric Company, 94, 127, 165
- PNM. *See* Public Service of New Mexico
- POL. *See* Possession-only license
- Portland General Electric, 4, 82-83, 129
- Possession-only license, 142
- Post-closure costs, 144
- Post **defueling** monitored storage, 128
- PRA. *See* Probabilistic risk assessment
- Prepayment, 146
- Pressurized thermal shock, 38
- Pressurized water reactors
  - collective radiation doses, 139-140
  - cost estimates from decommissioning, 137
  - low-level waste, 109, 111
  - steam generators, 42-43
- Price Anderson Act, 80, 123
- Probabilistic risk assessment, 50-51,68-69
- Production costs, 91-92
- PSCO. *See* Public Service of Colorado
- PSE&G. *See* Public Service Electric and Gas Company
- PTS. *See* Pressurized thermal shock
  
- Public Citizen, 147
- Public health, 61,63-64
- Public opinion, 5, 45-46. *See also* Enhanced participatory **rulemaking**
- Public radiation doses, 64-66
- Public Service Electric and Gas Company, 85, 156-160, 165-170
- Public Service Company of Colorado, 3,23,84, 123
- Public Service Company of New Mexico, 89
- Public utility commissions, 26, 82, 83, 144
- Public Utility Regulatory Policies Act of 1978,78
- PUCs. *See* Public **utility** commissions
- PURPA. *See* Public Utility Regulatory Policies Act of 1978
- PWRs. *See* Pressurized water **reactors**
  
- Radiation doses
  - estimating for decommissioning, 139-141
  - nuclear power plant workers, 69-71, 140-141
  - public, 64-66
- Radioactive waste. *See* **Low-level** waste; Spent fuel disposal
- Rancho Seco Nuclear Power Plant
  - early retirement, 3
  - financing decommissioning, 128
- RCM. *See* Reliability-centered maintenance
- Reactor pressure vessels, 38-40
- Recirculation piping, 53-54
- Reference reactors, 137-141
- Reliability-centered maintenance, 50
- Residual radioactivity standards, 31,32, 102-108
- Resource Conservation and Recovery Act of 1976,35
- Restricted use, 32, 107
- Retirement. *See* **Decommissioning**; Early retirement
- RFM. *See* Risk-focused maintenance
- Risk assessment, 66-67
- Risk-focused maintenance, 50-51
- Robotics, 51
- RPVS. *See* Reactor pressure vessels
  
- Sacramento Municipal **Utility** District, 3, 128
- Safety goal policy, 12,20, 63-64
- SAFSTOR, 32, 177-178
- Salem site
  - decommissioning, 169-170
  - life attainment and license renewal, 167-169
  - performance and operating **history**, 165-167
  - spent fuel storage, 169
- SALP. *See* Systematic assessment of licensee performance
- San Diego Gas and Electric Company, 84, 170
- San Onofre Nuclear Generating Station
  - decommissioning, 175-178
  - early retirement, 3-4, 84
  - financing decommissioning, 128
  - life attainment and license renewal, 172-175
  - performance and operating history, 170-172
- Sandia National Laboratories, 62
- SCE. *See* Southern California Edison Company
- Scrams, 60, 61
- SDMP. *See* Site Decommissioning Management Plan program
- SEP. *See* Systematic Evaluation **Program**
- SGS. *See* Steam **generators**
- Shippingport Nuclear Power Plant, 120-122

- Shoreham Nuclear Power Plant
  - decommissioning, 126-127
  - early retirement, 3
- Site Decommissioning Management Plan program, 122
- SMUD. See Sacramento Municipal Utility District
- SOC. See Statement of considerations
- SONGS, See San Onofre Nuclear Generating Station
- Southern California Edison Company, 3, 84, 170-178
- Spent fuel disposal, 23, 27-28, 96-99, 117-118
- SSCs. See Systems, structures, and components
- Staffing, 91-92
- Standard Review Plan, 48
- Statement of considerations, 16, 59
- Steam Generator Replacement Group, 42
- Steam generators, 42-43
- Sulfur dioxide, 80
- Surety method, 146
- Systematic assessment of licensee performance
  - Calvert Cliffs site, 154
  - description, 24,60
  - Hope Creek site, 157
  - Monticello site, 163
  - Salem site, 168
  - San Onofre site, 174
- Systematic Evaluation Program, 10,49
- Systems, structures, and components, 37-44
  
- 10 CFR 50.2. See NRC Standard: 10 CFR 50.2
- 10 CFR 50.46. See NRC Standard: 10 CFR 50.46
- 10 CFR 50.49. See NRC Standard: 10 CFR 50.49
- 10 CFR 50.55a(g). See NRC Standard: 10 CFR 50.55a(g)
- 10 CFR 50.75. See NRC Standard: 10 CFR 50.75
- 10 CFR 60.61. See NRC Standard: 10 CFR 60.61
- 10 CFR 61.50. See NRC Standard: 10 CFR 61.50
- 10 CFR Part 50, Appendix A. See NRC Standard: 10 CFR Part 50, Appendix A
- 10 CFR Part 50.75. See NRC Standard: 10 CFR Part 50.75
  
- Three Mile Island, 65, 67, 128
- TLG Services, Inc., 159
  
- TMI. See Three Mile Island
- Trojan Nuclear Power Plant
  - early retirement, 4
  - economic analysis, 82-83
  - financing decommissioning, 129
  
- Union of Concerned Scientists, 47
- Unit cost factor, 135
- Unrestricted use, 106-107
- U.S. Department of Energy
  - aging research, 52-53
  - Shippingport decommissioning, 120-122
  - spent fuel disposal, 23, 96-97
- U.S. Environmental Protection Agency, 35, 105
- U.S. Nuclear Regulatory Commission
  - aging research, 52-53, 55-57
  - assuring adequate aging safety, 17-20
  - enhanced participatory rulemaking, 32, 104-106
  - inspection program, 57
  - license renewal rule, 13-14, 16,58-59
  - licensee financial conditions rule, 33
  - maintenance rule, 10, 49
  - public participation in, 19, 20,31-32,45,47
  - safety goal policy, 12, 63-64
  
- Virginia Power, 88, 94
  
- Washington Public Power Supply System, 94
- Waste disposal. See Low-level waste; Spent fuel disposal
- Westinghouse Electric Corporation, 123, 149-150
- Workers. See Occupational health
  
- YAEC. See Yankee Atomic Electric Company
- Yankee Atomic Electric Company, 47, 128
- Yankee Rowe Nuclear Power Plant
  - early retirement, 3, 75
  - financing decommissioning, 128
  - license renewal request, 14, 16
  - public petition, 47