

# Index

- accidents: see spills  
accountability: 27,43,46  
acid gases (also see hydrogen chloride): 12,14,57,  
114,119,127,150  
    performance standard: 12,33,124,127,150  
advanced oil recovery: 87  
afterburners: see secondary chambers  
Agent Orange: 120,180,181,183,184, 197  
air nozzle: see atomization  
air pollution control equipment or wastes: see  
    scrubbers  
alkalinity: see acid gases  
annual throughputs of incinerators: 101,102,107  
*Apollo* vessels: 6,101,107,108,109,139, 141,182  
aqueous waste: 55,57,59,143  
ash: 58,99,121  
atomization of waste: 93,115  
    rotary cup: 108,115  
    spray nozzle: 108, 115  
At-Sea Incineration, Inc.: 8,25,108,109,182  
Australia: 62,196,197  
Austria: 197  
automatic shutoff system: 126,127,128,142
- background concentrations: 149,150  
ballast and bilge waters: 128,184,185  
Barcelona Convention: 193  
barges: 108,113,138  
    versus self-propelled vessels: 113  
Belgium: 143,197,198  
benzene hexachloride (BHC): 61,126  
best available technology: 26,39,40,110,115  
bioaccumulation: 60,61,140,160,163,164  
biological treatment/detoxification: 61,85  
birds: 162,163  
boilers and furnaces (also see cement kilns): 5,10,  
49,60,76,84,93  
bottom-dwelling organisms: 162,163  
Brownsville, Texas: 3,182  
buffering capacity of seawater: 5,12,15,57,114,123,  
127,193  
burner type: see atomization
- cadmium: 36,120,122,147,149,150  
Canada: 199  
capacity: see hazardous waste, commercial incineration,  
ocean incineration, or land-based incineration  
Captain of the Port (COTP): 38,41  
carbon monoxide: 119,120,123,125,126  
cargo transport and storage modes, see transportation  
catalytic dehalogenation: 89
- cement kilns: 49,57,84,85,201  
CERCLA: 46,47,48,173  
chemical treatment/detoxification processes: 61,63,  
85,88  
Chemical Waste Management, Inc.: 61,108,109,  
143,144,147,151,181, 182,197,199  
chlorinated and highly chlorinated wastes: 5,179,  
180,193,197  
    advantages of ocean incineration: 4,10,14,23,  
57,167  
    limitations of land-based incineration: 15,57,122  
chlorination processes: 10,87  
chlorine content: 15,57,84,109,122,123,124,151,179,  
197,200  
chlorine gas: 15,57,150  
chlorine recovery: 87  
Clean Air Act (CAA): 125,128,174  
Clean Water Act (CWA): 47,127,152,173  
Coast Guard: 37,38,39,41,108,110,1 13,114,129,  
138,173  
Coastal Zone Management Act: 129,173,182  
combustion efficiency (CE): 33,123,124,125  
commercial incineration: 11,16,55,93,101,103, 166  
    capacity and demand: 10,19,69,73,74,102,187  
    market: 48,73,75,167,187  
    of PCBs: 61,174  
Commission of the European Communities: 195  
comparison of land-based and ocean incineration  
regulation: 11,40,122-129  
    releases of waste (also see spills): 11,133  
        accidental: 14,133,134,136  
        routine: 14,133,134  
    risks: 13,159-165  
        to human health: 14,159-161  
        to marine environment: 14,161-165  
    scrubbers: 11  
    technologies: 119-129  
comparison of marine transport of hazardous waste  
and nonwaste materials: 15,134,138,  
140-142,163  
    PCBs: 61,140  
    quantities and types of material carried: 140,141  
comparison to other sources of marine pollution:  
15,146,147,149,198  
compliance record of permit applicants: 24,49  
Comprehensive Environmental Response, Compensa-  
tion, and Liability Act: see CERCLA  
Congress, role of: 4,38,40  
Congressional Budget Office (CBO): 10,63,67,72,  
73,74,81  
containerization/containership vs. bulk storage and  
transfer: 110,134,136  
credibility of EPA or ocean incineration companies:  
24,49

- data gaps: 44,45,63,67,100,133,152,154,161, 186  
DDT: 23,61,126,182,200  
dechlorination: 85,89  
deep-well injection: see underground injection  
demand: see hazardous waste  
Denmark: 17,198,199  
Department of Transportation (DOT): 37,112,173  
destruction efficiency (DE): 12,14,26,33,34,39,62,  
115,120,123,124,142, 145,183,184,187  
destruction and removal efficiency (DRE): 12,26,  
123,124  
dibenzofurans: 35,119,120,124,125,200  
dioxin (TCDD): 35,55,56,61,85,119,120,121,124,  
125,126,146,180,181,183,200  
dumping: see ocean dumping or landfill
- emissions (also see individual type of emission):  
25,33,144,153,197  
incinerator plume/plume gases: 114,119,151,161,  
182,184,187  
toxicity of and testing of 35,164,187  
endangered species: 5,162,175,185  
Endangered Species Act: 129,162,173  
energy content: 5,23,55,59,109  
energy recovery: 10,99,101  
Environmental Oceanic Services Corp. (EOS):  
108,109,128  
environmental performance standards: see acid  
gases or particulate emissions  
EPA (Environmental Protection Agency):  
Ocean Incineration Regulation (proposed): 7,18,  
45,46,62,108,120,121,125,126, 129,147,149,  
175,184  
Ocean Incineration Research Strategy: 8,20,162,  
164,182,187  
promotional role in ocean incineration: 7,8,25  
ethylene dichloride (EDC): 143,144,152,153  
European Parliament: 195
- Federal Republic of Germany: 17,18,62,193,197,  
198,200  
financial responsibility: 46  
Finland: 197,198  
fish: 161,164,165  
flue gases: see emissions  
fluid wall reactor: 88  
fluidized bed incineration: see land-based in-  
cineration  
food chain: see bioaccumulation  
France: 197,198  
fuel, use of hazardous waste as: see hazardous waste  
fugitive emissions: 126,128,143,144  
future market: see hazardous wastes or ocean in-  
cineration
- geographic distribution of waste generation: see  
ocean-incinerable waste  
geographic restrictions on transportation of wastes:  
24  
Germany: see Federal Republic of Germany  
Gulf of Mexico Incineration Site: see ocean in-  
cineration
- halogenated solvents: 59,65,81  
Hazardous and Solid Waste Amendments of 1984:  
see RCRA  
Hazardous Materials Transportation Act: 173  
hazardous waste (also see RCRA)  
capacity and demand for treatment facilities:  
73,194,198  
generation/inventory: 59,65  
all hazardous waste: 63,70  
incinerable waste: 63,65  
ocean-incinerable waste: 65  
projection of future quantities: 66  
management hierarchy: 3,83  
management strategy: 7,42,44  
transportation (also see comparison of marine  
transport): 111,112,139,152,153  
geographic restrictions: 24  
risks: 26,37  
use as fuel: 76,84,85  
Hazardous Waste Data Management System  
(HWDMS): 100,103  
Hearing Officer's Report: 7,41  
hearth incineration: see land-based incineration  
hierarchy: see hazardous waste  
high temperature electric reactor: 88  
hydrochloric acid: see hydrogen chloride  
hydrogen chloride (also see acid gases): 5,12,14,33,  
57,114,119,120,123,124, 150,151  
emission standard: see acid gases  
recovery: 87
- incentives for preferred practices: 4, 17, 19,43,46  
incinerable waste: 9,55,70  
projection of future quantities: 68  
incineration: see commercial, land-based, or ocean  
incineration  
incineration sites: see ocean incineration  
incinerator upsets: see upsets  
industrial boilers and furnaces: see boilers and  
furnaces  
industries generating incinerable waste: 66,67  
information gaps: see data gaps  
infrastructure: see ports  
interim status of ocean incineration: see ocean in-  
cineration  
intermodal containers: 109-113,134

- International Maritime Organization: 194  
international use of ocean incineration: 193-201  
  implications and trends: 6,17,198  
  number of voyages: 197  
  ports used: 197,198  
  practices and regulations: 17,194-198  
  quantities incinerated: 195-197  
  vessels used: 196-197  
inventory: see hazardous waste  
Italy: 197
- Japan: 197
- land-based incineration  
  capacity: 15,17,101,103  
  extent of use and number of facilities: 9,15,65,73,100,102  
  location of facilities: 101,102  
  types:  
    fluidized bed: 97,100,174  
    hearth: 96,100  
    liquid injection: 37,93,94,95,100,102  
    rotary kiln: 14,37,55,93,95,96,100,102  
land disposal: 9,10,74,81,83,187  
landfill: 9,60,81,83,127,167,187  
land transportation: see hazardous waste  
liability: 7,42,43,46,48,167  
liquid extraction: 86  
liquid incinerable waste: see ocean- incinerable waste  
liquid injection: see land-based or ocean incineration  
location of incinerators: see land-based incineration  
London Dumping Convention (LDC): 36,45,62,113,123,126,127,175,183,193,194,197,198
- marine mammals: 162,185  
Marine Protection, Research, and Sanctuaries Act (MPRSA): 38,40,41,45,46,122,123,173,175,183,185  
marine transportation: see hazardous waste  
marine water quality criteria: 13,34,35,122,125  
Maritime Administration: 8,182  
market: see ocean incineration or commercial incineration  
*Matthias* vessels: 193,195-197  
mercury: 36,120,122,127,147  
metals: 120,125,147  
  bioavailability: 121  
  chemical form: 13,36,58,121  
  content in incinerable wastes: 36,58,154,197  
  emissions: 13,26,34,35,36,121,153,154,198  
  limitations: 13,23,33,35,121,122,124,147  
  scrubbers: 12,120  
  volubility: 121  
  volatilization: 58,120,149
- microlayer: 12,16,114,145,150,151,161,163,164,165  
Minnesota hazardous waste study: 69,72,74  
mobile incinerators: 55,56,61,121,174  
molten glass: 88  
molten salt: 88  
monitoring and sampling: 112,128,161,168,175,176,179,181,182,184,193
- National Marine Fisheries Service: 162,185  
National Oceanic and Atmospheric Administration: 182,183  
need for ocean incineration: see ocean incineration  
Netherlands: 17,18,62,194,197,198,200  
neutralization  
  of acid gases: 57,114,123  
  of dumped acid waste: 12,151  
  of scrubber effluent: 99,152  
New Jersey hazardous waste studies: 71,72,74  
New York Bight: 146,148  
nonhalogenated solvents: 57,58,59,65,81  
normal stack emissions, see emissions  
North Atlantic Incineration Site: see ocean incineration  
North Sea: 12,16,17,107,143,151,179,180,182,193-199  
Norway: 197,201
- ocean dumping: 4,6,12,40,148,149,151,179,193-195  
Ocean Dumping Regulations: 43,44,45,175  
ocean-incinerable waste: 9,43,55,58,66,70  
  characteristics of: 5,55-59,109  
  geographic distribution of waste generation: 66,68,69  
  versus solids and sludges: 12,14,48,55,64,65,68,69,70,75
- ocean incineration  
  capacity and demand: 15,75,107  
  companies: see individual names  
  comparison of technologies: 110  
  cost to generators: 13,43,167  
  design features or standards: 108,115,193  
  type I and type II: 108,113  
  interim status: 4,18,19,21,22,194  
  liquid injection technology: 55,93,107  
  market: 21,48,167,193  
  need for: 4,10,22,41,45,75,76,129  
  past burns: 16,61,120,161,179-185  
  permit length and renewal provisions: 24,40,50  
  permit types: 179,182  
  quantities incinerated: 179-182,195-197  
  scale of program: 21-25  
  site designation: 8,12,38,49,66,175,193  
    Gulf of Mexico: 49,162,179,185,186  
    North Atlantic: 49,134,162,182,185,186  
  other possible sites: 185,195

- statutory authority to regulate: 6,38,40
- vessels: see individual names
- Ocean Incineration Research Strategy: see EPA
- Ocean Incineration Regulation: see EPA
- oils: see waste oils
- onsite vs. offsite
  - incineration: 16,101,166,168
  - other management technologies: 66,71,72,23,168
- organic liquids: 59,65,81
- Oslo Convention/Commission: 17,193,194,195, 197,198
- oxidative ultraviolet light: 89
  
- parent compounds: see POHCs
- particulate emissions/material: 12,33,58,120,125,127
  - environmental performance standard: 13,122,123, 124,147
- past burns: see ocean incineration
- PCBs: 5,10,15,18,20,23,34,41,58,60,62,63,65,85, 101,120,122,124-126, 140,142-146,152,153, 160,163,164,174,180, 182-184,188,197-200
- PCTs: 61,122,126,200
- permits: see ocean incineration
- persistence: 60,61,140,163
- PICs: 12,14,26,35,1 19,125,127,146,153,187
- plankton: 161,163-165,181
- plasma arc: 88
- plume: see emissions
- POHCs (principal organic hazardous constituents): 34,119,127,145
- pollution control devices, effluents: see scrubbers
- polychlorinated biphenyls: see PCBs
- polychlorinated terphenyls: see PCTs
- Port and Tanker Safety Act: 173
- Port and Waterways Safety Act: 173
- port facilities and infrastructure: 66,108,109,167
- port selection: 38
- principal organic hazardous constituents: see POHCs
- products of incomplete combustion: see PICs
- public concerns and involvement: 7,27,41,42,168
- pyrolysis: 88,93,96,98
  
- RCRA: see Resource Conservation and Recovery Act
- recovery and recycling: see waste recovery and recycling
- reduction: see waste reduction
- residence time: 36,102,103,115,120,126
- Resource Conservation and Recovery Act (RCRA): 40,46,56,63,120,121, 122,173,174
  - amendments: 3,10, 19,44,46,48,60,67,73,74,76, 82,83,84,85,121
  - classification of hazardous waste: 56,76
  - waste codes: 57,65
- risks: see comparison of land-based and ocean incineration
- rotary cup: see atomization
- rotary kiln: see land-based incineration
  
- Science Advisory Board: 12,14,34,37,120,133,142, 146,161,164,184,186
- scrubbers: 98,99,101,149,193
  - capacity limitations: 15,57,122
  - removal of combustion products: 12,26,57,120, 123,124,127
  - waste (effluent or sludge): 11,15,58,63,99,114, 121,127,151,152,153, 193
- SeaBurn, Inc.: 108,109,111,112,113, 128
- seawater buffering capacity: see buffering capacity
- seawater scrubbers: 13,108,114,128,145
- secondary chambers: 36,93
- Shell Chemical Co.: 179,197
- shiprider: 37,41,129,168
- site designation: see ocean incineration
- sludge wastes: see liquid incinerable wastes or scrubbers
- small quantity generators: 72,76
- solid wastes: see liquid incinerable wastes
- solvent recovery: 85,87
- Southern California Bight: 146,148
- Spain: 197
- spills: 14,15,111,113,133,134, 152,160,162,184
  - cleanup: 14,15,163
  - rates: 136,137
  - sizes: 138
- standards: see acid gases, CE, DE, DRE, or particulate emissions
  - mass emission concentration or rate standard: 34
- starved air incineration: 93
- statutory authority: see ocean incineration
- steam nozzle: see atomization
- supercritical fluid extraction: 87
- supercritical water reactor: 88
- Superfund: see CERCLA
- surface impoundment: 9,81,83,127
- surface microlayer: see microlayer
- Sweden: 17,197,201
- Switzerland: 197,201
  
- Tacoma Boatbuilding, Inc.: 8,25,108,182
- tamper-proof or tamper-resistant devices: 128,129, 168
- tank containers: see intermodal
- TCDD: see dioxin
- temperature requirements: 126,128
- tetrachlorodibenzo-p-dioxin (TCDD): see dioxin
- tetrachlorodibenzofurans (TCDF): see dibenzofurans

- thermal destruction technologies (also see boilers and furnaces): 84,88,  
thin film evaporation: 87  
total destruction efficiency (TDE): 34,120  
Toxic Substances Control Act (TSCA): 40,41,60,  
62,63,101,124,126,173, 174,184  
toxicity of emissions: see emissions  
transfer, handling, and storage: 139,144,152,153  
transportation of hazardous waste: see hazardous waste  
trial burn requirements: 123,126,128  
type I or type 11 vessel: see ocean incineration  
  
unburned waste (also see POHCs): 12,119,127,  
145,153  
underground injection: 9,57,81,83,127,187  
United Kingdom: 18,197,198,201  
upsets (malfunctions) or upset conditions: 35,125,  
127,133,136,142  
U.S. Coast Guard: see Coast Guard  
  
vessel construction and design standards: see ocean incineration  
vessels: see individual names  
  
*Vesta*: 107,108,196,197  
volatilization: see metals  
*Vulcanus* vessels: 9,101,108,109,134,136, 137,141,  
143,151,164,179,180-182, 184,193,195-197,  
200  
  
waste analysis requirements: 112, 122, 128  
waste end tax: 44  
waste limitations: see metals  
Waste Management, Inc.: see Chemical Waste Management, Inc.  
waste oils: 58,59,81,84  
quantity: 65,66  
recovery and recycling: 58,86  
regulation as hazardous waste: 58,63,76,85,86  
waste recovery and recycling: 9,10,16,63,65,67,68,  
70,71,76,85,87  
waste reduction: 3,10,16,43,44,63,67,69,7 1,76,86  
water content: 55,109,140  
water quality criteria: see marine water quality criteria  
Westat survey: 63,72,73,100  
wet-air oxidation: 98