

TECHNICAL APPENDIX TO THE ECONOMICS OF DENSITY: EVIDENCE FROM THE BERLIN WALL

Gabriel M. Ahlfeldt
London School of Economics

Stephen J. Redding
Princeton University, NBER and CEPR

Daniel M. Sturm
London School of Economics and CEPR

Nikolaus Wolf
Humboldt University and CEPR

July 25, 2014

Contents

A.1	Introduction	2
A.2	Theoretical Model	3
A.2.1	Preferences	4
A.2.2	Distribution of Utility	5
A.2.3	Residence and Workplace Choices	6
A.2.4	Production	9
A.2.5	Land Market Clearing	10
A.2.6	Properties of General Equilibrium with Exogenous Location Characteristics	11
A.2.7	Properties of General Equilibrium with Agglomeration Forces	18
A.3	Calibration	21
A.3.1	Determining $\{\tilde{A}, \tilde{B}, \tilde{\varphi}\}$ from $\{\alpha, \beta, \mu, \epsilon, \kappa\}$ and the Observed Data	22
A.3.1.1	Wages	22
A.3.1.2	Adjusted Residential Amenities	25
A.3.1.3	Final Goods Productivity	26
A.3.1.4	Land Market Clearing	26
A.3.1.5	Utility, Amenities and Productivity	28
A.3.1.6	One-to-One Mapping from $\{\alpha, \beta, \mu, \epsilon, \kappa\}$ and the Observed Data to $\{\tilde{A}, \tilde{B}, \tilde{\varphi}\}$	28
A.3.2	Determining $\{\tilde{a}, \tilde{b}\}$ from $\{\alpha, \beta, \mu, \epsilon, \kappa, \lambda, \delta, \eta, \rho\}$ and the Observed Data	29
A.4	Structural Estimation	31

A.4.1	Structural Residuals	32
A.4.2	Moment Conditions	33
A.4.3	GMM Estimation	35
A.4.4	Estimation Algorithms	36
A.4.5	Identification	38
A.5	Counterfactuals	41
A.6	Monte Carlo	43
A.7	Introducing Non-traded Goods	45
A.7.1	Non-Traded Goods by Workplace	46
A.7.2	Non-Traded Goods by Residence	47
A.8	Additional Reduced-Form Empirical Results	47
A.8.1	Maps of Changes in Floor Prices	47
A.8.2	Baseline Difference-in-Difference Specification	48
A.8.3	Further Reduced-Form Evidence	48
A.9	Additional Structural Estimates	50
A.9.1	Gravity, Productivity and Amenities	50
A.9.2	Structural Estimation	50
A.10	Data Sources and Definitions	50
A.10.1	Employment at Place of Residence 1930s	51
A.10.2	Employment at workplace	51
A.10.3	Travel Times Between Blocks in Berlin	52
A.10.4	Block Characteristics	54
A.10.5	Commuting Survey Data	55
A.10.6	Micro Data on Land Transactions	56

A.1 Introduction

This technical appendix contains additional supplementary material for the paper. Section [A.2](#) presents a more detailed analysis of the theoretical model. We report the technical derivations of the expressions reported in the paper. We also establish a number of results about the properties of the general equilibrium with exogenous location characteristics and endogenous agglomeration forces.

Section [A.3](#) calibrates the model for known parameter values and shows that there is a one-to-one mapping from these known parameters and the observed data to unobserved location characteristics. Therefore these unobserved location characteristics correspond to structural residuals that are functions of the parameters and the observed data.

Section [A.4](#) turns to the structural estimation of the model, where both the parameters and unobserved location characteristics are unknown and to be estimated. We derive the moment conditions used in the estimation and review the Generalized Method of Moments (GMM) estimator as applied to our setting. We

discuss the computational algorithms used to estimate the model and report the results of a grid search over the parameter space that we use to characterize the properties of the GMM objective function.

Section A.5 uses the model to undertake counterfactuals for the effects of division and reunification. Section A.6 reports the results of a Monte Carlo exercise, in which we show that our estimation procedure correctly recovers the model parameters when the data are generated according to the model.

Section A.7 discusses an extension of the theoretical model to incorporate non-traded goods. Section A.8 presents additional reduced-form empirical results discussed in the paper. Section A.9 reports additional structural estimation results discussed in the paper. Section A.10 contains further information about the data sources and definitions.

A.2 Theoretical Model

In this section, we develop in further detail the theoretical model outlined in the paper. We present the complete technical derivations for all the expressions and results reported in the paper. In the interests of clarity and to ensure that this section of the web appendix is self-contained, we reproduce some material from the paper, but also include the intermediate steps for the derivation of expressions.

We consider a city embedded within a wider economy. The city consists of a set of discrete locations or blocks, which are indexed by $i = 1, \dots, S$. The city is populated by an endogenous measure of H workers, who are perfectly mobile within the city and the larger economy. Each block has an effective supply of floor space L_i . Floor space can be used commercially or residentially, and we denote the endogenous fractions of floor space allocated to commercial and residential use by θ_i and $(1 - \theta_i)$, respectively.

Workers decide whether or not to move to the city before observing idiosyncratic utility shocks for each possible pair of residence and employment locations within the city. If a worker decides to move to the city, they observe these realizations for idiosyncratic utility, and pick the pair of residence and employment locations within the city that maximizes their utility. Population mobility between the city and the wider economy implies that the expected utility from moving to the city equals the reservation level of utility in the wider economy \bar{U} . Firms produce a single final good, which is costlessly traded within the city and larger economy, and is chosen as the numeraire ($p = 1$).¹

Locations differ in terms of their final goods productivity (A_i), residential amenities (B_i), supply of floor space (L_i) and access to the transport network (τ_{ij}). We first develop the model with exogenous values of these location characteristics, before endogenizing them below.

¹We follow the canonical urban model in assuming a single tradable final good and examine the ability of this canonical model to account quantitatively for the observed impact of division and reunification. In Section A.7 of this web appendix, we discuss an extension of the model to introduce a non-traded good.

A.2.1 Preferences

Workers are risk neutral such that the utility of worker ω residing in block i and working in block j is linear in an aggregate consumption index ($C_{ij\omega}$):²

$$U_{ij\omega} = C_{ij\omega}.$$

This aggregate consumption index depends on consumption of the single final good ($c_{ij\omega}$), consumption of residential floor space ($\ell_{ij\omega}$), and three other components. First, residential amenities (B_i) that capture common characteristics that make a block a more or less attractive place to live (e.g. leafy streets and scenic views). Second, the disutility from commuting from residence block i to workplace block j ($d_{ij} \geq 1$). Third, there is an idiosyncratic shock that is specific to individual workers and varies with the worker's blocks of employment and residence ($z_{ij\omega}$). This idiosyncratic shock captures the idea that individual workers can have idiosyncratic reasons for living and working in different parts of the city. In particular, the aggregate consumption index is assumed to take the Cobb-Douglas form:³

$$C_{ij\omega} = \frac{B_i z_{ij\omega}}{d_{ij}} \left(\frac{c_{ij\omega}}{\beta} \right)^\beta \left(\frac{\ell_{ij\omega}}{1 - \beta} \right)^{1 - \beta}, \quad 0 < \beta < 1, \quad (1)$$

where the iceberg commuting cost $d_{ij} = e^{\kappa \tau_{ij}} \in [1, \infty)$ increases with the travel time between blocks i and j (τ_{ij}). Travel time is measured in minutes and is computed based on the transport network, as discussed further in the data section of this web appendix (Section A.10). The parameter κ controls the size of commuting costs. Although we model commuting costs in terms of utility, there is an isomorphic formulation in terms of a reduction in effective units of labor, because the iceberg commuting cost $d_{ij} = e^{\kappa \tau_{ij}}$ enters the indirect utility function (5) below multiplicatively. As a result, commuting costs are proportional to wages, and hence this specification captures changes over time in the opportunity cost of travel time.

We model the heterogeneity in the utility that workers derive from living and working in different parts of the city following [McFadden \(1974\)](#) and [Eaton and Kortum \(2002\)](#). For each worker ω living in block i and commuting to block j , the idiosyncratic component of utility ($z_{ij\omega}$) is drawn from an independent Fréchet distribution:

$$F(z_{ij\omega}) = e^{-T_i E_j z_{ij\omega}^{-\epsilon}}, \quad T_i, E_j > 0, \epsilon > 1, \quad (2)$$

where the scale parameter $T_i > 0$ determines the average utility derived from living in block i , the scale parameter $E_j > 0$ determines the average utility derived from working in block j ; and the shape parameter $\epsilon > 1$ controls the dispersion of idiosyncratic utility.

After observing her realizations for idiosyncratic utility for each pair of residence and employment locations, each worker chooses her blocks of residence and employment to maximize her utility, taking as given residential amenities, goods prices, factor prices, and the location decisions of other workers and

²To simplify the exposition, throughout the appendix, we index a worker's block of residence by i or r and her block of employment by j or s unless otherwise indicated.

³For empirical evidence using US data in support of the constant housing expenditure share implied by the Cobb-Douglas functional form, see [Davis and Ortalo-Magné \(2011\)](#). The role played by residential amenities in influencing utility is emphasized in the literature following [Roback \(1982\)](#). See [Albouy \(2008\)](#) for a recent prominent contribution.

firms. Each worker is endowed with one unit of labor that is supplied inelastically with zero disutility. Combining our choice of the final good as numeraire ($p_i = p = 1$ for all i) with the first-order conditions for consumer equilibrium, we obtain the following demands for the final good and residential land for worker ω residing in block i and working in block j :

$$c_{ij\omega} = \beta w_j, \quad (3)$$

$$\ell_{ij\omega} = (1 - \beta) \frac{w_j}{Q_i}, \quad (4)$$

where w_j is the wage received by the worker at her block of employment j (recall that commuting costs are incurred in terms of utility); Q_i is the price of residential land at her block of residence i . We make the standard assumption that income from land is accrued by absentee landlords and not spent within the city, although it is also possible to consider the case where it is redistributed lump sum to workers. Substituting equilibrium consumption of the final good (3) and residential land use (4) into utility (1), we obtain the following expression for the indirect utility function:

$$U = \frac{B_i z_{ij\omega} w_j Q_i^{\beta-1}}{d_{ij}}, \quad (5)$$

from which the isomorphic formulation of commuting costs in terms of a reduction in effective units of labor is apparent.

A.2.2 Distribution of Utility

Using the monotonic relationship between the aggregate consumption index (1) and the idiosyncratic component of utility, the distribution of utility for a worker living a block i and working at block j is also Fréchet distributed:

$$G_{ij}(u) = \Pr[U \leq u] = F\left(\frac{u d_{ij} Q_i^{1-\beta}}{B_i w_j}\right),$$

$$G_{ij}(u) = e^{-\Phi_{ij} u^{-\epsilon}}, \quad \Phi_{ij} = T_i E_j \left(d_{ij} Q_i^{1-\beta}\right)^{-\epsilon} (B_i w_j)^\epsilon. \quad (6)$$

From all possible pairs of blocks of residence and employment, each worker chooses the bilateral commute that offers the maximum utility. Since the maximum of a sequence of Fréchet distributed random variables is itself Fréchet distributed, the distribution of utility across all possible pairs of blocks of residence and employment is:

$$1 - G(u) = 1 - \prod_{r=1}^S \prod_{s=1}^S e^{-\Phi_{rs} u^{-\epsilon}},$$

where the left-hand side is the probability that a worker has a utility greater than u , and the right-hand side is one minus the probability that the worker has a utility less than u for all possible pairs of blocks of residence and employment. Therefore we have:

$$G(u) = e^{-\Phi u^{-\epsilon}}, \quad \Phi = \sum_{r=1}^S \sum_{s=1}^S \Phi_{rs}. \quad (7)$$

Given this Fréchet distribution for utility, the expected utility from moving to the city is:

$$\mathbb{E}[u] = \int_0^\infty \epsilon \Phi u^{-\epsilon} e^{-\Phi u^{-\epsilon}} du. \quad (8)$$

Now define the following change of variables:

$$y = \Phi u^{-\epsilon}, \quad dy = -\epsilon \Phi u^{-(\epsilon+1)} du. \quad (9)$$

Using this change of variables, the expected utility from moving to the city can be written as:

$$\mathbb{E}[u] = \int_0^\infty \Phi^{1/\epsilon} y^{-1/\epsilon} e^{-y} dy, \quad (10)$$

which can be in turn written as:

$$\mathbb{E}[u] = \gamma \Phi^{1/\epsilon}, \quad \gamma = \Gamma\left(\frac{\epsilon - 1}{\epsilon}\right), \quad (11)$$

where $\Gamma(\cdot)$ is the Gamma function; \mathbb{E} is the expectations operator and the expectation is taken over the distribution for idiosyncratic utility. Population mobility implies that this expected utility must equal the reservation level of utility in the wider economy:

$$\mathbb{E}[u] = \gamma \Phi^{1/\epsilon} = \gamma \left[\sum_{r=1}^S \sum_{s=1}^S T_r E_s (d_{rs} Q_r^{1-\beta})^{-\epsilon} (B_r w_s)^\epsilon \right]^{1/\epsilon} = \bar{U}. \quad (12)$$

A.2.3 Residence and Workplace Choices

Using the distribution of utility for pairs of blocks of residence and employment (6), the probability that a worker chooses the bilateral commute from i to j out of all possible bilateral commutes within the city is:

$$\begin{aligned} \pi_{ij} &= \Pr[u_{ij} \geq \max\{u_{rs}\}; \forall r, s], \\ &= \int_0^\infty \prod_{s \neq j} G_{is}(u) \left[\prod_{r \neq i} \prod_s G_{rs}(u) \right] g_{ij}(u) du, \\ &= \int_0^\infty \prod_{r=1}^S \prod_{s=1}^S \epsilon \Phi_{ij} u^{-(\epsilon+1)} e^{-\Phi_{rs} u^{-\epsilon}} du. \\ &= \int_0^\infty \epsilon \Phi_{ij} u^{-(\epsilon+1)} e^{-\Phi u^{-\epsilon}} du. \end{aligned}$$

Note that:

$$\frac{d}{du} \left[-\frac{1}{\Phi} e^{-\Phi u^{-\epsilon}} \right] = \epsilon u^{-(\epsilon+1)} e^{-\Phi u^{-\epsilon}}. \quad (13)$$

Using this result to evaluate the integral above, the probability that the worker chooses to live in block i and commute to work in block j is:

$$\pi_{ij} = \frac{T_i E_j (d_{ij} Q_i^{1-\beta})^{-\epsilon} (B_i w_j)^\epsilon}{\sum_{r=1}^S \sum_{s=1}^S T_r E_s (d_{rs} Q_r^{1-\beta})^{-\epsilon} (B_r w_s)^\epsilon} \equiv \frac{\Phi_{ij}}{\Phi}. \quad (14)$$

Therefore workers sort across residence and employment locations depending on their idiosyncratic preferences and the characteristics of these locations. As discussed above, although we interpret the idiosyncratic shock as affecting utility, there is an isomorphic interpretation of the model in which the idiosyncratic shock applies to effective units of labor. Therefore the endogenous sorting of workers across locations implies that both residence and employment locations differ in the composition of workers in terms of idiosyncratic draws for utility or effective units of labor. Residential locations with higher values of T_i have higher average draws of utility (or effective units of labor). Similarly, employment locations with higher values of E_j have higher average draws of utility (or effective units of labor). To ensure that the general equilibrium of the model remains tractable, and because we do not observe worker characteristics in our data, we abstract from other dimensions of worker heterogeneity besides the idiosyncratic shock to preferences or effective units of labor.

Summing across all possible employment locations s , we obtain the probability that a worker chooses to live in block i out of all possible locations within the city:

$$\pi_{Ri} = \frac{\sum_{s=1}^S T_i E_s \left(d_{is} Q_i^{1-\beta} \right)^{-\epsilon} (B_i w_s)^\epsilon}{\sum_{r=1}^S \sum_{s=1}^S T_r E_s \left(d_{rs} Q_r^{1-\beta} \right)^{-\epsilon} (B_r w_s)^\epsilon} \equiv \frac{\Phi_i}{\Phi}. \quad (15)$$

Similarly, summing across all possible residence locations r , we obtain the probability that a worker chooses to work in block j out of all possible locations within the city:

$$\pi_{Mj} = \frac{\sum_{r=1}^S T_r E_j \left(d_{rj} Q_r^{1-\beta} \right)^{-\epsilon} (B_r w_j)^\epsilon}{\sum_{r=1}^S \sum_{s=1}^S T_r E_s \left(d_{rs} Q_r^{1-\beta} \right)^{-\epsilon} (B_r w_s)^\epsilon} \equiv \frac{\Phi_j}{\Phi}. \quad (16)$$

For the measure of workers within block j (H_{Mj}), we can evaluate the conditional probability that they commute from block i (conditional on having chosen to work in block j):

$$\begin{aligned} \pi_{ij|j} &= \Pr [u_{ij} \geq \max\{u_{sj}\}; \forall s], \\ &= \int_0^\infty \prod_{s \neq i} G_{sj}(u) g_{ij}(u) du, \\ &= \int_0^\infty e^{-\Phi_j u^{-\epsilon}} \epsilon \Phi_{ij} u^{-(\epsilon+1)} du. \end{aligned}$$

Using the result (13) to evaluate the integral above, the probability that a worker commutes from block i conditional on having chosen to work in block j is:

$$\pi_{ij|j} = \frac{T_i E_j \left(d_{ij} Q_i^{1-\beta} \right)^{-\epsilon} (B_i w_j)^\epsilon}{\sum_{r=1}^S T_r E_j \left(d_{rj} Q_r^{1-\beta} \right)^{-\epsilon} (B_r w_j)^\epsilon} = \frac{\Phi_{ij}}{\Phi_j},$$

which simplifies to:

$$\pi_{ij|j} = \frac{T_i \left(d_{ij} Q_i^{1-\beta} \right)^{-\epsilon} (B_i)^\epsilon}{\sum_{r=1}^S T_r \left(d_{rj} Q_r^{1-\beta} \right)^{-\epsilon} (B_r)^\epsilon}. \quad (17)$$

For the measure of residents within block i (H_{Ri}), we can evaluate the conditional probability that they commute to block j (conditional on having chosen to live in block i):

$$\begin{aligned}\pi_{ij|i} &= \Pr [u_{ij} \geq \max\{u_{is}\}; \forall s], \\ &= \int_0^\infty \prod_{s \neq j} G_{is}(u) g_{ij}(u) du, \\ &= \int_0^\infty e^{-\Phi_i u^{-\epsilon}} \epsilon \Phi_{ij} u^{-(\epsilon+1)} du.\end{aligned}$$

Using the result (13) to evaluate the integral above, the probability that a worker commutes to block j conditional on having chosen to live in block i is:

$$\pi_{ij|i} = \frac{T_i E_j \left(d_{ij} Q_i^{1-\beta} \right)^{-\epsilon} (B_i w_j)^\epsilon}{\sum_{s=1}^S T_i E_s \left(d_{is} Q_i^{1-\beta} \right)^{-\epsilon} (B_i w_s)^\epsilon} = \frac{\Phi_{ij}}{\Phi_i},$$

which simplifies to:

$$\pi_{ij|i} = \frac{E_j (w_j / d_{ij})^\epsilon}{\sum_{s=1}^S E_s (w_s / d_{is})^\epsilon}. \quad (18)$$

These conditional commuting probabilities provide microeconomic foundations for the reduced-form gravity equations estimated in the empirical literature on commuting patterns. The probability that a resident of block i commutes to block j depends on the adjusted wage and commuting costs for block j in the numerator (“bilateral resistance”) but also on the adjusted wage and commuting costs for all other possible employment locations s in the denominator (“multilateral resistance”).

Commuting market clearing requires that the measure of workers employed in each location j (H_{Mj}) equals the sum across all locations i of their measures of residents (H_{Ri}) times their conditional probabilities of commuting to j ($\pi_{ij|i}$):

$$\begin{aligned}H_{Mj} &= \sum_{i=1}^S \pi_{ij|i} H_{Ri} \\ &= \sum_{i=1}^S \frac{E_j (w_j / d_{ij})^\epsilon}{\sum_{s=1}^S E_s (w_s / d_{is})^\epsilon} H_{Ri},\end{aligned} \quad (19)$$

where, since there is a continuous measure of workers residing in each location, there is no uncertainty in the supply of workers to each employment location.

Expected worker income conditional on living in block i is equal to the wages in all possible employment locations weighted by the probabilities of commuting to those locations conditional on living in i :

$$\begin{aligned}\mathbb{E} [w_s | i] &= \sum_{s=1}^S \pi_{is|i} w_s, \\ &= \sum_{s=1}^S \frac{E_s (w_s / d_{is})^\epsilon}{\sum_{r=1}^S E_r (w_r / d_{ir})^\epsilon} w_s,\end{aligned} \quad (20)$$

where \mathbb{E} denotes the expectations operator and the expectation is taken over the distribution for the idiosyncratic component of utility. Intuitively, expected worker income is high in blocks that have low commuting costs (low d_{is}) to high-wage employment locations.⁴

Finally, another implication of the Fréchet distribution of utility is that the distribution of utility conditional on residing in block i and commuting to block j is the same across all bilateral pairs of blocks with positive residents and employment, and is equal to the distribution of utility for the city as a whole. To establish this result, note that the distribution of utility conditional on residing in block i and commuting to block j is given by:

$$\begin{aligned}
& \frac{1}{\pi_{ij}} \int_0^u \prod_{s \neq j} G_{is}(v) \left[\prod_{r \neq i} \prod_s G_{rs}(v) \right] g_{ij}(v) dv, \\
&= \frac{1}{\pi_{ij}} \int_0^u \left[\prod_{r=1}^S \prod_{s=1}^S e^{-\Phi_{rs} v^{-\epsilon}} \right] \epsilon \Phi_{ij} v^{-(\epsilon+1)} dv, \\
&= \frac{\Phi}{\Phi_{ij}} \int_0^u e^{-\Phi v^{-\epsilon}} \epsilon \Phi_{ij} v^{-(\epsilon+1)} dv, \\
&= e^{-\Phi u^{\epsilon}}.
\end{aligned} \tag{21}$$

On the one hand, more attractive residential fundamentals in location i or a higher wage in location j raise the utility of a worker with a given realization of idiosyncratic utility z , and hence increase the expected utility of residing in i and working in j . On the other hand, more attractive residential fundamentals or a higher wage induce workers with lower realizations of idiosyncratic utility z to reside in i and work in j , which reduces the expected utility of residing in i and working in j . With a Fréchet distribution of utility, these two effects exactly offset one another. Pairs of residence and employment locations with attractive fundamentals attract more commuters on the extensive margin until expected utility is the same across all pairs of residence and employment locations within the city.

A.2.4 Production

We follow the canonical urban model in assuming a single final good that is costlessly traded within the city and the larger economy.⁵ Final goods production occurs under conditions of perfect competition and constant returns to scale. For simplicity, we assume that the production technology takes the Cobb-Douglas form, so that output of the final good in block j (y_j) is:

$$y_j = A_j (H_{Mj})^{\alpha} (L_{Mj})^{1-\alpha},$$

where A_j is final goods productivity; H_{Mj} is workplace employment; and L_{Mj} is floor space used commercially.

⁴For simplicity, we model agents and workers as synonymous, which implies that labor is the only source of income. More generally, it is straightforward to extend the analysis to introduce families, where each worker has a fixed number of dependents that consume but do not work, and/or to allow agents to have a constant amount of non-labor income.

⁵Even during division, there was substantial trade between West Berlin and West Germany. In 1963, the ratio of exports to GDP in West Berlin was around 70 percent, with West Germany the largest trade partner. Overall, industrial production accounted for around 50 percent of West Berlin's GDP in this year ([American Embassy 1965](#)).

Firms choose their block of production and their inputs of workers and commercial floor space maximize profits, taking as given final goods productivity (A_j), the distribution of idiosyncratic utility, goods and factor prices, and the location decisions of other firms and workers. From the first-order conditions for profit maximization, we obtain:

$$H_{Mj} = \left(\frac{\alpha A_j}{w_j} \right)^{\frac{1}{1-\alpha}} L_{Mj}. \quad (22)$$

$$L_{Mj} = \left(\frac{(1-\alpha) A_j}{q_j} \right)^{\frac{1}{\alpha}} H_{Mj}. \quad (23)$$

Therefore, employment in block j is increasing in productivity (A_j), decreasing in the wage (w_j), and increasing in commercial land use (L_{Mj}). Similarly, commercial land use in block j is increasing in productivity, decreasing in the commercial floor price (q_j), and increasing in employment (H_{Mj}).

To determine the equilibrium commercial floor price, q_j , we use the requirement that profits are zero if the final good is produced:

$$A_j (H_{Mj})^\alpha (L_{Mj})^{1-\alpha} - w_j H_{Mj} - q_j L_{Mj} = 0,$$

which together with profit maximization (22) yields the following expression for the equilibrium commercial floor price:

$$q_j = (1-\alpha) \left(\frac{\alpha}{w_j} \right)^{\frac{\alpha}{1-\alpha}} A_j^{\frac{1}{1-\alpha}}. \quad (24)$$

Intuitively, blocks that have higher productivity (A_j) or lower wages (w_j) are more attractive production locations, and hence must be characterized by higher commercial rents in an equilibrium in which firms make zero profits in all locations with positive production.

A.2.5 Land Market Clearing

Land market equilibrium requires no-arbitrage between commercial and residential land use after taking into the account the tax equivalent of land use regulations:

$$\begin{aligned} \theta_i &= 1 & \text{if } q_i > \xi_i Q_i, \\ \theta_i &= 0 & \text{if } q_i < \xi_i Q_i, \\ \theta_i &\in [0, 1] & \text{if } q_i = \xi_i Q_i, \end{aligned} \quad (25)$$

where $\xi_i \geq 1$ captures one plus the tax equivalent of land use regulations that restrict commercial land use relative to residential land use. We allow this wedge between commercial and residential floor prices to vary across blocks.

Therefore floor space in each block is either allocated entirely to commercial use ($q_i > \xi_i Q_i$ and $\theta_i = 1$), allocated entirely to residential use ($q_i < \xi_i Q_i$ and $\theta_i = 0$), or allocated to both uses ($q_i = \xi_i Q_i$ and $\theta_i \in (0, 1)$). We assume that the observed price of floor space in the data is the maximum of the commercial and residential price of floor space: $\mathbb{Q}_i = \max\{q_i, Q_i\}$. Hence the relationship between observed, commercial

and residential floor prices can be summarized as:

$$\begin{aligned} \mathbb{Q}_i &= q_i, & q_i &> \xi_i Q_i, & \theta_i &= 1, \\ \mathbb{Q}_i &= q_i, & q_i &= \xi_i Q_i, & \theta_i &\in (0, 1), \\ \mathbb{Q}_i &= Q_i, & q_i &< \xi_i Q_i, & \theta_i &= 0. \end{aligned} \tag{26}$$

We follow the standard approach in the urban literature of assuming that floor space L is supplied by a competitive construction sector that uses geographic land K and capital M as inputs. Following [Combes, Duranton, and Gobillon \(2014\)](#) and [Epple, Gordon, and Sieg \(2010\)](#), we assume that the production function takes the Cobb-Douglas form: $L_i = M_i^\mu K_i^{1-\mu}$.⁶ Therefore the corresponding dual cost function for floor space is $\mathbb{Q}_i = \mu^{-\mu}(1-\mu)^{-(1-\mu)}\mathbb{P}^\mu \mathbb{R}_i^{1-\mu}$, where $\mathbb{Q}_i = \max\{q_i, Q_i\}$ is the price for floor space, \mathbb{P} is the common price for capital, and \mathbb{R}_i is the price for geographic land. Since the price for capital is the same across all locations, the relationships between the quantities and prices of floor space and geographical land area can be summarized as:

$$L_i = \varphi_i K_i^{1-\mu} \tag{27}$$

$$\mathbb{Q}_i = \chi \mathbb{R}_i^{1-\mu}, \tag{28}$$

where $\varphi_i = M_i^\mu$ captures the density of development and χ is a constant.

Residential land market clearing implies that the demand for residential floor space equals the supply of floor space allocated to residential use in each location: $(1 - \theta_i) L_i$. Using utility maximization for each worker and taking expectations over the distribution for idiosyncratic utility, this residential land market clearing condition can be expressed as:

$$\mathbb{E}[\ell_i] H_{Ri} = (1 - \beta) \frac{\mathbb{E}[w_s|i] H_{Ri}}{Q_i} = (1 - \theta_i) L_i. \tag{29}$$

Commercial land market clearing requires that the demand for commercial floor space equals the supply of floor space allocated to commercial use in each location: $\theta_j L_j$. Using the first-order conditions for profit maximization, this commercial land market clearing condition can be written as:

$$\left(\frac{(1 - \alpha) A_j}{q_j} \right)^{\frac{1}{\alpha}} H_{Mj} = \theta_j L_j. \tag{30}$$

A.2.6 Properties of General Equilibrium with Exogenous Location Characteristics

In this subsection, we characterize the properties of general equilibrium with *exogenous* location characteristics. In the next subsection, we relax these assumptions to allow for endogenous agglomeration forces.

We start with a benchmark case in which all locations have strictly positive, finite and exogenous location characteristics. In this benchmark case, we show that all locations are incompletely specialized with

⁶Empirically, we find that this Cobb-Douglas assumption provides a good approximation to the micro data on property transactions for Berlin that we have from 2000-2012.

positive values of both workplace and residence employment and positive shares of land allocated to commercial and residential use. We prove the existence of a unique general equilibrium for this benchmark case of incomplete specialization.

We next allow some blocks to have zero workplace and/or residence employment, as observed empirically. We retain the assumption that location characteristics are exogenous. But we extend the analysis to allow for zero final goods productivity and/or zero residential amenities. We show that a necessary and sufficient condition for zero workplace employment in a block is zero final goods productivity in that block. Similarly, a necessary and sufficient condition for zero residence employment in a block is zero residential amenities in that block. We extend our proof of the existence of a unique general equilibrium to allow for these empirically relevant cases. Therefore, with exogenous location characteristics, the model has a unique general equilibrium.

Definition of Equilibrium: We now formally define the general equilibrium of the model. Throughout the following, we use bold math font to denote vectors or matrices.

Definition A.1 *Given the model's parameters $\{\alpha, \beta, \mu, \epsilon, \kappa, \lambda, \delta, \eta, \rho\}$, the reservation level of utility in the wider economy \bar{U} and exogenous location-specific characteristics $\{\mathbf{T}, \mathbf{E}, \mathbf{A}, \mathbf{B}, \boldsymbol{\varphi}, \mathbf{K}, \boldsymbol{\xi}, \boldsymbol{\tau}\}$, the general equilibrium of the model is referenced by the vector $\{\boldsymbol{\pi}_M, \boldsymbol{\pi}_R, H, \mathbf{Q}, \mathbf{q}, \mathbf{w}, \boldsymbol{\theta}\}$.*

The seven elements of the equilibrium vector are determined by the following system of seven equations:

$$\gamma \left[\sum_{r=1}^S \sum_{s=1}^S T_r E_s (d_{rs} Q_r^{1-\beta})^{-\epsilon} (B_r w_s)^\epsilon \right]^{1/\epsilon} = \bar{U}. \quad (31)$$

$$\pi_{Ri} = \frac{\sum_{s=1}^S T_i E_s (d_{is} Q_i^{1-\beta})^{-\epsilon} (B_i w_s)^\epsilon}{\sum_{r=1}^S \sum_{s=1}^S T_r E_s (d_{rs} Q_r^{1-\beta})^{-\epsilon} (B_r w_s)^\epsilon}. \quad (32)$$

$$\pi_{Mi} = \frac{\sum_{r=1}^S T_r E_i (d_{ri} Q_r^{1-\beta})^{-\epsilon} (B_r w_i)^\epsilon}{\sum_{r=1}^S \sum_{s=1}^S T_r E_s (d_{rs} Q_r^{1-\beta})^{-\epsilon} (B_r w_s)^\epsilon}. \quad (33)$$

$$\theta_i L_i = \left(\frac{(1-\alpha)A_i}{q_i} \right)^{\frac{1}{\alpha}} H_{Mi}. \quad (34)$$

$$(1 - \theta_i) L_i = (1 - \beta) \left[\sum_{s=1}^S \frac{E_s (w_s/d_{is})^\epsilon}{\sum_{r=1}^S E_r (w_r/d_{ir})^\epsilon} w_s \right] \frac{H_{Ri}}{Q_i}. \quad (35)$$

$$q_i = (1 - \alpha) \left(\frac{\alpha}{w_i} \right)^{\frac{\alpha}{1-\alpha}} A_i^{\frac{1}{1-\alpha}}. \quad (36)$$

$$\begin{aligned} \theta_i &= 1 & \text{if } q_i > \xi_i Q_i, \\ \theta_i &= 0 & \text{if } q_i < \xi_i Q_i, \\ \theta_i &\in [0, 1] & \text{if } q_i = \xi_i Q_i, \end{aligned} \quad (37)$$

where recall $L_i = \varphi_i K_i^{1-\mu}$; (31) is population mobility with the wider economy; (32) corresponds to the residential choice probabilities; (33) corresponds to the workplace choice probabilities; (34) is commercial land market clearing; (35) is residential land market clearing; (36) corresponds to profit maximization and zero profits; (37) corresponds to no arbitrage between alternative uses of land.

Strictly Positive and Finite Exogenous Location Characteristics: We begin by considering a benchmark case, in which all blocks have strictly positive, finite and exogenous location characteristics $\{T, E, A, B, \varphi, K, \xi, \tau\}$. We allow some blocks to be more attractive than others in terms of these characteristics. But workers draw idiosyncratic preferences from a Fréchet distribution for pairs of residence and workplace locations. Therefore, since the support of the Fréchet distribution is unbounded from above, any block with strictly positive characteristics has a positive measure of workers that prefer that location as a residence or workplace at a positive and finite price. Hence, all blocks with finite positive wages attract a positive measure of workers, and all blocks with finite positive floor prices attract a positive measure of residents.

Lemma A.1 *Assuming strictly positive, finite and exogenous location characteristics ($T_i \in (0, \infty)$, $E_i \in (0, \infty)$, $A_i \in (0, \infty)$, $B_i \in (0, \infty)$, $\varphi_i \in (0, \infty)$, $K_i \in (0, \infty)$, $\xi_i \in (0, \infty)$, $\tau_{ij} \in (0, \infty) \times (0, \infty)$), each location i with a strictly positive and finite wage ($w_i \in (0, \infty)$) attracts a strictly positive measure of workers ($H_{Mi} \in (0, \infty)$), and each location with a strictly positive and finite floor price ($Q_i \in (0, \infty)$) attracts a strictly positive measure of residents ($H_{Ri} \in (0, \infty)$).*

Proof. Both properties follow immediately from the support of the Fréchet distribution being unbounded from above. For a strictly positive and finite wage ($w_i \in (0, \infty)$) for location i , there is a positive measure of workers who draw a large enough value of the idiosyncratic shock z_{ri} for each residence location r that their preferred workplace is i . Hence, from (18), the conditional probabilities of commuting from each residence locations r to workplace i are strictly positive for $w_i \in (0, \infty)$. Additionally, for a strictly positive and finite floor price ($Q_i \in (0, \infty)$) for location i , there is a positive measure of workers who draw a large enough value of the idiosyncratic shock z_{is} that their preferred residence is i for each workplace s . Therefore, from (17), the conditional probabilities of commuting from i to each workplace s are strictly positive for $Q_i \in (0, \infty)$. ■

We next show that blocks with strictly positive, finite and exogenous location characteristics $\{T, E, A, B, \varphi, K, \xi, \tau\}$ must have strictly positive and finite values of both wages and floor prices in equilibrium. The reason is that the utility and production function satisfy the Inada conditions. Therefore, given a positive measure of workers, the return to commercial land use becomes large as the fraction of land allocated to commercial use becomes small. Similarly, given a positive measure of residents, the return to residential land use becomes large as the fraction of land allocated to residential use becomes small. Since locations attract positive measures of workers and residents at any finite positive wage and floor price, it follows that positive fractions of land must be allocated to both commercial and residential use.

Lemma A.2 *Assuming strictly positive, finite and exogenous location characteristics ($T_i \in (0, \infty)$, $E_i \in (0, \infty)$, $A_i \in (0, \infty)$, $B_i \in (0, \infty)$, $\varphi_i \in (0, \infty)$, $K_i \in (0, \infty)$, $\xi_i \in (0, \infty)$, $\tau_{ij} \in (0, \infty) \times (0, \infty)$), all*

locations are incompletely specialized and allocate positive fractions of land to commercial and residential use: $\theta_i \in (0, 1)$.

Proof. This property follows from the support of the Fréchet distribution being unbounded from above and from the utility and production functions both satisfying the Inada conditions. Lemma A.1 implies that each location with strictly positive and finite wages ($w_i \in (0, \infty)$) attracts a strictly positive measure of workers ($H_{Mi} \in (0, \infty)$). But profit maximization and commercial land market clearing imply:

$$q_i = (1 - \alpha) A_i \left(\frac{H_{Mi}}{\theta_i L_i} \right)^\alpha,$$

which in turn implies (i) $\lim_{\theta_i \rightarrow 0} q_i = \infty$ for $A_i \in (0, \infty)$ and $H_{Mi} \in (0, \infty)$; (ii) $q_i \in (0, \infty)$ for all $\theta_i \in (0, 1]$, $A_i \in (0, \infty)$ and $H_{Mi} \in (0, \infty)$. Therefore a positive fraction of land must be allocated to commercial use: $\theta_i > 0$. Additionally, Lemma A.1 implies that each location with strictly positive and finite values of both amenities ($B_i \in (0, \infty)$) and floor prices ($Q_i \in (0, \infty)$) attracts a strictly positive measure of residents ($H_{Ri} \in (0, \infty)$). But utility maximization and residential land market clearing imply:

$$Q_i = (1 - \beta) \left[\sum_{s=1}^S \frac{E_s (w_s/d_{is})^\epsilon}{\sum_{r=1}^S E_r (w_r/d_{ir})^\epsilon} w_s \right] \frac{H_{Ri}}{(1 - \theta_i) L_i},$$

which in turn implies (i) $\lim_{(1-\theta_i) \rightarrow 0} Q_i = \infty$ for $H_{Ri} \in (0, \infty)$; (ii) $Q_i \in (0, \infty)$ for all $(1 - \theta_i) \in (0, 1]$ and $H_{Ri} \in (0, \infty)$. Therefore a positive fraction of land must be allocated to residential use: $(1 - \theta_i) > 0$. ■

Having shown that the assumption of strictly positive, finite and exogenous location characteristics implies incomplete specialization, we are now in a position to establish the following proposition.

Proposition A.1 *Assuming strictly positive, finite and exogenous location characteristics ($T_i \in (0, \infty)$, $E_i \in (0, \infty)$, $A_i \in (0, \infty)$, $B_i \in (0, \infty)$, $\varphi_i \in (0, \infty)$, $K_i \in (0, \infty)$, $\xi_i \in (0, \infty)$, $\tau_{ij} \in (0, \infty) \times (0, \infty)$), there exists a unique general equilibrium vector $\{\pi_M, \pi_R, H, Q, q, w, \theta\}$.*

Proof. With strictly positive, finite and exogenous location characteristics ($T_i \in (0, \infty)$, $E_i \in (0, \infty)$, $A_i \in (0, \infty)$, $B_i \in (0, \infty)$, $\varphi_i \in (0, \infty)$, $K_i \in (0, \infty)$, $\xi_i \in (0, \infty)$, $\tau_{ij} \in (0, \infty) \times (0, \infty)$), locations are incompletely specialized and the no-arbitrage condition between alternative uses of land (25) holds, which implies that commercial floor prices can be expressed in terms of residential floor prices: $q_i = \xi_i Q_i$. Using this result together with the probability of residing in a location (15), the probability of working in a location (16), the zero-profit condition (24), and the indifference condition between the city and the larger economy (12), the fraction of the city's population residing in location i can be written as:

$$\pi_{Ri} = \frac{H_{Ri}}{H} = \left(\frac{\gamma}{U} \right)^\epsilon \sum_{s=1}^S T_i E_s \left(d_{is} Q_i^{1-\beta} \right)^{-\epsilon} \left(B_i (1 - \alpha)^{\frac{1-\alpha}{\alpha}} \alpha A_s^{\frac{1}{\alpha}} \right)^\epsilon (\xi_s Q_s)^{-\frac{\epsilon(1-\alpha)}{\alpha}},$$

while the fraction of the city's population working in location i can be written as:

$$\pi_{Mi} = \frac{H_{Mi}}{H} = \left(\frac{\gamma}{U} \right)^\epsilon \sum_{s=1}^S T_s E_i \left(d_{si} Q_s^{1-\beta} \right)^{-\epsilon} \left(B_s (1 - \alpha)^{\frac{1-\alpha}{\alpha}} \alpha A_i^{\frac{1}{\alpha}} \right)^\epsilon (\xi_i Q_i)^{-\frac{\epsilon(1-\alpha)}{\alpha}},$$

and expected worker income conditional on residing in block i (20) can be written as:

$$\mathbb{E}[w_s|i] = \sum_{s=1}^S \frac{E_s \left(A_s^{\frac{1}{\alpha}} (\xi_s Q_s)^{-\frac{1-\alpha}{\alpha}} / d_{is} \right)^\epsilon}{\sum_{r=1}^S E_r \left(A_r^{\frac{1}{\alpha}} (\xi_r Q_r)^{-\frac{1-\alpha}{\alpha}} / d_{ir} \right)^\epsilon} \left[(1-\alpha)^{\frac{1-\alpha}{\alpha}} \alpha A_s^{\frac{1}{\alpha}} (\xi_s Q_s)^{-\frac{1-\alpha}{\alpha}} \right].$$

Using commercial land market clearing (30) and residential land market clearing (29), the requirement that the land market clears can be written as:

$$\left(\frac{(1-\alpha) A_i}{\xi_i Q_i} \right)^{\frac{1}{\alpha}} \pi_{Mi} + (1-\beta) \frac{\mathbb{E}[w_s|i]}{Q_i} \pi_{Ri} = \frac{L_i}{H}.$$

Combining the above relationships, the land market clearing condition can be written as:

$$D_i(\mathbf{Q}) = \left(\frac{(1-\alpha) A_i}{\xi_i Q_i} \right)^{\frac{1}{\alpha}} \sum_{s=1}^S T_s E_i \left(\frac{B_s (1-\alpha)^{\frac{1-\alpha}{\alpha}} \alpha A_s^{\frac{1}{\alpha}}}{d_{si} Q_s^{1-\beta} (\xi_i Q_i)^{\frac{1-\alpha}{\alpha}}} \right)^\epsilon \\ + \frac{(1-\beta)}{Q_i} \sum_{s=1}^S \frac{E_s \left(A_s^{\frac{1}{\alpha}} (\xi_s Q_s)^{-\frac{1-\alpha}{\alpha}} / d_{is} \right)^\epsilon}{\sum_{r=1}^S E_r \left(A_r^{\frac{1}{\alpha}} (\xi_r Q_r)^{-\frac{1-\alpha}{\alpha}} / d_{ir} \right)^\epsilon} \left[\left(\frac{(1-\alpha)}{\xi_s Q_s} \right)^{\frac{1-\alpha}{\alpha}} \alpha A_s^{\frac{1}{\alpha}} \right] \sum_{s=1}^S T_i E_s \left(\frac{B_i (1-\alpha)^{\frac{1-\alpha}{\alpha}} \alpha A_s^{\frac{1}{\alpha}}}{d_{is} Q_i^{1-\beta} (\xi_s Q_s)^{\frac{1-\alpha}{\alpha}}} \right)^\epsilon = L_i,$$

for all i , where we have chosen units in which to measure utility so that $(\bar{U}/\gamma)^\epsilon/H = 1$. The above land market clearing condition provides a system of S equations in the S unknown residential floor prices Q_i for each location i , which has the following properties:

$$\lim_{Q_i \rightarrow 0} D_i(\mathbf{Q}) = \infty > L_i, \quad \lim_{Q_i \rightarrow \infty} D_i(\mathbf{Q}) = 0 < L_i, \\ \frac{dD_i(\mathbf{Q})}{dQ_i} < 0, \quad \frac{dD_i(\mathbf{Q})}{dQ_j} < 0, \quad \left| \frac{dD_i(\mathbf{Q})}{dQ_i} \right| > \left| \frac{dD_i(\mathbf{Q})}{dQ_j} \right|.$$

It follows that there exists a unique vector of residential floor prices \mathbf{Q} that solves this system of land market clearing conditions. Commercial floor prices follow immediately from $\mathbf{q} = \xi \mathbf{Q}$. Having solved for the vectors of floor prices $\{\mathbf{Q}, \mathbf{q}\}$, the vector of wages \mathbf{w} follows immediately from the zero-profit condition for production (24). Given floor prices $\{\mathbf{Q}, \mathbf{q}\}$ and wages (\mathbf{w}) , the probability of residing in a location (π_R) follows immediately from (15), and the probability of working in a location (π_M) follows immediately from (16). Having solved for $\{\pi_M, \pi_R, \mathbf{Q}, \mathbf{q}, \mathbf{w}\}$, the total measure of workers residing in the city can be recovered from our choice of units in which to measure utility ($(\bar{U}/\gamma)^\epsilon/H = 1$), which together with population mobility (12) implies:

$$H = \left[\sum_{r=1}^S \sum_{s=1}^S T_r E_s (d_{rs} Q_r^{1-\beta})^{-\epsilon} (B_r w_s)^\epsilon \right].$$

We therefore obtain $\mathbf{H}_M = \pi_M H$ and $\mathbf{H}_R = \pi_R H$. Given floor prices $\{\mathbf{Q}, \mathbf{q}\}$ and employments $\{\mathbf{H}_M, \mathbf{H}_R\}$, the fraction of land that is used commercially (θ) follows immediately from commercial and residential land market clearing. This completes the determination of the equilibrium vector $\{\pi_M, \pi_R, H, \mathbf{Q}, \mathbf{q}, \mathbf{w}, \theta\}$.

■

Allowing for Zero Workplace and/or Residence Employment: A corollary of lemmas A.1 and A.2 is that a necessary and sufficient condition for zero workplace employment and zero commercial land use in a block is zero final goods productivity. Similarly, a necessary and sufficient condition for zero residence employment and zero residential land use in a block is zero amenities.

Lemma A.3 *Assuming strictly positive, finite and exogenous location characteristics ($T_i \in (0, \infty)$, $E_i \in (0, \infty)$, $\varphi_i \in (0, \infty)$, $K_i \in (0, \infty)$, $\xi_i \in (0, \infty)$, $\tau_{ij} \in (0, \infty) \times (0, \infty)$):*

- (i) *a necessary and sufficient condition for zero workplace employment ($H_{Mi} = 0$) and zero commercial land use ($\theta_i = 0$) is zero final goods productivity ($A_i = 0$) for location i ,*
- (ii) *a necessary and sufficient condition for zero residence employment ($H_{Ri} = 0$) and zero residential land use ($(1 - \theta_i) = 0$) is zero amenities ($B_i = 0$) for location i .*

Proof. From lemma A.1 and the conditional probability of commuting to location i conditional on living in each residence location r (18), a necessary and sufficient condition for $H_{Mi} = 0$ for workplace i is $w_i = 0$. From the first-order conditions for profit maximization (22) and (23), a necessary and sufficient condition for $w_i = 0$ and $\theta_i = 0$ is $A_i = 0$. From lemma A.1 and the conditional probability of commuting from location i conditional on working in each workplace s (17), a necessary and sufficient condition for $H_{Ri} = 0$ is $B_i = 0$. From residential land market clearing (29), a necessary and sufficient condition for $(1 - \theta_i) = 0$ is $H_{Ri} = 0$, which is ensured by $B_i = 0$. ■

From lemma A.3, a necessary and sufficient condition for a block to have both no commercial activity and no residential activity is $A_i = 0$ and $B_i = 0$. Such blocks with no economic activity play no direct role in the model but affect the general equilibrium in so far as they affect travel times (τ_{ij}) between blocks with positive economic activity. We now use the results from lemma A.3 to generalize Proposition A.1 to prove that there exists a unique equilibrium given exogenous location characteristics once we allow blocks to have no commercial activity and/or no residential activity.

From (26), lemmas A.1-A.3 and no-arbitrage between alternative uses of land, we can summarize the relationships between the observed price of floor space (\mathbb{Q}_i), the price of commercial floor space (q_i), the residential price of floor space (Q_i), and land use as:

$$\begin{aligned} \mathbb{Q}_i &= \begin{cases} \zeta_{Mi}q_i, & \zeta_{Mi} = 1, & i \in \mathfrak{S}_M = \{A_i > 0, B_i = 0\}, \\ \zeta_{Mi}Q_i, & \zeta_{Mi} = 1, & i \in \mathfrak{S}_S = \{A_i > 0, B_i > 0\}. \end{cases} \\ \mathbb{Q}_i &= \begin{cases} \zeta_{Ri}Q_i, & \zeta_{Ri} = 1, & i \in \mathfrak{S}_R = \{A_i = 0, B_i > 0\}, \\ \zeta_{Ri}Q_i, & \zeta_{Ri} = \xi_i, & i \in \mathfrak{S}_S = \{A_i > 0, B_i > 0\}. \end{cases} \end{aligned} \quad (38)$$

where ζ_{Mi} and ζ_{Ri} relate observed floor prices to commercial and residential floor prices respectively; \mathfrak{S}_M is the set of locations specialized in commercial activity ($\theta_i = 1$); \mathfrak{S}_S is the set of locations with both commercial and residential activity ($\theta_i \in (0, 1)$); and \mathfrak{S}_R is the set of locations specialized in residential activity ($\theta_i = 0$).

From (38), these relationships between the observed, commercial and residential prices of floor space $\{\mathbb{Q}_i, q_i, Q_i\}$, and the allocation of land between commercial and residential use $\{\theta_i, 1 - \theta_i\}$, are a function solely

of the exogenous locational characteristics $\{A, B, \xi\}$. We now use this property to generalize Proposition A.1 to allow blocks to have no commercial activity and/or residential activity.

Proposition A.2 *Assuming exogenous, finite and strictly positive location characteristics ($T_i \in (0, \infty)$, $E_i \in (0, \infty)$, $\varphi_i \in (0, \infty)$, $K_i \in (0, \infty)$, $\xi_i \in (0, \infty)$, $\tau_{ij} \in (0, \infty) \times (0, \infty)$), and exogenous, finite and non-negative final goods productivity $A_i \in [0, \infty)$ and residential amenities $B_i \in [0, \infty)$, there exists a unique general equilibrium vector $\{\pi_M, \pi_R, H, Q, q, w, \theta\}$.*

Proof. The proof follows a similar structure as for Proposition A.1. For locations that are completely specialized in commercial activity ($i \in \mathfrak{S}_M$), the land market clearing condition can be written,

$$D_i(\mathbb{Q}) = \left(\frac{(1-\alpha)A_i}{\mathbb{Q}_i} \right)^{\frac{1}{\alpha}} \sum_{s \in \mathfrak{S}_S \cup \mathfrak{S}_R} T_s E_i \left(\frac{B_s(1-\alpha)^{\frac{1-\alpha}{\alpha}} \alpha A_i^{\frac{1}{\alpha}}}{d_{si}(\mathbb{Q}_s/\zeta_{Rs})^{1-\beta}(\mathbb{Q}_i)^{\frac{1-\alpha}{\alpha}}} \right)^\epsilon = L_i.$$

For locations that are incompletely specialized in commercial and residential activity ($i \in \mathfrak{S}_S$), the land market clearing condition can be written:

$$D_i(\mathbb{Q}) = \left(\frac{(1-\alpha)A_i}{\mathbb{Q}_i} \right)^{\frac{1}{\alpha}} \sum_{s \in \mathfrak{S}_S \cup \mathfrak{S}_R} \left(\frac{T_s^{1/\epsilon} E_i^{1/\epsilon} B_s(1-\alpha)^{\frac{1-\alpha}{\alpha}} \alpha A_i^{\frac{1}{\alpha}}}{d_{si}(\mathbb{Q}_s/\zeta_{Rs})^{1-\beta}(\mathbb{Q}_i)^{\frac{1-\alpha}{\alpha}}} \right)^\epsilon \\ + \frac{(1-\beta)}{\mathbb{Q}_i/\zeta_{Ri}} \sum_{s \in \mathfrak{S}_M \cup \mathfrak{S}_S} \frac{E_s \left(A_s^{\frac{1}{\alpha}} (\mathbb{Q}_s)^{-\frac{1-\alpha}{\alpha}} / d_{is} \right)^\epsilon \left[\left(\frac{(1-\alpha)}{\mathbb{Q}_s} \right)^{\frac{1-\alpha}{\alpha}} \alpha A_s^{\frac{1}{\alpha}} \right]}{\sum_{r \in \mathfrak{S}_M \cup \mathfrak{S}_S} E_r \left(A_r^{\frac{1}{\alpha}} (\mathbb{Q}_r)^{-\frac{1-\alpha}{\alpha}} / d_{ir} \right)^\epsilon} \sum_{s \in \mathfrak{S}_M \cup \mathfrak{S}_S} \left(\frac{T_i^{1/\epsilon} E_s^{1/\epsilon} B_i(1-\alpha)^{\frac{1-\alpha}{\alpha}} \alpha A_s^{\frac{1}{\alpha}}}{d_{is}(\mathbb{Q}_i/\zeta_{Ri})^{1-\beta}(\mathbb{Q}_s)^{\frac{1-\alpha}{\alpha}}} \right)^\epsilon = L_i.$$

For locations that are completely specialized in residential activity ($i \in \mathfrak{S}_R$), the land market clearing condition can be written:

$$D_i(\mathbb{Q}) = \frac{(1-\beta)}{\mathbb{Q}_i/\zeta_{Ri}} \sum_{s \in \mathfrak{S}_M \cup \mathfrak{S}_S} \frac{E_s \left(A_s^{\frac{1}{\alpha}} (\mathbb{Q}_s)^{-\frac{1-\alpha}{\alpha}} / d_{is} \right)^\epsilon \left[\left(\frac{(1-\alpha)}{\mathbb{Q}_s} \right)^{\frac{1-\alpha}{\alpha}} \alpha A_s^{\frac{1}{\alpha}} \right]}{\sum_{r=1}^S E_r \left(A_r^{\frac{1}{\alpha}} (\mathbb{Q}_r)^{-\frac{1-\alpha}{\alpha}} / d_{ir} \right)^\epsilon} \sum_{s \in \mathfrak{S}_M \cup \mathfrak{S}_S} \left(\frac{T_i^{1/\epsilon} E_s^{1/\epsilon} B_i(1-\alpha)^{\frac{1-\alpha}{\alpha}} \alpha A_s^{\frac{1}{\alpha}}}{d_{is}(\mathbb{Q}_i/\zeta_{Ri})^{1-\beta}(\mathbb{Q}_s)^{\frac{1-\alpha}{\alpha}}} \right)^\epsilon = L_i.$$

We have again chosen units in which to measure utility so that $(\bar{U}/\gamma)^\epsilon/H = 1$. The above land market clearing conditions provide a system of S equations in the S unknown observed floor prices \mathbb{Q}_i for each location i , which has the following properties:

$$\lim_{\mathbb{Q}_i \rightarrow 0} D_i(\mathbb{Q}) = \infty > L_i, \quad \lim_{\mathbb{Q}_i \rightarrow \infty} D_i(\mathbb{Q}) = 0 < L_i, \\ \frac{dD_i(\mathbb{Q})}{d\mathbb{Q}_i} < 0, \quad \frac{dD_i(\mathbb{Q})}{d\mathbb{Q}_j} < 0, \quad \left| \frac{dD_i(\mathbb{Q})}{d\mathbb{Q}_i} \right| > \left| \frac{dD_i(\mathbb{Q})}{d\mathbb{Q}_j} \right|.$$

It follows that there exists a unique vector of observed floor prices \mathbb{Q} that solves this system of land market clearing conditions. Having determined \mathbb{Q} , commercial floor prices (q) and residential floor prices (Q) follow immediately from the relationship between floor prices (38) as a function of the exogenous locational characteristics $\{A, B, \xi\}$. The remainder of the equilibrium vector follows from exactly the same arguments as for Proposition A.1. ■

We use Proposition A.2 to undertake counterfactuals for division and reunification, in which we treat location characteristics as exogenous and hold them constant at their values before division or reunification. Since the model features a unique equilibrium with exogenous location characteristics, these counterfactuals yield determinate predictions for the impact of division and reunification on the organization of economic activity within the city.

A.2.7 Properties of General Equilibrium with Agglomeration Forces

We now relax the assumption that productivity (A_i) and amenities (B_i) are exogenous. We examine how the introduction of endogenous agglomeration forces affects the properties of the general equilibrium of the model. We decompose productivity (A_i) and amenities (B_i) into two components, one of which is exogenous and captures location fundamentals, and the other of which is endogenous to the surrounding concentration of economic activity and captures agglomeration forces.

Agglomeration Forces: We allow final goods productivity to depend on production fundamentals (a_j) and production externalities (Υ_j). Production fundamentals capture features of physical geography that make a location more or less productive independently of the surrounding density of economic activity (for example access to natural water). Production externalities impose structure on how the productivity of a given block is affected by the characteristics of other blocks. Specifically, we follow the standard approach in urban economics of modeling these externalities as depending on the travel-time weighted sum of workplace employment density in surrounding blocks:⁷

$$A_j = a_j \Upsilon_j^\lambda, \quad \Upsilon_j \equiv \sum_{s=1}^S e^{-\delta \tau_{js}} \left(\frac{H_{Ms}}{K_s} \right), \quad \lambda \geq 0, \delta \geq 0. \quad (39)$$

where H_{Ms}/K_s is workplace employment density per unit of geographical land area; production externalities decline with travel time (τ_{js}) through the iceberg factor $e^{-\delta \tau_{js}} \in (0, 1]$; δ determines their rate of spatial decay; and λ controls their relative importance in determining overall productivity.⁸

We model the externalities in workers' residential choices analogously to the externalities in firms' production choices. We allow residential amenities to depend on residential fundamentals (b_i) and residential externalities (Ω_i). Residential fundamentals capture features of physical geography that make a location a more or less attractive place to live independently of the surrounding density of economic activity (for example green areas). Residential externalities again impose structure on how the amenities in a given block are affected by the characteristics of other blocks. Specifically, we adopt a symmetric specification as for production externalities, and model residential externalities as depending on the travel-time weighted sum of residential employment density in surrounding blocks:

$$B_i = b_i \Omega_i^\eta, \quad \Omega_i \equiv \sum_{s=1}^S e^{-\rho \tau_{is}} \left(\frac{H_{Rs}}{K_s} \right), \quad \eta \geq 0, \rho \geq 0, \quad (40)$$

where H_{Rs}/K_s is residence employment density per unit of geographical land area; residential externalities decline with travel time (τ_{is}) through the iceberg factor $e^{-\rho \tau_{is}} \in (0, 1]$; ρ determines their rate of spatial decay; and η controls their relative importance in overall residential amenities.

⁷While the canonical interpretation of these production externalities in the urban economics literature is knowledge spillovers, as in [Alonso \(1964\)](#), [Fujita and Ogawa \(1982\)](#), [Lucas \(2000\)](#), [Mills \(1967\)](#), [Muth \(1969\)](#), and [Sveikauskas \(1975\)](#), other interpretations are possible, as considered in [Duranton and Puga \(2004\)](#).

⁸We make the standard assumption that production externalities depend on employment density per unit of geographical land area K_i (rather than per unit of floor area L_i) to capture the role of higher densities of development φ_i (higher ratios of floor space to geographical land area) in increasing the surrounding concentration of economic activity.

Equilibrium Properties with Agglomeration Forces: We begin by establishing some properties of the general equilibrium of the model with agglomeration forces. Production externalities (Υ_j) are modeled as the travel time weighted sum of workplace employment density throughout the city. Therefore, since travel time within Berlin is finite, production externalities are strictly positive for all blocks for a finite spatial decay of production externalities (δ), as long as workplace employment is positive somewhere within Berlin: $\Upsilon_j > 0$ for all $j \in \{1, \dots, S\}$ if $H_{Ms} > 0$ for some $s \in \{1, \dots, S\}$ and $0 < \delta < \infty$. Similarly, residential externalities (Ω_i) are modeled as the travel time weighted sum of residence employment density throughout the city. Therefore, since travel time within Berlin is finite, residential externalities are strictly positive for all blocks for a finite spatial decay of residential externalities (ρ), as long as residence employment is positive somewhere within Berlin: $\Omega_i > 0$ for all $i \in \{1, \dots, S\}$ if $H_{Rs} > 0$ for some $s \in \{1, \dots, S\}$ and $0 < \rho < \infty$.

We now combine this result that production and residential externalities are strictly positive and finite with the properties that (i) the support of the Fréchet distribution is unbounded from above and (ii) the utility and production functions satisfy the Inada conditions. From these results, if all location characteristics are strictly positive for all blocks, it follows that all blocks will be incompletely specialized with positive fractions of land allocated to commercial and residential use. We therefore have the following generalization of Lemmas A.1 and A.2 to the case of endogenous agglomeration forces.

Lemma A.4 *Assume (i) strictly positive, finite and exogenous location fundamentals ($T_i \in (0, \infty)$, $E_i \in (0, \infty)$, $a_i \in (0, \infty)$, $b_i \in (0, \infty)$, $\varphi_i \in (0, \infty)$, $K_i \in (0, \infty)$, $\xi_i \in (0, \infty)$, $\tau_{ij} \in (0, \infty) \times (0, \infty)$), (ii) endogenous agglomeration forces ($\lambda, \eta > 0$), (iii) finite spatial decays of agglomeration externalities ($0 < \delta < \infty$ and $0 < \rho < \infty$):*

(i) Each location i with a strictly positive and finite wage ($w_i \in (0, \infty)$) attracts a strictly positive measure of workers ($H_{Mi} \in (0, \infty)$), and each location with a strictly positive and finite floor price ($Q_i \in (0, \infty)$) attracts a strictly positive measure of residents ($H_{Ri} \in (0, \infty)$).

(ii) Any equilibrium with positive workplace and residence employment somewhere in the city ($H_{Mj}, H_{Ri} > 0$ for some $j, i \in \{1, \dots, S\}$) is characterized by incomplete specialization, with all locations allocating positive fractions of land to commercial and residential use: $\theta_i \in (0, 1)$.

Proof. The proof of the lemma follows exactly the same structure as the proof of Lemmas A.1 and A.2 above. Since the support of the Fréchet distribution is unbounded from above, any location with strictly positive and finite wages ($w_i \in (0, \infty)$) attracts a strictly positive measure of workers ($H_{Mi} \in (0, \infty)$). But profit maximization and commercial land market clearing imply:

$$q_i = (1 - \alpha)a_i\Upsilon_i^\lambda \left(\frac{H_{Mi}}{\theta_i L_i} \right)^\alpha,$$

which in turn implies (i) $\lim_{\theta_i \rightarrow 0} q_i = \infty$ for $a_i \in (0, \infty)$, $\Upsilon_i \in (0, \infty)$ and $H_{Mi} \in (0, \infty)$; (ii) $q_i \in (0, \infty)$ for all $\theta_i \in (0, 1]$, $a_i \in (0, \infty)$, $\Upsilon_i \in (0, \infty)$ and $H_{Mi} \in (0, \infty)$. Therefore a positive fraction of land is allocated to commercial use: $\theta_i > 0$. Additionally, each location with strictly positive and finite values of residential fundamentals ($b_i \in (0, \infty)$), residential externalities ($\Omega_i \in (0, \infty)$) and floor prices ($Q_i \in (0, \infty)$) attracts a

strictly positive measure of residents ($H_{Ri} \in (0, \infty)$). But utility maximization and residential land market clearing imply:

$$Q_i = (1 - \beta) \left[\sum_{s=1}^S \frac{E_s (w_s/d_{is})^\epsilon}{\sum_{r=1}^S E_r (w_r/d_{ir})^\epsilon} w_s \right] \frac{H_{Ri}}{(1 - \theta_i) L_i},$$

which in turn implies (i) $\lim_{(1-\theta_i) \rightarrow 0} Q_i = \infty$ for $H_{Ri} \in (0, \infty)$; (ii) $Q_i \in (0, \infty)$ for all $(1 - \theta_i) \in (0, 1]$ and $H_{Ri} \in (0, \infty)$. Therefore a positive fraction of land is allocated to residential use: $(1 - \theta_i) > 0$. ■

Since production externalities are strictly positive ($\Upsilon_i > 0$), an immediate corollary of Lemma A.4 is that a necessary and sufficient condition for zero workplace employment and zero commercial land use in a block is zero production fundamentals ($a_i = 0$). Similarly, since residential externalities are strictly positive ($\Omega_i > 0$), an immediate corollary of Lemma A.4 is that a necessary and sufficient condition for zero residence employment and zero residential land use in a block is zero residential fundamentals ($b_i = 0$).

Lemma A.5 Assume (i) strictly positive, finite and exogenous location characteristics ($T_i \in (0, \infty)$, $E_i \in (0, \infty)$, $\varphi_i \in (0, \infty)$, $K_i \in (0, \infty)$, $\xi_i \in (0, \infty)$, $\tau_{ij} \in (0, \infty) \times (0, \infty)$), (ii) endogenous agglomeration forces ($\lambda, \eta > 0$), (iii) finite spatial decays of agglomeration externalities ($0 < \delta < \infty$ and $0 < \rho < \infty$). In any equilibrium with positive workplace and residence employment somewhere in the city ($H_{Mj}, H_{Ri} > 0$ for some $j, i \in \{1, \dots, S\}$):

- (i) a necessary and sufficient condition for zero workplace employment ($H_{Mi} = 0$) and zero commercial land use ($\theta_i = 0$) is zero production fundamentals ($a_i = 0$) for location i ,
- (ii) a necessary and sufficient condition for zero residence employment ($H_{Ri} = 0$) and zero residential land use ($(1 - \theta_i) = 0$) is zero residential fundamentals ($b_i = 0$) for location i .

Proof. From lemma A.4 and the conditional probability of commuting to location i conditional on living in each residence location r (18), a necessary and sufficient condition for $H_{Mi} = 0$ for workplace i is $w_i = 0$. From the first-order conditions for profit maximization (22) and (23), a necessary and sufficient condition for $w_i = 0$ and $\theta_i = 0$ is $A_i = 0$. From the productivity specification (39), a necessary and sufficient condition for $A_i = 0$ is $a_i = 0$ since $\Upsilon_i > 0$. From lemma A.4 and the conditional probability of commuting from location i conditional on working in each workplace s (17), a necessary and sufficient condition for $H_{Ri} = 0$ is $B_i = 0$. From residential land market clearing (29), a necessary and sufficient condition for $(1 - \theta_i) = 0$ is $H_{Ri} = 0$, which is ensured by $B_i = 0$. From the amenities specification (40), a necessary and sufficient condition for $B_i = 0$ is $b_i = 0$ since $\Omega_i > 0$. ■

Potential for Multiple Equilibria: As is standard in urban models, the presence of endogenous agglomeration forces introduces the potential for multiple equilibria into the model: Each agent's location decision depends on productivity and amenities, but productivity and amenities in turn depend on the location decisions of all agents. Whether or not multiple equilibria exist depends on the strength of the agglomeration forces relative to the size of the exogenous differences in location characteristics ($T, E, a, b, \varphi, K, \xi, \tau$).

The strength of agglomeration forces depends on both their contribution to productivity and amenities (λ, η) and their spatial decay with travel times (δ, ρ).

In our calibration of the model in Section A.3 below, we show that there exists a one-to-one mapping from known values of the model's parameters $\{\alpha, \beta, \mu, \epsilon, \kappa, \lambda, \delta, \eta, \rho\}$ and the observed data $\{\mathbb{Q}, \mathbf{H}_M, \mathbf{H}_R, \mathbf{K}, \boldsymbol{\tau}\}$ to adjusted values of the unobserved location characteristics $\{\tilde{a}_i, \tilde{b}_i, \tilde{\varphi}_i\}$. These adjusted values of the location characteristics take into account other variables that enter the model isomorphically to $\{a_i, b_i, \varphi_i\}$, as discussed further in Section A.3 below. We show below that this mapping from the observed equilibrium and the model's parameters to the unobserved adjusted location characteristics is unique, irrespective of whether this observed equilibrium is unique or one of several possible equilibria (see Propositions A.3 and A.4). Therefore, given known values of the parameters, the model can be calibrated to the observed equilibrium and used to recover unique values of the unobserved adjusted location characteristics.

In our structural estimation in section A.4 below, we estimate both the model's parameters and the unobserved adjusted location characteristics. We use the property that the adjusted location characteristics are structural residuals of the model that are one-to-one functions of the observed data and parameters. We use these structural residuals and the exogenous variation from Berlin's division and reunification to construct moment conditions in terms of the model's parameters. In principle, these moment conditions need not uniquely identify the model parameters, because the objective function defined by them need not be globally concave. For example, there could be multiple local minima corresponding to different equilibria of the model with different parameter values. In practice, we find that the objective function is well behaved in the parameter space, and that these moment conditions determine a unique parameter vector. We find that this parameter vector takes similar values for both division and reunification.

A.3 Calibration

In this section, we show how the model can be calibrated to recover unique adjusted location characteristics given known values of the model's parameters $\{\alpha, \beta, \mu, \epsilon, \kappa, \lambda, \delta, \eta, \rho\}$ and the observed data $\{\mathbb{Q}, \mathbf{H}_R, \mathbf{H}_M, \mathbf{K}, \boldsymbol{\tau}\}$. We show that there is a one-to-one mapping from these known parameters and the observed data to the adjusted location characteristics $\{\tilde{a}_i, \tilde{b}_i, \tilde{\varphi}_i\}$. Therefore these unobserved adjusted location characteristics correspond to *structural residuals* of the model that are one-to-one functions of the parameters and the observed data. We use these results to construct moment conditions in the structural estimation of the model in Section A.4, where both the parameters $\{\alpha, \beta, \mu, \epsilon, \kappa, \lambda, \delta, \eta, \rho\}$ and the unobserved adjusted location characteristics $\{\tilde{a}_i, \tilde{b}_i, \tilde{\varphi}_i\}$ are unknown and to be estimated.

In addition to establishing the one-to-one mapping from the parameters and observables to the unobservables, we demonstrate two other important results in this section. First, the model has a recursive structure. Given a subset of the model's parameters $\{\alpha, \beta, \mu, \epsilon, \kappa\}$, there is a one-to-one mapping from these parameters and the observed data $\{\mathbb{Q}, \mathbf{H}_R, \mathbf{H}_M, \mathbf{K}, \boldsymbol{\tau}\}$ to the unobserved adjusted location characteristics $\{\tilde{A}_i, \tilde{B}_i, \tilde{\varphi}_i\}$. Therefore, overall adjusted productivity (\tilde{A}_i), overall adjusted amenities (\tilde{B}_i) and the adjusted density of development ($\tilde{\varphi}_i$) can be uniquely determined irrespective of whether they are exogenous or endogenous. Furthermore, overall adjusted productivity (\tilde{A}_i) and amenities (\tilde{B}_i) can be determined irre-

spective of the relative importance of their components of externalities $\{\Upsilon_i, \Omega_i\}$ and adjusted fundamentals $\{\tilde{a}_i, \tilde{b}_i\}$.

Second, a number of other unobservables enter the model isomorphically to production fundamentals (a_i), residential fundamentals (b_i) and the density of development (φ_i). Therefore we absorb these other unobservables into *adjusted* values of production fundamentals (\tilde{a}_i), residential fundamentals (\tilde{b}_i) and the density of development ($\tilde{\varphi}_i$). Corresponding to these adjusted values of production and residential fundamentals $\{\tilde{a}_i, \tilde{b}_i\}$, there are adjusted values of final goods productivity (\tilde{A}_i) and residential amenities (\tilde{B}_i). Given the model's parameters and the observed data, we can uniquely determine these adjusted location characteristics $\{\tilde{A}_i, \tilde{B}_i, \tilde{\varphi}_i, \tilde{a}_i, \tilde{b}_i\}$.

A.3.1 Determining $\{\tilde{A}, \tilde{B}, \tilde{\varphi}\}$ from $\{\alpha, \beta, \mu, \epsilon, \kappa\}$ and the Observed Data

We begin by establishing the one-to-one mapping from the subset of parameters $\{\alpha, \beta, \mu, \epsilon, \kappa\}$ and the observed data $\{\mathbb{Q}, \mathbf{H}_R, \mathbf{H}_M, \mathbf{K}, \boldsymbol{\tau}\}$ to adjusted final goods productivity, residential amenities and the density of development $\{\tilde{A}, \tilde{B}, \tilde{\varphi}\}$. To do so, we use the recursive structure of the model.

1. Given $\{\epsilon, \kappa\}$ and the observed data $\{\mathbf{H}_R, \mathbf{H}_M, \boldsymbol{\tau}\}$, the equilibrium wage vector $\{\mathbf{w}\}$ can be uniquely determined from the commuting market clearing condition alone independently of the other equilibrium conditions of the model.
2. Given $\{\epsilon, \kappa, \beta, \mu\}$, the observed data $\{\mathbb{Q}, \mathbf{H}_R, \mathbf{H}_M, \boldsymbol{\tau}\}$ and wages $\{\mathbf{w}\}$, adjusted residential amenities $\{\tilde{B}\}$ can be uniquely determined from residential choice probabilities.
3. Given $\{\epsilon, \kappa, \alpha, \mu\}$, the observed data $\{\mathbb{Q}, \mathbf{H}_R, \mathbf{H}_M, \boldsymbol{\tau}\}$ and wages $\{\mathbf{w}\}$, adjusted final goods productivity $\{\tilde{A}\}$ can be uniquely determined from profit maximization and zero profits.
4. Given $\{\epsilon, \kappa, \alpha, \beta, \mu\}$, the observed data $\{\mathbb{Q}, \mathbf{H}_R, \mathbf{H}_M, \mathbf{K}, \boldsymbol{\tau}\}$, and wages and adjusted productivity $\{\mathbf{w}, \tilde{A}\}$, the adjusted density of development $\{\tilde{\varphi}\}$ can be uniquely determined from land market clearing.

In the remainder of this subsection, we consider each of these steps in turn.

A.3.1.1 Wages

Given the parameters $\{\epsilon, \kappa\}$ and observed data $\{\mathbf{H}_M, \mathbf{H}_R, \boldsymbol{\tau}\}$, commuting market clearing (19) provides a system of equations in observed workplace and residence employment that determines a unique adjusted wage vector ($\tilde{\mathbf{w}}$) up to a normalization (a choice of units in which to measure wages):

$$\begin{aligned}
 H_{Mj} &= \sum_{i=1}^S \frac{\left(E_j^{1/\epsilon} w_j / e^{\kappa \tau_{ij}}\right)^\epsilon}{\sum_{s=1}^S \left(E_s^{1/\epsilon} w_s / e^{\kappa \tau_{is}}\right)^\epsilon} H_{Ri}, \\
 &= \sum_{i=1}^S \frac{(\tilde{w}_j / e^{\kappa \tau_{ij}})^\epsilon}{\sum_{s=1}^S (\tilde{w}_s / e^{\kappa \tau_{is}})^\epsilon} H_{Ri}.
 \end{aligned} \tag{41}$$

Adjusted wages ($\tilde{w}_j = E_j^{1/\epsilon} w_j$) capture (i) wages (w_j) in employment location j and (ii) the Fréchet scale parameter that determines the average utility (or effective units of labor) for commuters to that employment location (E_j). Note that $E_j^{1/\epsilon}$ enters the commuting market clearing condition isomorphically to w_j . Therefore only the composite adjusted wage (\tilde{w}_j) can be recovered from the data. From lemmas A.1-A.3, all locations with zero workplace employment have zero adjusted wages.

We now show that this commuting market clearing condition determines a unique adjusted wage (\tilde{w}_j) for each location $j = 1, \dots, S$. Note that the commuting market clearing condition (41) can be re-written as the following excess demand system:

$$D_j(\tilde{\mathbf{w}}) = H_{Mj} - \sum_{i=1}^S \frac{(\tilde{w}_j/d_{ij})^\epsilon}{\sum_{s=1}^S (\tilde{w}_s/d_{is})^\epsilon} H_{Ri} = 0, \quad d_{ij} = e^{\kappa\tau_{ij}}. \quad (42)$$

We use $\mathbf{H}_M \in \mathbb{R}_+^S$ to denote the observed non-negative vector of workplace employment with elements H_{Mj} given by the data; $\mathbf{H}_R \in \mathbb{R}_+^S$ denotes the observed non-negative vector of residence employment with elements H_{Ri} , given by the data; $\tau_{ij} \in \mathbb{R}_+ \times \mathbb{R}_+$ denotes the observed bilateral travel time between blocks i and j ; and $\tilde{\mathbf{w}} \in \mathbb{R}_+^S$ is the unknown non-negative adjusted wage vector with elements \tilde{w}_j . The system (42) captures the requirement of zero excess demand for commuters at the adjusted wage vector $\tilde{\mathbf{w}}$.

Lemma A.6 *Given the parameters $\{\epsilon, \kappa\}$ and observables $\{\mathbf{H}_M, \mathbf{H}_R, \boldsymbol{\tau}\}$, the wage system (42) exhibits the following properties in \mathbf{w} :*

Property (i): $D(\tilde{\mathbf{w}})$ is continuous.

Property (ii): $D(\tilde{\mathbf{w}})$ is homogenous of degree zero.

Property (iii): $\sum_{j \in S} D_j(\tilde{\mathbf{w}}) = 0$ for all $\tilde{\mathbf{w}} \in \mathbb{R}_+^S$.

Property (iv): $D(\tilde{\mathbf{w}})$ exhibits gross substitution:

$$\begin{aligned} \frac{\partial D_j(\tilde{\mathbf{w}})}{\partial \tilde{w}_k} &> 0 \quad \text{for all } j, k, j \neq k \quad \text{for all } \tilde{\mathbf{w}} \in \mathbb{R}_+^S, \\ \frac{\partial D_j(\tilde{\mathbf{w}})}{\partial \tilde{w}_j} &< 0 \quad \text{for all } j \quad \text{for all } \tilde{\mathbf{w}} \in \mathbb{R}_+^S. \end{aligned}$$

Proof. Property (i) follows immediately by inspection of (42).

Property (ii) follows immediately by inspection of (42).

Property (iii) can be established by noting:

$$\begin{aligned} \sum_{j=1}^S D_j(\tilde{\mathbf{w}}) &= \sum_{j=1}^S H_{Mj} - \sum_{i=1}^S \frac{\sum_{j=1}^S (\tilde{w}_j/d_{ij})^\epsilon}{\sum_{s=1}^S (\tilde{w}_s/d_{is})^\epsilon} H_{Ri} \\ &= \sum_{j=1}^S H_{Mj} - \sum_{i=1}^S H_{Ri} \\ &= 0. \end{aligned}$$

Property (iv) can be established by noting:

$$\frac{\partial D_j(\tilde{\mathbf{w}})}{\partial \tilde{w}_k} = \sum_{i \in S} \frac{(\tilde{w}_j/d_{ij})^\epsilon \epsilon (\tilde{w}_k/d_{ik})^\epsilon \tilde{w}_k^{-1}}{[\sum_{s \in S} (\tilde{w}_s/d_{is})^\epsilon]^2} H_{Ri} > 0.$$

and using homogeneity of degree zero, which implies:

$$\nabla D(\tilde{\mathbf{w}}) \tilde{\mathbf{w}} = 0,$$

and hence:

$$\frac{\partial D_j(\tilde{\mathbf{w}})}{\partial \tilde{w}_j} < 0 \quad \text{for all } j \quad \text{for all } \tilde{\mathbf{w}} \in \mathfrak{R}_+^S.$$

Therefore we have established gross substitution. ■

Lemma A.7 *Given the parameters $\{\epsilon, \kappa\}$ and observed data $\{\mathbf{H}_M, \mathbf{H}_R, \tau\}$, there exists a unique adjusted wage vector $\tilde{\mathbf{w}}^* \in \mathfrak{R}_+^S$ such that $D(\tilde{\mathbf{w}}^*) = 0$.*

Proof. We first show that the adjusted wage system $D(\tilde{\mathbf{w}})$ has at most one (normalized) solution using the properties established in Lemma A.6. Gross substitution implies that $D(\tilde{\mathbf{w}}) = D(\tilde{\mathbf{w}}')$ cannot occur whenever $\tilde{\mathbf{w}}$ and $\tilde{\mathbf{w}}'$ are two adjusted wage vectors that are not colinear. By homogeneity of degree zero, we can assume $\tilde{\mathbf{w}}' \geq \tilde{\mathbf{w}}$ and $\tilde{w}_j = \tilde{w}'_j$ for some j . Now consider altering the adjusted wage vector $\tilde{\mathbf{w}}'$ to obtain the adjusted wage vector $\tilde{\mathbf{w}}$ in $S - 1$ steps, lowering (or keeping unaltered) the adjusted wage of all the other $S - 1$ locations $k \neq j$ one at a time. By gross substitution, the excess demand for labor in location j cannot decrease in any step, and because $\tilde{\mathbf{w}} \neq \tilde{\mathbf{w}}'$, it will actually increase in at least one step. Hence $D_j(\tilde{\mathbf{w}}) > D_j(\tilde{\mathbf{w}}')$ and we have a contradiction.

We next establish that there exists an adjusted wage vector $\tilde{\mathbf{w}}^* \in \mathfrak{R}_+^S$ such that $D(\tilde{\mathbf{w}}^*) = 0$. By homogeneity of degree zero, we can restrict our search for an equilibrium adjusted wage vector to the unit simplex $\Delta = \left\{ \tilde{\mathbf{w}} \in \mathfrak{R}_+^S : \sum_{j=1}^S \tilde{w}_j = 1 \right\}$. Define on Δ the function $D^+(\cdot)$ by $D_j^+(\tilde{\mathbf{w}}) = \max\{D_j(\tilde{\mathbf{w}}), 0\}$. Note that $D^+(\cdot)$ is continuous. Denote $\alpha(\tilde{\mathbf{w}}) = \sum_{j=1}^S [\tilde{w}_j + D_j^+(\tilde{\mathbf{w}})]$. We have $\alpha(\tilde{\mathbf{w}}) \geq 1$ for all $\tilde{\mathbf{w}}$.

Define a continuous function $f(\cdot)$ from the closed convex set Δ into itself by:

$$f(\tilde{\mathbf{w}}) = [1/\alpha(\tilde{\mathbf{w}})] [\tilde{\mathbf{w}} + D^+(\tilde{\mathbf{w}})].$$

Note that this fixed-point function tends to increase the wages of locations with excess demand for commuters. By Brouwer's Fixed-point Theorem, there exists $\tilde{\mathbf{w}}^* \in \Delta$ such that $\tilde{\mathbf{w}}^* = f(\tilde{\mathbf{w}}^*)$.

Since $\sum_{j=1}^S D_j(\tilde{\mathbf{w}}) = 0$, it cannot be the case that $D_j(\tilde{\mathbf{w}}) > 0$ for all $j = 1, \dots, S$ or $D_j(\tilde{\mathbf{w}}) < 0$ for all $j = 1, \dots, S$. Additionally, if $D_j(\tilde{\mathbf{w}}) > 0$ for some j and $D_k(\tilde{\mathbf{w}}) < 0$ for some $k \neq j$, $\tilde{\mathbf{w}} \neq f(\tilde{\mathbf{w}})$. It follows that at the fixed point for wages, $\tilde{\mathbf{w}}^* = f(\tilde{\mathbf{w}}^*)$, and $D_j(\tilde{\mathbf{w}}) = 0$ for all j . ■

Homogeneity of degree zero of the commuting market clearing condition (41) implies that the equilibrium adjusted wage vector is unique up to a normalization. We impose the normalization that the geometric mean adjusted wage is equal to one, as discussed further in subsection A.3.1.5 below.

In our estimation of the commuting gravity equation, it proves convenient to re-write the commuting market clearing condition (41) in terms of a composite parameter $\nu = \epsilon\kappa$ that captures the semi-elasticity of commuting flows with respect to travel times and a transformation of adjusted wages ($\omega_{it} = \tilde{w}_{jt}^\epsilon = E_{jt} w_{jt}^\epsilon$):

$$H_{Mjt} = \sum_{i=1}^S \frac{\omega_{jt}/e^{\nu\tau_{ijt}}}{\sum_{s=1}^S \omega_{st}/e^{\nu\tau_{ist}}} H_{Rit}. \quad (43)$$

The commuting market clearing condition (43) exhibits the same properties in transformed wages (ω_{jt}) as established for adjusted wages (\tilde{w}_{jt}) in Lemmas A.6 and A.7 above.

A.3.1.2 Adjusted Residential Amenities

Given the parameters $\{\beta, \mu, \epsilon, \kappa\}$, observed data $\{\mathbb{Q}, \mathbf{H}_M, \mathbf{H}_R, \boldsymbol{\tau}\}$ and the above solutions for adjusted wages $\{\tilde{\mathbf{w}}\}$, the residential choice probabilities (15) and population mobility (12) determine a unique vector of adjusted residential amenities ($\tilde{\mathbf{B}}$) up to a normalization. From the residential choice probabilities (15) and population mobility (12), we have:

$$\frac{B_i T_i^{1/\epsilon}}{\bar{U}/\gamma} = \left(\frac{H_{Ri}}{H} \right)^{\frac{1}{\epsilon}} \frac{Q_i^{1-\beta}}{W_i^{1/\epsilon}},$$

where W_i is a measure of commuting market access:

$$W_i = \sum_{s=1}^S E_s (w_s/d_{is})^\epsilon, \quad d_{is} = e^{\kappa \tau_{is}}.$$

and these expressions can be equivalently rewritten as:

$$\frac{\tilde{B}_i}{\bar{U}/\gamma} = \left(\frac{H_{Ri}}{H} \right)^{\frac{1}{\epsilon}} \frac{Q_i^{1-\beta}}{W_i^{1/\epsilon}}, \quad (44)$$

$$W_i = \sum_{s=1}^S (\tilde{w}_s/d_{is})^\epsilon, \quad d_{is} = e^{\kappa \tau_{is}}. \quad (45)$$

For locations $s \in \mathfrak{S}_S \cup \mathfrak{S}_R$ with positive residence employment, residential floor prices are related to observed floor prices through $\mathbb{Q}_s = \zeta_{Rs} Q_s$, where (i) $\zeta_{Rs} = \xi_s$ if $s \in \mathfrak{S}_S$ and (ii) $\zeta_{Rs} = 1$ otherwise. Adjusted residential amenities ($\tilde{B}_i = B_i T_i^{1/\epsilon} \zeta_{Ri}^{1-\beta}$) include (i) residential amenities (B_i), (ii) the Fréchet scale parameter (T_i) that determines the average utility (or effective units of labor) for commuters from location i , and (iii) the relationship between observed and residential floor prices (ζ_{Ri}). The parameter ζ_{Ri} captures land use regulations that introduce a wedge between commercial and residential floor prices (ξ_i), where we allow this wedge (ξ_i) to vary across blocks. Note that $T_i^{1/\epsilon}$ and $\zeta_{Ri}^{1-\beta}$ enter residential choice probabilities isomorphically to B_i . Therefore only the composite adjusted residential amenities (\tilde{B}_i) can be recovered from the data. Additionally, from lemmas A.1-A.3, all locations with zero residential employment have zero residential amenities.

We choose units in which to measure residential amenities such that the geometric mean of residential amenities is equal to one: $\bar{\tilde{B}}_i = 1$, where a bar above a variable denotes a geometric mean. Therefore, dividing through by the geometric means in (44), residential amenities can be determined from:

$$\frac{\tilde{B}_i}{\bar{\tilde{B}}_i} = \left(\frac{H_{Ri}}{\bar{H}_{Ri}} \right)^{\frac{1}{\epsilon}} \left(\frac{Q_i}{\bar{Q}_i} \right)^{1-\beta} \left(\frac{W_i}{\bar{W}_i} \right)^{-\frac{1}{\epsilon}}. \quad (46)$$

A.3.1.3 Final Goods Productivity

Given the parameters $\{\alpha, \mu, \epsilon, \kappa\}$, observed data $\{\mathbb{Q}, \mathbf{H}_M, \mathbf{H}_R, \boldsymbol{\tau}\}$ and the above solutions for adjusted wages $\{\tilde{\mathbf{w}}\}$, profit maximization and zero profits (24) determine a unique vector for adjusted productivity ($\tilde{\mathbf{A}}$) up to the normalization chosen for adjusted wages. For all locations with positive workplace employment, we require:

$$\begin{aligned} q_j &= (1 - \alpha) \left(\frac{\alpha}{w_j} \right)^{\frac{\alpha}{1-\alpha}} A_j^{\frac{1}{1-\alpha}}. \\ \mathbb{Q}_j &= (1 - \alpha) \left(\frac{\alpha}{\tilde{w}_j} \right)^{\frac{\alpha}{1-\alpha}} \tilde{A}_j^{\frac{1}{1-\alpha}}. \end{aligned} \quad (47)$$

where q_j denotes the price of commercial floor space and \mathbb{Q}_i denotes the observed price of floor space.

For locations $s \in \mathfrak{S}_M \cup \mathfrak{S}_S$ with positive workplace employment, commercial floor prices are related to observed floor prices through $q_s = \mathbb{Q}_s$. Adjusted final goods productivity ($\tilde{A}_j^{\frac{1}{1-\alpha}} = E_j^{\frac{\alpha}{\epsilon(1-\alpha)}} A_j^{\frac{1}{1-\alpha}}$) captures (i) final goods productivity (A_j) in an employment location and (ii) the Fréchet scale parameter that determines the average utility (or effective units of labor) for commuters to that location (E_j). Note that $E_j^{\frac{\alpha}{\epsilon(1-\alpha)}}$ enters the zero-profit condition isomorphically to $A_j^{\frac{1}{1-\alpha}}$. Therefore only the composite adjusted final goods productivity (\tilde{A}_j) can be recovered from the data. Additionally, from lemmas A.1-A.3, all locations with zero workplace employment have zero final goods productivity.

Lemma A.8 *Given the parameters $\{\alpha, \mu, \epsilon, \kappa\}$, observed data $\{\mathbb{Q}, \mathbf{H}_M, \mathbf{H}_R, \boldsymbol{\tau}\}$ and the solution for adjusted wages $\{\tilde{\mathbf{w}}^*\}$, there exists a unique vector of adjusted final goods productivities $\tilde{\mathbf{A}}^* \in \mathbb{R}_+^S$ such that the zero profit condition (47) holds for all locations with positive workplace employment.*

Proof. The lemma follows immediately from the zero-profit condition (47). ■

A.3.1.4 Land Market Clearing

Given the parameters $\{\alpha, \beta, \mu, \epsilon, \kappa\}$, the observed data $\{\mathbb{Q}, \mathbf{H}_M, \mathbf{H}_R, \mathbf{K}, \boldsymbol{\tau}\}$ and the above solutions for adjusted wages and final goods productivity $\{\tilde{\mathbf{w}}, \tilde{\mathbf{A}}\}$, the land market clearing condition determines a unique vector for the adjusted density of development ($\tilde{\boldsymbol{\varphi}}$).

For all locations with positive workplace employment, we can solve for adjusted commercial land use from commercial land market clearing (30):

$$\begin{aligned} L_{Mi} &= \left(\frac{w_i}{\alpha A_i} \right)^{\frac{1}{1-\alpha}} H_{Mi}, \\ \tilde{L}_{Mi} &= \left(\frac{\tilde{w}_i}{\alpha \tilde{A}_i} \right)^{\frac{1}{1-\alpha}} H_{Mi}, \end{aligned} \quad (48)$$

where adjusted commercial land use satisfies $\tilde{L}_{Mi} = E_j^{1/\epsilon} L_{Mi}$. From lemmas A.1-A.3, all locations with zero workplace employment have zero adjusted commercial land use ($\tilde{L}_{Mi} = L_{Mi} = 0$).

For all locations with positive residence employment, we can solve for adjusted residential land use from residential land market clearing (29):

$$L_{Ri} = (1 - \beta) \left[\sum_{s=1}^S \frac{\left(E_s^{1/\epsilon} w_s / d_{is} \right)^\epsilon}{\sum_{r=1}^S \left(E_r^{1/\epsilon} w_r / d_{ir} \right)^\epsilon} w_s \right] \frac{H_{Ri}}{Q_i}, \quad (49)$$

$$\tilde{L}_{Ri} = (1 - \beta) \left[\sum_{s=1}^S \frac{(\tilde{w}_s / d_{is})^\epsilon}{\sum_{r=1}^S (\tilde{w}_r / d_{ir})^\epsilon} \tilde{w}_s \right] \frac{H_{Ri}}{Q_i},$$

where Q_i denotes the price of residential floor space and \mathbb{Q}_i denotes the observed price of floor space. Adjusted residential land use is defined as:

$$\tilde{L}_{Ri} = L_{Ri} \zeta_{Ri} \frac{\sum_{s=1}^R \frac{(\tilde{w}_s / d_{is})^\epsilon}{\sum_{r=1}^S (\tilde{w}_r / d_{ir})^\epsilon} \tilde{w}_s}{\sum_{s=1}^R \frac{(\tilde{w}_s / d_{is})^\epsilon}{\sum_{r=1}^S (\tilde{w}_r / d_{ir})^\epsilon} \frac{\tilde{w}_s}{E_s^{1/\epsilon}}}. \quad (50)$$

The parameter ζ_{Ri} allows for land use regulations that introduce a wedge between commercial and residential floor prices (ξ_i), where we allow this wedge (ξ_i) to vary across blocks. The fraction in (50) controls for the difference between adjusted wages ($\tilde{w}_i = E_i^{1/\epsilon} w_i$) and actual wages (w_i). From lemmas A.1-A.3, all locations with zero residence employment have zero adjusted residential land use ($\tilde{L}_{Ri} = L_{Ri} = 0$).

Combining these solutions for adjusted commercial and residential land use, we can solve for the adjusted density of development ($\tilde{\varphi}_i$) from land market clearing:

$$\tilde{L}_i = \tilde{L}_{Mi} + \tilde{L}_{Ri} = \tilde{\varphi}_i K_i^{1-\mu}, \quad (51)$$

where the adjusted density of development ($\tilde{\varphi}_i$) relates adjusted floor space (\tilde{L}_i) to observed geographical land area (K_i).

Lemma A.9 *Given the parameters $\{\alpha, \beta, \mu, \epsilon, \kappa\}$, observed data $\{\mathbb{Q}, \mathbf{H}_M, \mathbf{H}_R, \mathbf{K}, \boldsymbol{\tau}\}$ and the solutions for adjusted wages and final goods productivity $\{\tilde{\mathbf{w}}^*, \tilde{\mathbf{A}}^*\}$, there exists a unique vector of the adjusted density of development $\tilde{\boldsymbol{\varphi}}^* \in \mathbb{R}_+^S$ such that the land market clearing condition (51) holds for all locations.*

Proof. The lemma follows immediately from the land market clearing condition (51) together with commercial land market clearing (48) and residential land market clearing (49). ■

From commercial land market clearing (48) and residential land market clearing (49), we can also solve for the fractions of adjusted floor space (\tilde{L}) allocated to commercial use ($\tilde{\theta}_i$) and residential use ($1 - \tilde{\theta}_i$):

$$\tilde{\theta}_i = \begin{cases} 1 & \text{if } H_{Mi} > 0 \text{ and } H_{Ri} = 0, \\ \frac{\tilde{L}_{Mi}}{\tilde{L}_{Mi} + \tilde{L}_{Ri}} & \text{if } H_{Mi} > 0 \text{ and } H_{Ri} > 0, \\ 0 & \text{if } H_{Mi} = 0 \text{ and } H_{Ri} > 0. \end{cases} \quad (52)$$

A.3.1.5 Utility, Amenities and Productivity

To abstract from changes in currency units over time, we divide observed floor prices in each year by their geometric mean for that year. Therefore observed floor prices (\mathbb{Q}) are normalized to have a geometric mean of one in each year. Furthermore, as discussed above, we also normalize adjusted wages (\tilde{w}) and adjusted residential amenities (\tilde{B}) to each have a geometric mean of one in each year. We now discuss the implications of these normalizations for the choice of units in which variables are measured.

First, the normalization of observed floor prices and wages to each have a geometric mean of one involves a choice of units in which to measure adjusted final goods productivity (\tilde{A}), as can be seen from the zero profit condition (47). Second, the normalization of observed land prices, adjusted wages and adjusted residential amenities to each have a geometric mean of one also implies a choice of units in which to measure utility. This can be seen from the population mobility condition, which implies that the reservation level of utility in the wider economy (\bar{U}) satisfies:

$$\begin{aligned} \gamma \left[\sum_{r=1}^S \sum_{s=1}^S T_r E_s (d_{rs} Q_r^{1-\beta})^{-\epsilon} (B_r w_s)^\epsilon \right]^{1/\epsilon} &= \bar{U}, \\ \gamma \left[\sum_{r=1}^S \sum_{s=1}^S (d_{rs} \mathbb{Q}_r^{1-\beta})^{-\epsilon} (\tilde{B}_r \tilde{w}_s)^\epsilon \right]^{1/\epsilon} &= \bar{U}, \end{aligned} \quad (53)$$

where $\gamma = \Gamma(\frac{\epsilon-1}{\epsilon})$; $\Gamma(\cdot)$ is the Gamma function; and we have used $\tilde{w}_i = E_i^{1/\epsilon} w_i$ and $\tilde{B}_i = B_i T_i^{1/\epsilon} \zeta_{Ri}^{1-\beta}$. Third, the choice of units in which to measure floor prices, adjusted wages and adjusted final goods productivity in turn implies a choice of units in which to measure the adjusted density of development ($\tilde{\varphi}$), as can be seen from commercial land market clearing (48), residential land market clearing (49) and overall land market clearing (51).

We make these normalizations for each year separately. But we recognize that the absolute levels of adjusted amenities (\tilde{B}), adjusted final goods productivity (\tilde{A}), the adjusted density of development ($\tilde{\varphi}$), and the reservation level of utility in the wider economy (\bar{U}) could change over time (and in particular could change before and after division or reunification). Therefore the moment conditions in our estimation use “difference-in-difference,” where the first difference is before and after division (or reunification) and the second difference is between different parts of West Berlin. These moment conditions only exploit *relative changes* in floor prices and other variables between different parts of West Berlin. This use of relative changes implies that our estimation results are invariant to the choice of units in which to measure floor prices, wages, adjusted amenities, adjusted final goods productivity, the adjusted density of development and utility. Similarly, this use of relative changes implies that our estimation results are unaffected by changes over time in the absolute levels of adjusted amenities, adjusted final goods productivity, the adjusted density of development or the reservation level of utility in the wider economy.

A.3.1.6 One-to-One Mapping from $\{\alpha, \beta, \mu, \epsilon, \kappa\}$ and the Observed Data to $\{\tilde{A}, \tilde{B}, \tilde{\varphi}\}$

We now combine the results in the above lemmas to establish a one-to-one mapping from the parameters $\{\alpha, \beta, \mu, \epsilon, \kappa\}$ and the observed data $\{\mathbb{Q}, \mathbf{H}_M, \mathbf{H}_R, \mathbf{K}, \boldsymbol{\tau}\}$ to the unobserved values of adjusted final goods

productivity, residential amenities and the density of development $\{\tilde{A}, \tilde{B}, \tilde{\varphi}\}$ for each location.

Proposition A.3 *Given the model's parameters $\{\alpha, \beta, \mu, \epsilon, \kappa\}$ and the observed data $\{\mathbb{Q}, \mathbf{H}_M, \mathbf{H}_R, \mathbf{K}, \tau\}$, there are unique vectors of adjusted final goods productivity (\tilde{A}^*), residential amenities (\tilde{B}^*), and the density of development ($\tilde{\varphi}^*$) that are consistent with the data being an equilibrium of the model.*

Proof. The proposition follows immediately from lemmas A.6-A.9 above. ■

Proposition A.3 establishes a one-to-one mapping from *known* parameter values and the observed data to the unobserved location characteristics. The intuition for why the mapping in Proposition A.3 is unique even in the presence of multiple equilibria is that the observed data, parameters and structure of the model contain enough information to uniquely determine the unobserved location characteristics.

Given observed floor prices and wages (which can be determined from observed employment), we can use profit maximization and zero profits to determine the value that adjusted productivity must take in order for the data to be an equilibrium of the model (equation (24)). Similarly, given observed floor prices, observed residential employment and wages (which can be determined from observed employment), we can use utility maximization and population mobility to determine the value that adjusted amenities must take in order for the data to be an equilibrium of the model (equation (15)). Finally, using the implied demands for commercial and residential floor space and market clearing for floor space, we can recover the value that the adjusted density of development must take in order for the data to be an equilibrium of the model. These relationships based on profit maximization, zero profits, utility maximization, population mobility and land market clearing hold irrespective of whether productivity, amenities and the density of development are exogenous or endogenous (since agents are atomistic and take the behavior of others as given).

Proposition A.3 also highlights the model's recursive structure. Given known parameter values, overall adjusted productivity (\tilde{A}_i) can be determined irrespective of the relative importance of its two components of production externalities (Υ_i) and adjusted production fundamentals (\tilde{a}_i). Similarly, overall adjusted amenities (\tilde{B}_i) can be determined irrespective of the relative importance of its two components of residential externalities (Ω_i) and adjusted residential fundamentals (\tilde{b}_i). In the next subsection, we examine how overall adjusted productivity and amenities can be broken down into their two components.

A.3.2 Determining $\{\tilde{a}, \tilde{b}\}$ from $\{\alpha, \beta, \mu, \epsilon, \kappa, \lambda, \delta, \eta, \rho\}$ and the Observed Data

We now establish the one-to-one mapping from the full set of parameters $\{\alpha, \beta, \mu, \epsilon, \kappa, \lambda, \delta, \eta, \rho\}$ and the observed data $\{\mathbb{Q}, \mathbf{H}_R, \mathbf{H}_M, \mathbf{K}, \tau\}$ to adjusted production fundamentals and residential fundamentals $\{\tilde{a}, \tilde{b}\}$. This involves decomposing adjusted productivity and amenities $\{\tilde{A}, \tilde{B}\}$ into their two components of externalities $\{\Upsilon, \Omega\}$ and fundamentals $\{\tilde{a}, \tilde{b}\}$.

We have already established a one-to-one mapping from the subset of parameters $\{\alpha, \beta, \mu, \epsilon, \kappa\}$ and the observed data to adjusted productivity $\{\tilde{A}\}$. From our specification of productivity (39), there is in turn a one-to-one mapping from adjusted productivity $\{\tilde{A}\}$ and the parameters $\{\lambda, \delta\}$ to production externalities

and adjusted production fundamentals $\{\Upsilon, \tilde{\mathbf{a}}\}$:

$$\begin{aligned} a_i &= A_i \Upsilon_i^{-\lambda}, & \Upsilon_i &= \left[\sum_{s=1}^S e^{-\delta \tau_{is}} \frac{H_{Ms}}{K_s} \right], \\ \tilde{a}_i &= \tilde{A}_i \Upsilon_i^{-\lambda}, \end{aligned} \quad (54)$$

where adjusted production fundamentals ($\tilde{a}_i = E_i^{\alpha/\epsilon} a_i$) captures (i) production fundamentals (a_i) and (ii) the Fréchet scale parameter that determines the average utility from commuting to an employment location (E_i). Note that $E_i^{\alpha/\epsilon}$ enters adjusted final goods productivity isomorphically to a_i . Therefore only the composite adjusted production fundamentals (\tilde{a}_i) can be recovered from the data. Additionally, from lemmas A.1-A.5, all locations with zero workplace employment have zero productivity and hence zero production fundamentals.

Lemma A.10 *Given the parameters $\{\alpha, \beta, \mu, \epsilon, \kappa, \lambda, \delta, \eta, \rho\}$, the observed data $\{\mathbb{Q}, \mathbf{H}_M, \mathbf{H}_R, \mathbf{K}, \boldsymbol{\tau}\}$ and the solution for adjusted final goods productivity $\{\tilde{\mathbf{A}}^*\}$, there exists a unique vector of adjusted production fundamentals $\tilde{\mathbf{a}}^* \in \mathbb{R}_+^S$.*

Proof. The lemma follows immediately from productivity (54). ■

We have also already established a one-to-one mapping from the subset of parameters $\{\alpha, \beta, \mu, \epsilon, \kappa\}$ and the observed data to adjusted amenities $\{\tilde{\mathbf{B}}\}$. From our specification of amenities (40), there is in turn a one-to-one mapping from adjusted amenities $\{\tilde{\mathbf{B}}\}$ and the parameters $\{\eta, \rho\}$ to residential externalities and adjusted residential fundamentals $\{\Omega, \tilde{\mathbf{b}}\}$:

$$\begin{aligned} b_i &= B_i \Omega_i^{-\eta}, & \Omega_i &= \left[\sum_{s=1}^S e^{-\rho \tau_{is}} \frac{H_{Rs}}{K_s} \right], \\ \tilde{b}_i &= \tilde{B}_i \Omega_i^{-\eta}, \end{aligned} \quad (55)$$

where adjusted residential fundamentals ($\tilde{b}_i = b_i T_i^{1/\epsilon} \zeta_{Ri}^{1-\beta}$) include (i) residential fundamentals (b_i), (ii) the Fréchet scale parameter that determines the average utility (or effective units of labor) for commuters from location i (T_i), and (iii) the relationship between observed and residential floor prices (ζ_{Ri}). As discussed above, the parameter ζ_{Ri} includes the effects of land use regulations that introduce a wedge between commercial and residential floor prices (ξ_i), where we allow this wedge (ξ_i) to vary across blocks. Note that $T_i^{1/\epsilon}$ and $\zeta_{Ri}^{1-\beta}$ enter adjusted residential fundamentals isomorphically to b_i . Therefore only the composite value of adjusted residential fundamentals (\tilde{b}_i) can be recovered from the data. Additionally, from lemmas A.1-A.5, all locations with zero residential employment have zero amenities and hence zero residential fundamentals.

Lemma A.11 *Given the parameters $\{\alpha, \beta, \mu, \epsilon, \kappa, \lambda, \delta, \eta, \rho\}$, the observed data $\{\mathbb{Q}, \mathbf{H}_M, \mathbf{H}_R, \mathbf{K}, \boldsymbol{\tau}\}$ and the solution for adjusted residential amenities $\{\tilde{\mathbf{B}}^*\}$, there exists a unique vector of adjusted residential fundamentals $\tilde{\mathbf{b}}^* \in \mathbb{R}_+^S$.*

Proof. The lemma follows immediately from residential amenities (55). ■

Combining the results in lemmas A.10 and A.11, we are in a position to establish the following proposition.

Proposition A.4 *Given the model's parameters $\{\alpha, \beta, \mu, \epsilon, \kappa, \lambda, \delta, \eta, \rho\}$ and the observed data $\{\mathbb{Q}, \mathbf{H}_M, \mathbf{H}_R, \mathbf{K}, \boldsymbol{\tau}\}$, there are unique vectors of adjusted production fundamentals $(\tilde{\mathbf{a}}^*)$ and adjusted residential fundamentals $(\tilde{\mathbf{b}}^*)$ that are consistent with the data being an equilibrium of the model.*

Proof. The proposition follows immediately from Proposition A.3 and lemmas A.10-A.11. ■

Therefore the earlier Proposition A.3 established a one-to-one mapping from the known parameters and the observed data to adjusted productivity $(\tilde{\mathbf{A}})$, amenities $(\tilde{\mathbf{B}})$, and the density of development $(\tilde{\varphi})$. Proposition A.4 goes further in establishing a one-to-one mapping from the known parameters and the observed data to the two components of adjusted productivity and amenities: production and residential externalities $\{\Upsilon, \Omega\}$ and adjusted production and residential fundamentals $\{\tilde{\mathbf{a}}, \tilde{\mathbf{b}}\}$.

As for the earlier Proposition A.3, the results in Proposition A.4 hold regardless of whether the model has a unique equilibrium or there are multiple equilibria. The reason is again that the observed data, known parameters and structure of the model contain enough information to uniquely determine the unobserved location characteristics. In Section A.4 below, we discuss the case when both the parameters and the unobserved location characteristics are unknown and to be estimated.

This completes our characterization of the one-to-one mapping from the known parameters $\{\alpha, \beta, \mu, \epsilon, \kappa, \lambda, \delta, \eta, \rho\}$ and the observed data $\{\mathbb{Q}, \mathbf{H}_M, \mathbf{H}_R, \mathbf{K}, \boldsymbol{\tau}\}$ to the unobserved location characteristics $\{\tilde{\varphi}, \tilde{\mathbf{a}}, \tilde{\mathbf{b}}\}$.

A.4 Structural Estimation

We now turn to the structural estimation of the model, where both the parameters and the unobserved location characteristics are unknown and to be estimated. First, in subsection A.4.1, we use the results from the previous section to express the unobserved production and residential fundamentals $\{\tilde{\mathbf{a}}, \tilde{\mathbf{b}}\}$ as one-to-one functions of the observed data $\{\mathbb{Q}, \mathbf{H}_M, \mathbf{H}_R, \mathbf{K}, \boldsymbol{\tau}\}$ and the parameters $\{\alpha, \beta, \mu, \epsilon, \kappa, \lambda, \delta, \eta, \rho\}$. Therefore these unobserved location characteristics correspond to *structural residuals* of the model that are functions of the observed data and parameters.

Second, in subsection A.4.2, we construct moment conditions using these structural residuals and the exogenous variation provided by Berlin's division and reunification. Third, in subsection A.4.3, we show how these moment conditions can be used to estimate the model's parameters using the Generalized Method of Moments (GMM). Fourth, in subsection A.4.4 we discuss the computationally demanding optimization problem over the parameter vector and the algorithms that we use to solve this problem.

Fifth, in subsection A.4.5 we discuss how the moment conditions identify the parameters and characterize the properties of the GMM objective function in the parameter space. We show that the GMM objective has a unique global minimum in the parameter space. We therefore find that there is only a single parameter vector that is consistent with the data under our identifying assumptions.

A.4.1 Structural Residuals

We first use the results of the previous section to write unobserved production and residential fundamentals as structural residuals that are functions of the parameters and observed data. Of the model's eight parameters, the share of residential floor space in consumer expenditure ($1 - \beta$), the share of commercial floor space in firm costs ($1 - \alpha$), and the share of land in construction costs ($1 - \mu$) are hard to determine from our data, because information on consumer expenditures and factor payments at the block level is not available over our long historical sample period. As there is a degree of consensus about the value of these parameters, we set them equal to central estimates from the existing empirical literature. We set the share of residential floor space in consumer expenditure ($1 - \beta$) equal to 0.25, which is consistent with the estimates in [Davis and Ortalo-Magné \(2011\)](#). We assume that the share of commercial floor space in firm costs ($1 - \alpha$) is 0.20, which is in line with the findings of [Valentinyi and Herrendorf \(2008\)](#). We set the share of land in construction costs ($1 - \mu$) equal to 0.25, which is consistent with the estimates in [Combes, Duranton, and Gobillon \(2014\)](#) and [Epple, Gordon, and Sieg \(2010\)](#) and with micro data on property transactions for Berlin from 2000-2012.

Given these values for $\{\alpha, \beta, \mu\}$, we use the observed data $\mathbf{X} = [\mathbb{Q} \ \mathbf{H}_M \ \mathbf{H}_R \ \mathbf{K} \ \boldsymbol{\tau}]$ and the structure of the model to estimate the six parameters determining the strength of agglomeration forces and commuting costs $\boldsymbol{\Lambda} = [\nu \ \epsilon \ \lambda \ \delta \ \eta \ \rho]'$ (where $\nu = \epsilon\kappa$ is the semi-elasticity of commuting flows with respect to travel times) and the unobserved characteristics for each location $\boldsymbol{\Phi} = [\tilde{\varphi} \ \tilde{a} \ \tilde{b}]$. From profit maximization and zero profits (47) and productivity (54), the structural residual for adjusted production fundamentals can be written as the following function of the parameters and observed data:

$$\frac{\tilde{a}_{it}}{\bar{\tilde{a}}_t} = \left(\frac{\mathbb{Q}_{it}}{\bar{\mathbb{Q}}_t} \right)^{1-\alpha} \left(\frac{\tilde{w}_{it}}{\bar{\tilde{w}}_t} \right)^{\alpha} \left(\frac{\Upsilon_{it}}{\bar{\Upsilon}_t} \right)^{-\lambda}. \quad (56)$$

where we now make time explicit with the subscript t and a bar above a variable denotes a geometric mean so that $\bar{\mathbb{Q}}_t = \exp\{\frac{1}{S} \sum_{s=1}^S \ln \mathbb{Q}_{st}\}$; adjusted wages (\tilde{w}_{it}) are a function of observed workplace employment, residence employment and travel times $\{H_{Mit}, H_{Rit}, \tau_{ijt}\}$ from commuting market clearing (41); production externalities (Υ_{it}) are a function of observed workplace employment, geographical land area and travel times $\{H_{Mit}, K_i, \tau_{ijt}\}$:

$$\Upsilon_{it} = \sum_{s=1}^S e^{-\delta\tau_{ist}} \frac{H_{Mst}}{K_s}.$$

From the residential choice probabilities (15), the expected utility from moving to the city (53) and amenities (55), the structural residual for adjusted residential fundamentals can be written as the following function of the parameters and observed data:

$$\frac{\tilde{b}_{it}}{\bar{\tilde{b}}_t} = \left(\frac{H_{Rit}}{\bar{H}_{Rt}} \right)^{\frac{1}{\epsilon}} \left(\frac{\mathbb{Q}_{it}}{\bar{\mathbb{Q}}_t} \right)^{1-\beta} \left(\frac{W_{it}}{\bar{W}_t} \right)^{-\frac{1}{\epsilon}} \left(\frac{\Omega_{it}}{\bar{\Omega}_t} \right)^{-\eta}, \quad (57)$$

where

$$\Omega_{it} = \sum_{s=1}^S e^{-\rho\tau_{ist}} \frac{H_{Rst}}{K_s}, \quad W_{it} = \left[\sum_{s=1}^S (\tilde{w}_{st}/e^{\kappa\tau_{ist}})^{\epsilon} \right],$$

and a bar above a variable again denotes a geometric mean; adjusted wages (\tilde{w}_{it}) are again a function of observed workplace employment, residence employment and travel times $\{H_{Mit}, H_{Rit}, \tau_{ijt}\}$ from commuting market clearing (41); residential externalities (Ω_{it}) are a function of observed residence employment, geographical land area and travel times $\{H_{Rit}, K_i, \tau_{ijt}\}$; commuting market access (W_{it}) is a function of adjusted wages (\tilde{w}_{it}) and observed travel times (τ_{ijt}).

We solve for these structural residuals for all of Berlin before the war and after reunification and for West Berlin during division. To structurally estimate the model's parameters, we focus on the impact of division and reunification on West Berlin, since it remained a market economy and hence we expect the mechanisms in the model to apply.⁹

We assume that each structural residual consists of a time-invariant fixed effect ($\{\tilde{a}_i^F, \tilde{b}_i^F\}$) and a time-varying stochastic shock ($\{\tilde{a}_{it}^V, \tilde{b}_{it}^V\}$). Taking differences before and after division (or before and after reunification), the fixed effects are differenced out, and we obtain the following expression for the relative changes in the structural residuals across blocks within West Berlin:

$$\Delta \ln \left(\frac{\tilde{a}_{it}^V}{\bar{\tilde{a}}_t^V} \right) = (1 - \alpha) \Delta \ln \left(\frac{Q_{it}}{\bar{Q}_t} \right) + \alpha \Delta \ln \left(\frac{\tilde{w}_{it}}{\bar{\tilde{w}}_t} \right) - \lambda \Delta \ln \left(\frac{\Upsilon_{it}}{\bar{\Upsilon}_t} \right), \quad (58)$$

$$\Delta \ln \left(\frac{\tilde{b}_{it}^V}{\bar{\tilde{b}}_t^V} \right) = \frac{1}{\epsilon} \Delta \ln \left(\frac{H_{Rit}}{\bar{H}_{Rt}} \right) + (1 - \beta) \Delta \ln \left(\frac{Q_{it}}{\bar{Q}_t} \right) - \frac{1}{\epsilon} \Delta \ln \left(\frac{W_{it}}{\bar{W}_t} \right) - \eta \ln \Delta \left(\frac{\Omega_{it}}{\bar{\Omega}_t} \right), \quad (59)$$

where a bar above a variable again denotes a geometric mean.

The structural residuals in (58) and (59) correspond to double differenced production and residential fundamentals. The first difference is before and after division (or before and after reunification) and is denoted by the time-difference operator (Δ) in (58) and (59). This first difference eliminates any time-invariant fixed effects in production and residential fundamentals, where we allow these fixed effects to be correlated with the endogenous variables of the model. The second difference is across blocks within West Berlin and is reflected in the normalization relative to the geometric mean in (58) and (59). This second difference eliminates variables that are common across blocks within each time period (e.g. the reservation level of utility, \bar{U}_t). It also ensures that our results are invariant to the choice of units in which to measure production and residential fundamentals, since this choice of units is common across blocks and hence is differenced out.

A.4.2 Moment Conditions

Our moment conditions exploit the exogenous change in the surrounding concentration of economic activity induced by Berlin's division and reunification. Our identifying assumption is that double differenced log adjusted production and residential fundamentals are uncorrelated with a set of indicator variables (\mathbb{I}_k for $k \in \{1, \dots, K_{\mathbb{I}}\}$) capturing proximity to economic activity in East Berlin prior to division. Based on the

⁹In contrast, the distribution of economic activity in East Berlin during division was heavily influenced by central planning, which is unlikely to mimic market forces.

results of our reduced-form regressions, we measure proximity to economic activity in East Berlin using distance from the pre-war CBD, and use 50 indicator variables for percentiles of this distance distribution:

$$\mathbb{E} \left[\mathbb{I}_k \times \Delta \ln \left(\tilde{a}_{it} / \bar{a}_t \right) \right] = 0, \quad k \in \{1, \dots, K_{\mathbb{I}}\}, \quad (60)$$

$$\mathbb{E} \left[\mathbb{I}_k \times \Delta \ln \left(\tilde{b}_{it} / \bar{b}_t \right) \right] = 0, \quad k \in \{1, \dots, K_{\mathbb{I}}\}. \quad (61)$$

This identifying assumption requires that the systematic change in the gradient of economic activity in West Berlin relative to the pre-war CBD following division is explained by the mechanisms in the model (the changes in commuting access and production and residential externalities) rather than by systematic changes in the pattern of structural residuals (production and residential fundamentals). Since Berlin's division stemmed from military considerations during the Second World War and its reunification originated in the wider collapse of Communism, the resulting changes in the surrounding concentration of economic activity are plausibly exogenous to changes in production and residential fundamentals in West Berlin blocks.

Since the moment conditions (60)-(61) are based on double differences in adjusted production and residential fundamentals, they only exploit relative variation across different areas within West Berlin. Any changes in the attractiveness of West Berlin relative to the larger economy that are common across locations within West Berlin are differenced out. We do not use moment conditions in the adjusted density of development ($\tilde{\varphi}_i$) in our estimation, because the density of development could in principle respond to changes in the relative demand for land across locations within West Berlin as a result of the mechanisms in the model (the changes in commuting access and production and residential externalities).

We augment these moment conditions for production and residential fundamentals with two other moment conditions that use data on commuting travel times and wages for West Berlin during division. The first of these moment conditions requires that the total number of workers commuting for less than 30 minutes in the model is equal to the corresponding number in the data. From the commuting market clearing condition (43), this moment condition can be expressed as:

$$\mathbb{E} \left[\vartheta H_{Mjt} - \sum_{i \in \mathbb{N}_j} \frac{\omega_{jt} / e^{\nu \tau_{ijt}}}{\sum_{s=1}^S \omega_{st} / e^{\nu \tau_{ist}}} H_{Rit} \right] = 0, \quad (62)$$

where $\nu = \epsilon \kappa$; ϑ is the fraction of workers that commute for less than 30 minutes in the data; $\omega_{it} = \tilde{w}_{it}^\epsilon$ is a measure of transformed wages from solving the commuting market clearing condition (43); and \mathbb{N}_j is the set of residence locations i within 30 minutes travel time of workplace location j .

The second of these moment conditions requires that the variance of log adjusted wages ($\tilde{w}_{it} = \omega_{it}^{1/\epsilon}$) in the model is equal to the variance of wages in the data ($\sigma_{\ln w_{it}}^2$):

$$\mathbb{E} \left[(1/\epsilon)^2 \ln(\omega_{jt})^2 - \sigma_{\ln w_{it}}^2 \right] = 0, \quad (63)$$

where transformed wages (ω_i) depend solely on ν , workplace employment, residence employment and travel times from the labor market clearing condition (43); we normalize transformed wages so that the mean of log transformed wages is zero. The parameter ϵ scales the variance of log adjusted wages (\tilde{w}_i) relative to the variance of log transformed wages (ω_i).

A.4.3 GMM Estimation

In this subsection, we briefly review the Generalized Method of Moments (GMM) estimator ([Hansen 1982](#), [Cameron and Triveldi 2005](#)) as applied to our setting.

One-Step GMM Estimator: Observations are indexed by $i \in \{1, \dots, N\}$. The observed data are given by the $N \times 5$ vector $\mathbf{X} = [\mathbb{Q} \ \mathbf{H}_M \ \mathbf{H}_R \ \mathbf{K} \ \boldsymbol{\tau}]$. There are M moment conditions and P parameters in the $P \times 1$ vector $\boldsymbol{\Lambda} = [\nu \ \epsilon \ \kappa \ \lambda \ \delta \ \eta \ \rho]'$. Our moment conditions can be written as:

$$\mathbb{M}(\boldsymbol{\Lambda}) = \frac{1}{N} \sum_{i=1}^N m(\mathbf{X}_i, \boldsymbol{\Lambda}) = 0, \quad (64)$$

where $m(\mathbf{X}_i, \boldsymbol{\Lambda})$ is the moment function. The one-step GMM estimator solves:

$$\hat{\boldsymbol{\Lambda}}_{\text{GMM}} = \arg \min \left(\frac{1}{N} \sum_{i=1}^N m(\mathbf{X}_i, \boldsymbol{\Lambda})' \right) \mathbb{W} \left(\frac{1}{N} \sum_{i=1}^N m(\mathbf{X}_i, \boldsymbol{\Lambda}) \right) \quad (65)$$

where the weighting matrix \mathbb{W} is the identity matrix. The estimated variance-covariance matrix for the one-step GMM estimates $\hat{V}(\hat{\boldsymbol{\Lambda}}_{\text{GMM}})$ is:

$$\hat{V}(\hat{\boldsymbol{\Lambda}}_{\text{GMM}}) = \left(\hat{\mathbb{G}}' \mathbb{W} \hat{\mathbb{G}} \right)^{-1} \left(\hat{\mathbb{G}}' \mathbb{W} \hat{\mathbb{S}} \mathbb{W}' \hat{\mathbb{G}} \right) \left(\hat{\mathbb{G}}' \mathbb{W} \hat{\mathbb{G}} \right)^{-1},$$

where $\hat{\mathbb{G}}$ is the estimated $M \times P$ Jacobian of the M moment conditions with respect to the P parameters:

$$\hat{\mathbb{G}} = \frac{1}{N} \sum_{i=1}^N \frac{\partial m(\mathbf{X}_i, \boldsymbol{\Lambda})}{\partial \boldsymbol{\Lambda}'} \bigg|_{\hat{\boldsymbol{\Lambda}}_{\text{GMM}}}. \quad (66)$$

The [White \(1980\)](#) heteroscedasticity robust estimator of the matrix \mathbb{S} is:

$$\hat{\mathbb{S}}_0 = \frac{1}{N} \sum_{i=1}^N m(\mathbf{X}_i, \hat{\boldsymbol{\Lambda}}) m(\mathbf{X}_i, \hat{\boldsymbol{\Lambda}})'$$

To allow for spatial correlation of the structural errors, we report standard errors based on the [Conley \(1999\)](#) heteroscedasticity and autocorrelation consistent (HAC) estimator of the matrix \mathbb{S} :

$$\hat{\mathbb{S}} = \hat{\mathbb{S}}_0 + \frac{1}{N} \sum_{j=1}^J \omega(j) \sum_{i=j+1}^N \left(m(\mathbf{X}_i, \hat{\boldsymbol{\Lambda}}) m(\mathbf{X}_{i-j}, \hat{\boldsymbol{\Lambda}})' + m(\mathbf{X}_{i-j}, \hat{\boldsymbol{\Lambda}}) m(\mathbf{X}_i, \hat{\boldsymbol{\Lambda}})' \right), \quad (67)$$

which can be written as:

$$\hat{\mathbb{S}} = \hat{\mathbb{S}}_0 + \sum_{j=1}^J \omega(j) \left(\hat{\mathbb{S}}_j + \hat{\mathbb{S}}_j' \right), \quad (68)$$

where J is the maximum spatial lag between observations and $\omega(j)$ is a spatial weight that is equal to one if the spatial distance is less than the specified maximum spatial lag and zero otherwise. We set the maximum spatial lag equal to 0.5 kilometers.

Two-Step (Efficient) GMM Estimator: The two-step (efficient) GMM estimator uses the efficient (optimal) weighting matrix ($\hat{\mathbb{S}}^{-1}$) and solves:

$$\hat{\Lambda}_{\text{GMM}}^E = \arg \min \left(\frac{1}{N} \sum_{i=1}^N m(\mathbf{X}_i, \Lambda)' \right) \hat{\mathbb{S}}^{-1} \left(\frac{1}{N} \sum_{i=1}^N m(\mathbf{X}_i, \Lambda) \right),$$

where $\hat{\mathbb{S}}$ is computed using the heteroscedasticity robust and autocorrelation consistent (HAC) estimator (67) evaluated at the one-step GMM parameter estimates ($\hat{\Lambda}_{\text{GMM}}$). The estimated variance-covariance matrix for the two-step GMM estimates $\hat{V}(\hat{\Lambda}_{\text{GMM}}^E)$ is:

$$\hat{V}(\hat{\Lambda}_{\text{GMM}}^E) = \frac{1}{N} \left(\hat{\mathbb{G}}' \tilde{\mathbb{S}}^{-1} \hat{\mathbb{G}} \right)^{-1},$$

where $\hat{\mathbb{G}}$ is computed using (66) evaluated at the efficient GMM parameter estimates ($\hat{\Lambda}_{\text{GMM}}^E$); $\tilde{\mathbb{S}}$ is computed using (67) evaluated at the efficient GMM parameter estimates ($\hat{\Lambda}_{\text{GMM}}^E$).

A.4.4 Estimation Algorithms

The GMM estimator chooses the values of the model's parameters $\Lambda = [\nu \ \epsilon \ \lambda \ \delta \ \eta \ \rho]'$ to minimize the GMM objective function (65). This optimization routine searches over alternative parameter vectors and evaluates the moment function $m(\mathbf{X}_i, \Lambda)$ for each parameter vector. Evaluating the moment function for each parameter vector in turn involves solving a fixed point problem for the adjusted wage vector ($\tilde{\mathbf{w}}$) that solves the commuting market clearing condition (42). Solving this fixed point problem is computationally demanding, because it involves solving for adjusted wages in 15,937 blocks, where the matrix of commuting probabilities includes $15,937 \times 15,937 = 254$ million bilateral commuting flows. We now discuss the algorithms that we use to solve these problems and estimate the model's parameters.

We first discuss the algorithm that we use to solve the fixed point problem for adjusted wages and hence evaluate the moment function $m(\mathbf{X}_i, \Lambda)$ for each parameter vector. We next discuss the algorithms that we use to search over alternative parameter vectors to minimize the GMM objective function.

Algorithms for evaluating the moment function for each parameter vector: To evaluate the moment function for each parameter vector, we use the recursive structure of the model, as characterized in Section A.3 above:

1. Given ν and the observed data $\{\mathbf{H}_R, \mathbf{H}_M, \boldsymbol{\tau}\}$, the equilibrium adjusted wage vector $\{\tilde{\mathbf{w}}\}$ can be uniquely determined (up to a normalization) from the commuting market clearing condition (42) alone independently of the other equilibrium conditions of the model.
2. Given $\{\nu, \epsilon, \beta, \mu\}$, the observed data $\{\mathbb{Q}, \mathbf{H}_R, \mathbf{H}_M, \boldsymbol{\tau}\}$ and solutions for adjusted wages $\{\tilde{\mathbf{w}}\}$, adjusted amenities $\{\tilde{\mathbf{B}}\}$ can be uniquely determined (up to a normalization) from residential choices (46).
3. Given $\{\nu, \epsilon, \alpha, \mu\}$, the observed data $\{\mathbb{Q}, \mathbf{H}_R, \mathbf{H}_M, \boldsymbol{\tau}\}$ and solutions for adjusted wages $\{\tilde{\mathbf{w}}\}$, adjusted productivity $\{\tilde{\mathbf{A}}\}$ can be uniquely determined from the zero profit condition (47).

4. Given $\{\nu, \epsilon, \alpha, \beta, \mu\}$, the observed data $\{\mathbb{Q}, \mathbf{H}_R, \mathbf{H}_M, \mathbf{K}, \tau\}$, and solutions for adjusted wages and adjusted productivity $\{\tilde{\mathbf{w}}, \tilde{\mathbf{A}}\}$, the adjusted density of development $\{\tilde{\varphi}\}$ can be uniquely determined from land market clearing (51).
5. Given $\{\nu, \epsilon, \alpha, \beta, \mu, \lambda, \delta\}$, the observed data $\{\mathbb{Q}, \mathbf{H}_R, \mathbf{H}_M, \mathbf{K}, \tau\}$, and solutions for adjusted productivity $\{\tilde{\mathbf{A}}\}$, adjusted production fundamentals $\{\tilde{\mathbf{a}}\}$ can be determined from the specification of productivity (54)
6. Given $\{\nu, \epsilon, \alpha, \beta, \mu, \eta, \rho\}$, the observed data $\{\mathbb{Q}, \mathbf{H}_R, \mathbf{H}_M, \mathbf{K}, \tau\}$, and solutions for adjusted residential amenities $\{\tilde{\mathbf{B}}\}$, adjusted residential fundamentals $\{\tilde{\mathbf{b}}\}$ can be determined from the specification of residential amenities (55)

We now consider these steps in turn.

1. The commuting market clearing condition (42) can be written as follows:

$$\mathbf{H}_M = \mathbb{C}(\tilde{\mathbf{w}})\mathbf{H}_R, \quad (69)$$

where $\mathbb{C}(\tilde{\mathbf{w}})$ is the matrix of commuting probabilities. Lemma A.3 establishes that locations without positive workplace employment must have zero productivity and a zero wage. Furthermore, locations with zero residence employment supply zero commuters to all workplace locations. Therefore, we set adjusted wages equal to zero for all locations with zero workplace employment, and we set commuting probabilities equal to zero for all source locations with zero residence employment and all destination locations with zero workplace employment. Hence, we can reduce the dimensionality of the system of equations (69), such that \mathbf{H}_M is a $N_M \times 1$ vector, where N_M is the number of locations with positive workplace employment; \mathbf{H}_R is a $N_R \times 1$ vector, where N_R is the number of locations with positive residence employment; and $\mathbb{C}(\tilde{\mathbf{w}})$ is a $N_M \times N_R$ matrix. Note that Lemmas A.6-A.7 establish that the wage system (42) satisfies gross substitution and has a unique equilibrium. Therefore we solve for this unique equilibrium using the following iterative procedure. We guess an initial adjusted wage vector $\hat{\tilde{\mathbf{w}}}^0$ and evaluate the matrix of commuting probabilities $\mathbb{C}(\hat{\tilde{\mathbf{w}}}^0)$ to generate estimated workplace employment ($\hat{\mathbf{H}}_M$) given observed residence employment (\mathbf{H}_R). If estimated workplace employment is less than observed workplace employment for a location, we increase our guess of the adjusted wage for that location. If estimated workplace employment is greater than observed workplace employment for a location, we decrease our guess of the adjusted wage for that location. To update the adjusted wage for a location, we compute an intelligent wage adjustment factor using the numerator of the commuting probabilities in (19): $\hat{\tilde{\mathbf{w}}}^1 = \left(\mathbf{H}_M / \hat{\mathbf{H}}_M\right)^{1/\epsilon} \hat{\tilde{\mathbf{w}}}^0$. We use this intelligent adjustment factor to update our guess of the wage vector to $\hat{\tilde{\mathbf{w}}}^2 = (0.5 \times \hat{\tilde{\mathbf{w}}}^1) + (0.5 \times \hat{\tilde{\mathbf{w}}}^0)$. We then repeat the above process using this new guess for the adjusted wage vector $\hat{\tilde{\mathbf{w}}}^2$ until the wage system converges. Since the wage system (69) satisfies gross substitution, this iterative procedure converges rapidly to the unique equilibrium adjusted wage vector.

2. Solving for adjusted wages is the only computationally-intensive component of the evaluation of the moment function $m(\mathbf{X}_i, \mathbf{\Lambda})$. Having solved for adjusted wages $\{\tilde{w}\}$, we can solve for adjusted amenities $\{\tilde{B}\}$, adjusted productivity $\{\tilde{A}\}$, the adjusted density of development $\{\tilde{\varphi}\}$, adjusted production fundamentals $\{\tilde{a}\}$, and adjusted residential fundamentals $\{\tilde{b}\}$ from simple manipulations of single equations in Steps 2-6 above, as shown in Propositions A.3 and A.4 in sections A.3.1 and A.3.2 of this web appendix respectively.

Algorithms for minimizing the GMM objective function with respect to the parameter vector: Having discussed our algorithms to evaluate the moment function for each parameter vector $\mathbf{\Lambda} = [\nu \ \epsilon \ \lambda \ \delta \ \eta \ \rho]'$, the algorithms for minimizing the GMM objective function with respect to the parameter vector are straightforward. The estimation is undertaken in `Matlab`. To minimize the GMM objective function with respect to the parameter vector, we experimented with using both derivative-based constrained optimization routines (e.g. `fmincon` and the Knitro plug-in `ktrlink` for `Matlab`) and non-derivative-based constrained optimization methods (e.g. `patternsearch` and `simulannealbnd` from the `Global Optimization Toolbox`). To characterize the properties of the GMM objective in the parameter space, we also undertook a grid search over the parameter space. As discussed in subsection A.4.5 below, the GMM objective is well-behaved in the parameter space. Therefore we obtain similar parameter estimates from these alternative optimization routines and from alternative initial conditions. The results reported in the paper are estimated using `patternsearch`.

Computational Time: Evaluating the moment function for a given parameter vector $\mathbf{\Lambda} = [\nu \ \epsilon \ \lambda \ \delta \ \eta \ \rho]'$, and hence solving for adjusted wages for 15,937 blocks for this parameter vector, takes around 30 seconds of computing time on the latest generation of desktop computers. This process also uses a large amount of RAM to store the $15,937 \times 15,937 = 254$ million elements of the matrix of commuting probabilities. Minimizing the GMM objective function with respect to the parameter vector takes a few days on the latest generation of desktop computers. Therefore we trial code on a random sample of 25 percent of blocks on the latest generation of desktop machines. This reduces the number of blocks for which we solve for adjusted wages and amenities to 3,984 and hence reduces the size of the matrix of commuting probabilities to 1.59 million elements. Once the code is up and running, we estimate the model for the full sample of blocks using the computer cluster of the Humboldt University of Berlin. Minimizing the GMM objective with respect to the parameter vector takes less than one day for the full sample using this computer cluster.

A.4.5 Identification

We now discuss how the moment conditions identify the parameters $\mathbf{\Lambda} = [\nu \ \epsilon \ \lambda \ \delta \ \eta \ \rho]'$ and show the properties of the moment conditions in the parameter space. We begin with the semi-elasticity of commuting flows with respect to travel times (ν). From the commuting market clearing condition (43), bilateral commuting flows depend solely on the parameter ν , transformed wages ω_{it} and observed workplace employment, residence employment and travel times. A higher value of ν implies that commuting flows decline more rapidly

with travel times, which implies that a larger fraction of workers commute for less than thirty minutes in the commuting moment condition (62). The recursive structure of the model implies that none of the other parameters $\{\epsilon, \lambda, \delta, \eta, \rho\}$ affect the commuting moment condition (ϵ only enters through $\nu = \epsilon\kappa$). To characterize the properties of the commuting moment condition in the parameter space, we undertake a grid search over 20 possible values of ν (from 0.01 to 0.20). In Figure A.3, we display the value of the commuting moment condition for West Berlin for division for each value of ν . As apparent from the figure, the moment condition has a unique global minimum that identifies ν .

We next consider the Fréchet shape parameter determining the heterogeneity of commuting decisions (ϵ). A higher value of ϵ implies a smaller dispersion in adjusted wages (\tilde{w}_{it}) in the wage moment condition (63) for a given dispersion of transformed wages (ω_{it}), since $\sigma_{\ln \tilde{w}_{it}}^2 = (1/\epsilon)^2 \sigma_{\ln \omega_{it}}^2$. From the commuting market clearing condition (43), transformed wages (ω_{it}) depend solely on the parameter ν and observed workplace employment, residence employment and travel times. The recursive structure of the model implies that none of the other parameters $\{\lambda, \delta, \eta, \rho\}$ affect the wage moment condition. To characterize the properties of the wage dispersion moment condition in the parameter space, we undertake a grid search over 20 possible values of ϵ (from 6 to 12) for our estimated value of ν . In Figure A.4, we display the value of the wage dispersion moment condition for West Berlin during division for each value of ϵ . As shown in the figure, the moment condition has a unique global minimum that identifies ϵ .

We now turn to the production parameters $\{\lambda, \delta\}$, which only enter the moment condition (60) for adjusted production fundamentals, and do not affect any of the other moment conditions (since these parameters merely decompose \tilde{A}_{it} into its components). In the data, we observe a decline in floor prices (Q_{it}) in the areas of West Berlin close to the Berlin Wall. From profit maximization and zero profits (47), these falls in floor prices together with the change in wages (w_{it}) determine the change in adjusted productivity (\tilde{A}_{it}), which includes both production externalities (Υ_{it}) and adjusted production fundamentals (\tilde{a}_{it}).

The division of Berlin implies a reduction of production externalities (Υ_{it}) for the parts of West Berlin close to the Berlin Wall. If this reduction in production externalities does not fully explain the change in adjusted productivity (\tilde{A}_{it}) close to the Berlin Wall, the remainder is explained by a change in adjusted production fundamentals (\tilde{a}_{it}). In Figure A.5, we show the mean changes in log adjusted production fundamentals following division across the distance grid cells from the pre-war CBD used in the estimation for (i) the estimated parameters, (ii) for stronger agglomeration forces (larger λ and δ than estimated) and (iii) for weaker agglomeration forces (smaller λ and δ than estimated). As shown in Figure A.5, the production parameters $\{\lambda, \delta\}$ are chosen to make the mean changes in log adjusted production fundamentals (58) as flat as possible across the distance grid cells.

The parameter λ determines the overall impact of the lost production externalities on productivity, while the parameter δ determines the spatial decay of the lost production externalities with travel time from the pre-war CBD. To characterize the properties of the production fundamentals moment conditions in the parameter space, we undertake a grid search over 20 possible values of λ (from 0.02 to 0.10) and 20 possible values of δ (from 0.01 to 0.101) for our estimated values of ν and ϵ (400 parameter configurations). In Figure A.6, we display the sum of the squared mean changes in log adjusted production fundamentals across the

distance grid cells for our baseline specification pooling division and reunification. We construct contours through this sum of squared mean changes in log adjusted production fundamentals for the 400 values of (λ, δ) in the parameter space (shown on the x and y axes). As shown in the figure, the sum of the squared mean changes in log adjusted production fundamentals has a unique global minimum in the parameter space that identifies (λ, δ) .

Finally, we consider the residential parameters $\{\eta, \rho\}$, which only enter the moment condition (61) for adjusted residential fundamentals, and do not affect any of the other moment conditions (since these parameters merely decompose \tilde{B}_{it} into its components). In the data, we observe a decline in floor prices (Q_{it}) and residence employment (H_{Ri}) close to the pre-war CBD. Furthermore, the model implies a decline in commuting market access (W_{it}) close to the pre-war CBD, because of the loss of access to employment opportunities in East Berlin. To the extent that the fall in residence employment is not completely explained by these changes in floor prices and commuting market access, the remainder will be explained by a reduction in adjusted amenities (\tilde{B}_{it}), which include residential externalities (Ω_{it}) and adjusted residential fundamentals (\tilde{b}_{it}).

The division of Berlin implies a reduction of residential externalities (Ω_{it}) for the parts of West Berlin close to the Berlin Wall. If this reduction in residential externalities does not fully explain the reduction in adjusted amenities (\tilde{B}_{it}) close to the Berlin Wall, the remainder will be explained by a change in adjusted residential fundamentals (\tilde{b}_{it}). In Figure A.7, we show the mean changes in log adjusted residential fundamentals following division across the distance grid cells from the pre-war CBD used in the estimation for (i) the estimated parameters, (ii) for stronger agglomeration forces (larger η and ρ than estimated) and (ii) for weaker agglomeration forces (smaller η and ρ than estimated). As shown in Figure A.7, the residential parameters $\{\eta, \rho\}$ are chosen to make the mean changes in log adjusted residential fundamentals (59) as flat as possible across the distance grid cells.

The parameter η determines the overall impact of the lost residential externalities on amenities, while the parameter ρ determines the spatial decay of the lost residential externalities with travel time from the pre-war CBD. To characterize the properties of the residential fundamentals moment conditions in the parameter space, we undertake a grid search over 20 possible values of η (from 0.11 to 0.18) and 20 possible values of ρ (from 0.31 to 1.01) for our estimated values of ν and ϵ (400 parameter configurations). In Figure A.8, we display the sum of the squared mean changes in log adjusted residential fundamentals for our baseline specification pooling division and reunification. We construct contours through this sum of squared mean changes in log adjusted residential fundamentals for the 400 values of (η, ρ) in the parameter space (shown on the x and y axes). As shown in the figure, the sum of the squared mean changes in log adjusted residential fundamentals has a unique global minimum in the parameter space that identifies (η, ρ) .

Intuitively, production and residential externalities are separately identified from one another, because production externalities are inferred from firm choices about production, while residential externalities are inferred from worker choices of residence. In particular, overall productivity (A_{it}) is obtained from profit maximization and zero profits, and productivity is separated into externalities (Υ_{it}) and fundamentals (a_{it}).

using the surrounding density of workplace employment. In contrast, overall amenities (B_{it}) are obtained from utility maximization and population mobility, and amenities are separated into externalities (Ω_{it}) and fundamentals (b_{it}) using the surrounding density of residence employment.

A.5 Counterfactuals

Exogenous Location Characteristics: To solve for the counterfactual effects of division in the special case of the model with exogenous productivity, amenities and the density of development, we use the following solution algorithm. We assume values for the model's parameters $\{\alpha, \beta, \mu, \nu, \epsilon\}$ and use the calibrated values of the adjusted location characteristics from the initial equilibrium before division $\{\tilde{A}_i, \tilde{B}_i, \tilde{\varphi}_i\}$. We capture the division of Berlin in the model by assuming infinite costs of trading the final good, infinite commuting costs ($\kappa \rightarrow \infty$), infinite rates of decay of production externalities ($\delta \rightarrow \infty$), and infinite rates of decay of residential externalities ($\rho \rightarrow \infty$) across the Berlin Wall.

Equilibrium total city population depends on the reservation level of utility (\bar{U}) in the wider economy. Furthermore, our estimates of the model's parameters and the treatment effect of division are invariant with respect to \bar{U} , because they are based on relative comparisons between areas of West Berlin close to and far from the Berlin Wall (see section A.4.2). Therefore we choose \bar{U} so as to ensure that the total employment of West Berlin (H) is equal to its value in the data in 1986 during division.

We assume starting values for floor prices, adjusted wages and the fraction of adjusted floor space used commercially from the initial equilibrium before division $\{\mathbb{Q}_i^0, \tilde{w}_i^0, \tilde{\theta}_i^0\}$. Given these starting values, we use the equilibrium conditions of the model to solve for new predicted values for these endogenous variables for the divided city $\{\mathbb{Q}_i^1, \tilde{w}_i^1, \tilde{\theta}_i^1\}$:

$$\pi_{ij}^1 = \frac{\left(d_{ij} (\mathbb{Q}_i^0)^{1-\beta}\right)^{-\epsilon} \left(\tilde{B}_i \tilde{w}_j^0\right)^\epsilon}{\sum_{r=1}^S \sum_{s=1}^S \left(d_{rs} (\mathbb{Q}_r^0)^{1-\beta}\right)^{-\epsilon} \left(\tilde{B}_r \tilde{w}_s^0\right)^\epsilon}, \quad (70)$$

$$\pi_{ij|j}^1 = \frac{\left(d_{ij} (\mathbb{Q}_i^0)^{1-\beta}\right)^{-\epsilon} \left(\tilde{B}_i\right)^\epsilon}{\sum_{s=1}^S \left(d_{sj} (\mathbb{Q}_s^0)^{1-\beta}\right)^{-\epsilon} \left(\tilde{B}_s\right)^\epsilon}, \quad (71)$$

$$H_{Ri}^1 = \sum_{s=1}^S \pi_{is}^1 H, \quad (72)$$

$$H_{Mi}^1 = \sum_{r=1}^S \pi_{ri}^1 H, \quad (73)$$

$$Y_i^1 = \tilde{A}_i (H_{Mi}^1)^\alpha \left(\tilde{\theta}_i^0 \tilde{\varphi}_i K_i^{1-\mu}\right)^{1-\alpha}, \quad (74)$$

$$\tilde{w}_i^1 = \frac{\alpha Y_i^1}{H_{Mi}^1}, \quad (75)$$

$$\tilde{v}_i^1 = \mathbb{E} [\tilde{w}_s^0 | i] = \sum_{s=1}^S \pi_{is|s}^1 \tilde{w}_s^0, \quad (76)$$

$$\mathbb{Q}_i^1 = \frac{(1-\alpha)Y_i^1}{\tilde{\theta}_i^0 \tilde{\varphi}_i K_i^{1-\mu}}, \quad i \in \mathfrak{S}_M \cup \mathfrak{S}_S = \{\tilde{A}_i > 0, \tilde{B}_i = 0\} \cup \{\tilde{A}_i > 0, \tilde{B}_i > 0\}, \quad (77)$$

$$\mathbb{Q}_i^1 = \frac{(1-\beta)\tilde{v}_i^1 H_{Ri}^1}{(1-\tilde{\theta}_i^0) \tilde{\varphi}_i K_i^{1-\mu}}, \quad i \in \mathfrak{S}_R \cup \mathfrak{S}_S = \{\tilde{A}_i = 0, \tilde{B}_i > 0\} \cup \{\tilde{A}_i > 0, \tilde{B}_i > 0\}, \quad (78)$$

$$\tilde{\theta}_i^1 = 1, \quad i \in \mathfrak{S}_M = \{\tilde{A}_i > 0, \tilde{B}_i = 0\}, \quad (79)$$

$$\tilde{\theta}_i^1 = 0, \quad i \in \mathfrak{S}_R = \{\tilde{A}_i = 0, \tilde{B}_i > 0\}, \quad (80)$$

$$\tilde{\theta}_i^1 = \frac{(1-\alpha)Y_i^1}{\mathbb{Q}_i^1 \tilde{\varphi}_i K_i^{1-\mu}}, \quad i \in \mathfrak{S}_S = \{\tilde{A}_i > 0, \tilde{B}_i > 0\}. \quad (81)$$

If the new predicted values for the endogenous variables of the model are equal to the starting values:

$$\{\mathbb{Q}_i^1, \tilde{w}_i^1, \tilde{\theta}_i^1\} = \{\mathbb{Q}_i^0, \tilde{w}_i^0, \tilde{\theta}_i^0\},$$

we have found the unique equilibrium for the divided city. If the new predicted values for the endogenous variables of the model are not equal to the starting values, we update the endogenous variables of the model using a weighted average of the starting values and the new predicted values:

$$\begin{aligned} \mathbb{Q}_i^2 &= \varsigma \mathbb{Q}_i^0 + (1-\varsigma) \mathbb{Q}_i^1, \\ \tilde{w}_i^2 &= \varsigma \tilde{w}_i^0 + (1-\varsigma) \tilde{w}_i^1, \\ \tilde{\theta}_i^2 &= \varsigma \tilde{\theta}_i^0 + (1-\varsigma) \tilde{\theta}_i^1, \end{aligned} \quad (82)$$

where $0 < \varsigma < 1$. We continue to solve the system of equations for the equilibrium conditions of the model until the endogenous variables converge to the unique equilibrium of the divided city.

As shown in Lemmas A.1-A.3, any location $i \in \mathfrak{S}_S = \{\tilde{A}_i > 0, \tilde{B}_i > 0\}$ with strictly positive values of both productivity and amenities remains incompletely specialized; any location $i \in \mathfrak{S}_M = \{\tilde{A}_i > 0, \tilde{B}_i = 0\}$ with strictly positive productivity and zero amenities remains completely specialized in commercial activity; and any location $i \in \mathfrak{S}_R = \{\tilde{A}_i = 0, \tilde{B}_i > 0\}$ with zero productivity and strictly positive amenities remains completely specialized in residential activity. Furthermore, as shown in Proposition A.2, the general equilibrium of the model with exogenous location characteristics is unique. Therefore, the above algorithm converges rapidly to this unique equilibrium, and these counterfactuals yield determinate predictions for the impact of division on the pattern of economic activity within West Berlin.

We solve for reunification using a directly analogous solution algorithm. We capture the reunification of Berlin in the model by allowing costless trade of the final good, finite commuting costs equal to κ , finite rates of decay of production externalities equal to δ , and finite rates of decay of residential externalities equal to ρ across the Berlin Wall.

Endogenous Agglomeration Forces: To solve for the counterfactual effects of division or reunification with endogenous agglomeration forces, we use a directly analogous solution algorithm. We assume values for the model's parameters $[\alpha \ \beta \ \mu \ \nu \ \epsilon \ \lambda \ \delta \ \eta \ \rho]'$ and use the calibrated values of adjusted production

fundamentals, residential fundamentals and the density of development from the initial equilibrium before division or reunification $\{\tilde{a}_i, \tilde{b}_i, \tilde{\varphi}_i\}$. We again assume starting values for floor prices, adjusted wages and the fraction of adjusted floor space used commercially from the initial equilibrium before division or reunification $\{Q_i^0, \tilde{w}_i^0, \tilde{\theta}_i^0\}$.

Given these starting values, we use the equilibrium conditions of the model to solve for new predicted values for these endogenous variables for the divided city $\{Q_i^1, \tilde{w}_i^1, \tilde{\theta}_i^1\}$. We expand the equilibrium conditions of the model (70)-(81) to include the endogenous determination of adjusted productivity and amenities as a function of production and residential externalities:

$$\Upsilon_i^1 = \sum_{s=1}^S e^{-\delta\tau_{is}} \left(\frac{H_{Ms}^1}{K_s} \right), \quad (83)$$

$$\tilde{A}_i^1 = \tilde{a}_i (\Upsilon_i^1)^\lambda, \quad (84)$$

$$\Omega_i^1 = \sum_{s=1}^S e^{-\rho\tau_{is}} \left(\frac{H_{Rs}^1}{K_s} \right), \quad (85)$$

$$\tilde{B}_i^1 = \tilde{b}_i (\Omega_i^1)^\eta. \quad (86)$$

We again find that the solution algorithm converges rapidly. In the presence of endogenous agglomeration forces, there is the potential for multiple equilibria in the model. We solve for the counterfactual equilibrium using the initial values from the observed equilibrium prior to division or reunification. Therefore we assume the equilibrium selection rule of solving for the closest counterfactual equilibrium to the observed equilibrium prior to division or reunification. Our goal in these counterfactuals with endogenous agglomeration forces is not to determine the unique impact of division or reunification. Rather our goal is to show that the model with the estimated agglomeration forces is capable of generating counterfactual predictions for the impact of division or reunification close to the observed impact.

A.6 Monte Carlo

As a further check on our identifying assumptions, we undertake a Monte Carlo exercise. We first assume parameter values and a data generating process for a hypothetical city. We next apply our estimation procedure to the hypothetical city and show that it correctly recovers the assumed parameter values for the data generating process.

In particular, we consider a hypothetical city on a 40×40 latitude and longitude grid (1,600 locations) of approximately the same dimensions as Berlin (ranging from latitude 52.4 to 52.6 and longitude 13.2 to 13.4). We assume that each grid point has a land area of ($K = 100$) meters squared. We assume that travel times within the hypothetical city (τ_{ij}) are proportional to the bilateral Great Circle distances between each pair of locations ($1,600 \times 1,600 = 2,560,000$ bilateral pairs). We assume the following expenditure and cost share parameters: $\{\alpha, \beta, \mu\} = \{0.95, 0.90, 0.25\}$. We assume the following values of the agglomeration and dispersion parameters: $\{\nu, \epsilon, \lambda, \delta, \eta, \rho\} = \{0.08, 4, 0.10, 0.08, 0.10, 0.08\}$. We assume that the Fréchet scale

parameters for each residence location and employment location are equal to one ($T_i = 1$ and $E_i = 1$). We also assume that the tax equivalent of land use regulations is equal to one ($\xi_i = 1$).

We consider 50 replications of the model using realizations of random draws for production fundamentals, residential fundamentals and the density of development $\{a_i, b_i, \varphi_i\}$ for each location on the latitude and longitude grid. For each replication, we undertake the following procedure:

- Step 1: Using the assumed values for the model's parameters $\{\alpha, \beta, \mu, \nu, \epsilon, \lambda, \delta, \eta, \rho\}$ and the realizations of random draws for $\{a_i, b_i, \varphi_i\}$ for each location on the latitude and longitude grid, we solve for the equilibrium of the hypothetical city before division.
- Step 2: We suppose that the hypothetical city is exogenously divided into Eastern and Western halves. We draw new realizations of the random draws for $\{a_i, b_i, \varphi_i\}$ for each location on the latitude and longitude grid in the Western half of the city.
- Step 3: We solve for the equilibrium of the Western half of the hypothetical city after division using these new realizations for $\{a_i, b_i, \varphi_i\}$.
- Step 4: We suppose that an econometrician observes only the same variables $\{Q_i, H_{Mi}, H_{Ri}, K_i, \tau_{ij}\}$ as in our data for Berlin before and after division, knows the parameters $\{\alpha, \beta, \mu\}$, and wants to estimate the unknown parameters $\{\nu, \epsilon, \lambda, \delta, \eta, \rho\}$ and the location fundamentals $\{a_i, b_i, \varphi_i\}$.
- Step 5: We implement our estimation procedure. We calibrate the model to the observed equilibrium before division, calibrate the model to the observed equilibrium after division, compute our moment conditions and estimate the unknown parameters $\{\nu, \epsilon, \lambda, \delta, \eta, \rho\}$ using GMM.
- Step 6: We display the distribution of estimated parameters across the 50 replications and show that we correctly recover the true unknown parameters $\{\nu, \epsilon, \lambda, \delta, \eta, \rho\}$.

In Step 1, we draw realizations for production fundamentals, residential fundamentals and the density of development $\{a_i, b_i, \varphi_i\}$ for each location i on the latitude and longitude grid from an independent uniform distribution on the interval $[0.975, 1.025]$. Given the assumed parameter values $\{\alpha, \beta, \mu, \nu, \epsilon, \lambda, \delta, \eta, \rho\}$, the realizations $\{a_i, b_i, \varphi_i\}$ and the other locational fundamentals $\{T_i, E_i, K_i, \xi_i, \tau_{ij}\}$, we solve for the equilibrium value of the endogenous variables of the model prior to division $\{H_{Mi}, H_{Ri}, Q_i, q_i, w_i, \theta_i\}$ using the same solution algorithm as used to undertake counterfactuals in subsection A.5. We use as starting values a symmetric distribution of the endogenous variables $\{H_{Mi}, H_{Ri}, Q_i, q_i, w_i, \theta_i\}$ across all locations on the latitude and longitude grid and hence solve for the closest equilibrium to this symmetric allocation.

In Step 2, we capture the division of the city into Eastern and Western halves by assuming infinite costs of trading the final good, infinite commuting costs ($\kappa \rightarrow \infty$), infinite rates of decay of production externalities ($\delta \rightarrow \infty$), and infinite rates of decay of residential externalities ($\rho \rightarrow \infty$) between the two halves of the city. We draw new realizations for production fundamentals, residential fundamentals and the density of development $\{a_i, b_i, \varphi_i\}$ for each location i in the Western half of the city from the same independent uniform distribution.

In Step 3, we use the assumed parameter values $\{\alpha, \beta, \mu, \nu, \epsilon, \lambda, \delta, \eta, \rho\}$, the new realizations $\{a_i, b_i, \varphi_i\}$ and the other location characteristics $\{T_i, E_i, K_i, \xi_i, \tau_{ij}\}$ to solve for the equilibrium value of the endogenous variables of the model for the Western half of the city after division $\{H_{Mi}, H_{Ri}, Q_i, q_i, w_i, \theta_i\}$ using the same solution algorithm as used to undertake counterfactuals in subsection A.5. We use the initial values from the observed equilibrium prior to division as the starting values for the endogenous variables $\{H_{Mi}, H_{Ri}, Q_i, q_i, w_i, \theta_i\}$. Therefore we assume the equilibrium selection rule of solving for the closest equilibrium during division to the observed equilibrium before division.

As discussed in section A.5 above, equilibrium total city population depends on the reservation level of utility (\bar{U}) in the wider economy. Furthermore, our estimates of the model's parameters and the treatment effect of division are invariant with respect to \bar{U} , because they are based on double differences: relative comparisons across locations within the Western half of the city before and after division. Therefore, we choose \bar{U} before division so that the total employment of the city is approximately the same size as for Berlin prior to division (3 million), and we choose \bar{U} after division so that the total employment of the Western half of the city is equal to its value at the time of division. Our estimates of the model's parameters $\{\nu, \epsilon, \lambda, \delta, \eta, \rho\}$ are invariant to these choices of normalizations.

In the GMM estimation in Steps 4-5, we use analogous moment conditions for the division of the hypothetical city as for the division of Berlin: the fraction of workers commuting less than a specified travel time threshold, the dispersion of wages, and orthogonality conditions between the changes in production and residential fundamentals and indicator variables for distance grid cells. We use ten indicator variables based on distance deciles.

In Panels A-F of Figure A.9, we display histograms of the estimated parameter values from each of the 50 replications, where the true value of each parameter is indicated by a vertical red line. To conserve computational time in the Monte Carlo, we consider a much smaller number of locations in the hypothetical city (1,600) than in our actual data for Berlin (15,937). Nonetheless, we find that the estimated parameter values are closely centered around the true parameter values. Therefore, the results from this Monte Carlo show that, when the data are generated according to the model, our estimation procedure is successful in recovering the correct values of the model's parameters.

A.7 Introducing Non-traded Goods

In the baseline version of the model, we consider the canonical urban model with a single tradable final good and agglomeration economies in production and residential choices. A key focus of our analysis is the extent to which this canonical urban model is able to account quantitatively and qualitatively for the observed impact of division and reunification on the pattern of economic activity within West Berlin.

This note discusses two extensions of the model to introduce non-traded goods. The first extension allows for the consumption of non-traded goods at a worker's place of work. The second extension allows for the consumption of non-traded goods at a worker's place of residence. In principle, one can also consider a hybrid specification, in which a constant fraction of worker's expenditure on non-traded goods occurs at their workplace and the remaining fraction occurs at their residence.

A.7.1 Non-Traded Goods by Workplace

In this section, we introduce non-traded goods that are consumed at a worker's place of work. The consumption index for worker ω residing at location i and working at location j is now:

$$C_i(c_{ij\omega}, \ell_{ij\omega}) = \frac{B_i z_{ij\omega}}{d_{ij}} \left(\frac{c_{Nij\omega}}{\beta_N} \right)^{\beta_N} \left(\frac{c_{Tij\omega}}{\beta_T} \right)^{\beta_T} \left(\frac{\ell_{ij\omega}}{1 - \beta_N - \beta_T} \right)^{1 - \beta_N - \beta_T}, \quad (87)$$

$$\beta_N, \beta_T > 0, \quad 0 < \beta_N + \beta_T < 1,$$

where $c_{Nij\omega}$ is consumption of the non-traded good at workplace location j ; $c_{Tij\omega}$ is consumption of the traded good; and commuting costs (d_{ij}) are modeled in terms of utility.

Utility maximization implies that total expenditure on the non-traded good for workers residing in location i and working in location j is a constant share of their income at their place of work:

$$p_{Nj} C_{Nij} = \beta_N w_j H_{Mij}, \quad (88)$$

where H_{Mj} is the total measure of workers (summing across the two sectors) that work in block j and reside in block i .

The non-traded good is assumed to be produced under conditions of perfect competition and according to a constant returns to scale technology with a unit labor requirement:

$$Y_{Nj} = H_{Nj}, \quad (89)$$

where Y_{Nj} is the measure of the non-traded good produced in location j and H_{Nj} is the measure of labor employed in this production. For simplicity, we abstract from agglomeration economies in the production of non-traded goods, although they also can be introduced. Perfect competition and constant returns to scale imply that the price of the non-traded good is equal to the wage:

$$p_{Nj} = w_j. \quad (90)$$

We now combine this result with utility maximization (88), aggregate across residence locations i for each workplace location j , and use goods market clearing for the non-traded good for each workplace location j ($\sum_i C_{Nij} = C_{Nj} = Y_{Nj}$):

$$Y_{Nj} = \beta_N H_{Mj}. \quad (91)$$

Combining this result with the production technology (89), employment in producing non-traded goods in each workplace location is a constant share of total employment in that workplace location:

$$H_{Nj} = \beta_N H_{Mj}, \quad (92)$$

while the remaining share of total employment is allocated to producing traded goods (H_{Tj}):

$$H_{Tj} = (1 - \beta_N) H_{Mj}. \quad (93)$$

The model remains the same as in our baseline specification, with the labor market clearing condition determining wages in location j as a function of total workplace employment in that location and residence employment in all locations. The only difference is that only a fraction of workplace employment is allocated to the traded sector, with the remaining fraction allocated to the non-traded sector.

A.7.2 Non-Traded Goods by Residence

In this section, we introduce non-traded goods that are consumed at a worker's place of residence. The consumption index for worker ω residing at location i and working at location j is again (87), except that non-traded goods are now consumed at the worker's residence i .

Utility maximization implies that total expenditure on the non-traded good for workers residing in location i is a constant share of their income at their place of residence:

$$p_{Ni}C_{Ni} = \beta_N \mathbb{E}[w_s|i] H_{Ri}, \quad (94)$$

where H_{Ri} is the total measure of residents of block i .

The non-traded good is assumed to be produced under conditions of perfect competition and according to a constant returns to scale technology with a unit labor requirement:

$$Y_{Ni} = H_{Ni}, \quad (95)$$

where Y_{Ni} is the measure of the non-traded good produced in location i and H_{Ni} is the measure of workers employed in that production. For simplicity, we again abstract from agglomeration economies in the production of non-traded goods, although they also can be introduced. Perfect competition and constant returns to scale imply that the price of the non-traded good is equal to the wage:

$$p_{Ni} = w_i. \quad (96)$$

Combining this result with utility maximization (94) and using goods market clearing for the non-traded good for each residence location i ($C_{Ni} = Y_{Ni}$) and the production technology (95), we have:

$$H_{Ni} = \beta_N \frac{\mathbb{E}[w_s|i] H_{Ri}}{w_i}. \quad (97)$$

Therefore employment in non-traded production is a function of the total measure of residents and the ratio of expected worker income to wages. The model remains as in our baseline specification, with the labor market clearing condition determining wages in location i as a function of total workplace employment in that location and residence employment in all locations. Employment in the traded sector follows from total workplace employment minus employment in the non-traded sector.

A.8 Additional Reduced-Form Empirical Results

In this section, we report additional reduced-form results discussed in Section 5 of the paper.

A.8.1 Maps of Changes in Floor Prices

In Figures A.1-A.2 of the web appendix (discussed in subsection 5.1 of the paper), we provide further evidence on the impact of division and reunification by displaying the log difference in floor prices from

1936-1986 and 1986-2006 for each block. As evident from the figures, the largest declines in land prices following division and the largest increases in land prices following reunification are along those segments of the Berlin Wall around the pre-war CBD. In contrast, there is little evidence of comparable declines in land prices along other sections of the Berlin Wall. Therefore these results suggest that it is not proximity to the Berlin Wall *per se* that matters but rather the loss of access to the pre-war CBD. Comparing Figures A.1-A.2, it is striking the extent to which the areas that experienced the largest decline in floor prices from 1936-1986 are also the areas that experienced the largest growth in floor prices from 1986-2006. Regressing the growth in floor prices from 1986-2006 on the growth in floor prices from 1936-1986, we find an estimated coefficient (Conley standard error) of -0.262 (0.017) and an R-squared of 0.29. Estimating an analogous regression for the ranks of the two growth rates, we find a similar pattern of results, with an estimated coefficient (Conley standard error) of -0.527 (0.019) and an R-squared of 0.28. Given that these are cross-section regressions in growth rates using micro data with a single right-hand side variable, the strength of these relationships is striking.

A.8.2 Baseline Difference-in-Difference Specification

Table A.1 reports a robustness test for division using standard errors clustered by statistical area (“Gebiet”) and demonstrates a similar pattern of results as in Table 1 in subsection 5.2 of the paper. Table A.2 reports the coefficients and standard errors on the other distance grid cells from Table 1 in the paper (omitted from the paper to conserve space) using Heteroscedasticity and Autocorrelation Consistent (HAC) standard errors following Conley (1999).

Table A.3 reports a robustness test for reunification using standard errors clustered by statistical area (“Gebiet”) and demonstrates a similar pattern of results for division as in Table 2 in subsection 5.2 of the paper. Table A.4 reports the coefficients and standard errors on the other distance grid cells from Table 2 in the paper (omitted from the paper to conserve space) using Heteroscedasticity and Autocorrelation Consistent (HAC) standard errors following Conley (1999).

A.8.3 Further Reduced-Form Evidence

Timing and Placebos Table A.5 re-estimates the “difference-in-difference” specification for division in Table 1 in the paper for the early-division period 1936-66 (discussed in subsection 5.3 of the paper). We report Heteroscedasticity and Autocorrelation Consistent (HAC) standard errors following Conley (1999). Table A.6 reports the results of a robustness test using standard errors clustered on statistical areas (“Gebiete”).

Table A.7 re-estimates the “difference-in-difference” specification for division in Table 1 in the paper for the late-division period 1966-86 (discussed in subsection 5.3 of the paper). We report Heteroscedasticity and Autocorrelation Consistent (HAC) standard errors following Conley (1999). Table A.8 reports the results of a robustness test using standard errors clustered on statistical areas (“Gebiete”).

Transport Access We provide further evidence that the estimated treatment effects for division and reunification are capturing a loss of access to the surrounding concentration of economic activity using a

different source of variation in the data based on transport access. In particular, division substantially reduced the extent of the U/S-Bahn network accessible from West Berlin by closing off links to East Berlin and East Germany, thereby reducing the transport access advantage from proximity to an U/S-Bahn station. That is, locations in West Berlin close to U/S-Bahn stations were more adversely affected by division, because they lost access to locations in East Berlin to which they previously had low travel times. In contrast, the effect on blocks in West Berlin further from U/S-Bahn stations was more muted, because they had higher travel times to East Berlin prior to division.

To provide evidence on such heterogeneous treatment effects of division and reunification, we construct an indicator variable for each block based on whether it lies within 250 meters from a U/S-Bahn station in the 1936 transport network.¹⁰ Table A.9 reports the results of augmenting our regression specifications from Tables 1 and 2 in the paper with this indicator variable. We report Heteroscedasticity and Autocorrelation Consistent (HAC) standard errors following Conley (1999). Table A.10 reports the results of a robustness test using standard errors clustered on statistical areas (“Gebiete”).

Following division, blocks close to a U/S-Bahn station experience a larger reduction in floor prices within each distance cell, consistent with their greater transport access loss. In Column (1) of Table A.9, which includes only the distance grid cells and our U/S-Bahn indicator, we find an estimated effect of around 13 percent (since $1 - e^{-0.143} = 0.13$). These results are robust to controlling for district fixed effects (Column (2)) and our full set of controls (Column (3)). Including our full set of controls in Column (3), we find that blocks close to a U/S-Bahn station experience around a 5 percent larger reduction in floor prices following division.¹¹

Following reunification, blocks close to a U/S-Bahn station experience a larger increase in floor prices within each distance grid cell, consistent with their greater transport access improvement. In Column (4), which includes only the distance grid cells and our U/S-Bahn indicator, we find an estimated effect of around 4 percent (since $e^{0.037} - 1 = 0.04$). These results are robust to controlling for district fixed effects (Column (5)), although they become smaller in magnitude, and they lose statistical significance once we include our full range of controls (Column (6)).

While proximity to a U/S-Bahn station provides a simple and transparent measure of transport access, we also find similar results using a measure of Eastern transport access loss based on the travel time weighted average of floor prices in East Berlin blocks, as reported in Ahlfeldt, Redding, Sturm, and Wolf (2012). Taken together, these results provide further evidence that the treatment effects of division and reunification are capturing a loss of access to the surrounding concentration of economic activity.

¹⁰While we choose a threshold of 250 meters for proximity to a U/S-Bahn station because it divides blocks within the 500 meter distance grid cells from the pre-war CBD into two roughly equal groups, we find similar results using other distance thresholds.

¹¹We experimented with including interactions between our U/S-Bahn indicator and the distance grid cells and find that the coefficient on the U/S-Bahn indicator is relatively similar across distance grid cells. As reported in Ahlfeldt, Redding, Sturm, and Wolf (2012), we find similar results when we run separate locally-weighted linear squares regressions of the log difference in floor prices on distance from the pre-war CBD for blocks within and beyond 250 meters from a U/S-Bahn station.

A.9 Additional Structural Estimates

A.9.1 Gravity, Productivity and Amenities

Table A.11 reports a robustness test using standard errors clustered by statistical area (“Gebiet”) and demonstrates a similar pattern of results as in Table 4 in subsection 6.2 of the paper.

A.9.2 Structural Estimation

GMM Estimation Results Table A.12 estimates our reduced-form “difference-in-difference” specification using the solutions from the model for adjusted overall productivity, adjusted overall amenities, production externalities, adjusted production fundamentals, residential externalities, and adjusted residential fundamentals, as discussed in subsection 7.5 of the paper. These model solutions are based on the parameter estimates pooling division and reunification reported in Table 5 in the paper. Standard errors are Heteroscedasticity and Autocorrelation Consistent (HAC) following Conley (1999). Table A.13 reports a robustness test using standard errors clustered by statistical area (“Gebiet”) and demonstrates a similar pattern of results as in Table A.12.

Table A.14 reports a robustness test for the structural estimation discussed in subsection 7.5 of the paper. We first assume values of $\epsilon\kappa = 0.07$ and $\epsilon = 6.83$ from our gravity equation estimation in subsection 6.1 of the paper. We next structurally estimate the agglomeration parameters $\{\lambda, \delta, \eta, \rho\}$ using our moment conditions for production and residential fundamentals ((60) and (61) respectively). In Table A.14, we report the estimation results for division (Column (1)), reunification (Column (2)), and pooling division and reunification (Column (3)). As apparent from the table, we find similar estimated values of the agglomeration parameters $\{\lambda, \delta, \eta, \rho\}$ as in the baseline specification reported in subsection 7.5 of the paper.

Overidentification Table A.15 reports the results of an overidentification test using the adjusted density of development ($\tilde{\varphi}_i$) discussed in subsection 7.7 of the paper. Table A.16 reports the results of an overidentification test using adjusted production and residential fundamentals $\{\tilde{a}_i, \tilde{b}_i\}$ discussed in subsection 7.7 of the paper.

Counterfactuals Table A.17 reports a robustness test using standard errors clustered by statistical area (“Gebiet”) and demonstrates a similar pattern of results as in Table 7 in subsection 7.8 of the paper.

A.10 Data Sources and Definitions

The data section of the main paper provides an overview of our various data sources. This appendix provides more detail. Subsection A.10.1 discusses the construction of the data on employment by residence for the pre-war period. Subsection A.10.2 discusses the construction of the data on employment by workplace for the pre-war period. Subsection A.10.3 discusses the construction of the travel times in minutes between blocks. Subsection A.10.4 discusses the construction of the data on other block characteristics. Subsection

A.10.5 discusses the commuting survey data. Subsection A.10.6 discusses the comparison of our standard land values data with micro data on property transactions.

A.10.1 Employment at Place of Residence 1930s

The 1933 census published data on population for each of the 20 pre-war districts of Berlin and also the population of each street or segment of street in Berlin. We digitized the information on population by street and merged it to the modern block structure. In a first step we used information on street name changes provided on <http://www.luise-berlin.de> to convert the historical street names into the modern street names. In a second step we obtained a dataset from the Statistical Office of Berlin (“Senatsverwaltung für Berlin”) that contains information on the modern statistical blocks to which each street in Berlin is contiguous. We use this information to distribute the population of each street equally across all blocks which are contiguous with the street. In doing so we take into account whether blocks are water areas or parks to avoid population being allocated to these blocks. In the case of unmatched streets we correct misspellings of street names in both datasets by using an algorithm that matches streets within the same district and sub-district (“Ortsteil”) whose names only differ by one letter. In a small number of cases, we are unable to match a street to a block, in which case we spread the street’s population equally across all blocks within the same sub-district that have positive population. Finally, we convert our 1933 estimates of population in each of the modern blocks into employment by residence by using the labor force participation rates for each district (“Bezirk”) from the 1933 census.

A.10.2 Employment at workplace

To estimate the 1933 workplace employment in each modern block we take a two-step approach. In the first step we create estimates of 1933 private-sector employment in each modern block and in a second step we estimate 1933 public-sector employment in each block.

For the first step we use two key data sources. First, the 1933 census published data on employment at workplace in private enterprises in each district of Berlin (“Mitteilungen des Statistischen Amts der Stadt Berlin” 1935). Data at a finer spatial scale was not published in pre-war censuses. Second, we obtained a copy of the 1931 company register of Berlin (“Handelsregister”). The company register contains the name and registered address of each firm in Berlin and in 1931 lists just over 47,000 firms. We have entered the name and address of each of these firms. We use information on street name changes provided on <http://www.luise-berlin.de> to convert the historical addresses to their modern equivalent. The Statistical Office of Berlin supplied us with a file that lists for each modern postal address in Berlin the block in which this address is located. We use this concordance to create a count variable which counts how many firms were registered in each modern block in 1931. Due to incomplete or defective addresses, we managed to allocate 42,818 of the 47,098 firms listed in the company register to a modern block.

To spread total private-sector workplace employment across blocks within each district, we first estimate the relationship at the district level between log private-sector workplace employment from the 1933 census and the log number of firms from the company register. In Figure A.12, we display the values for these

variables for each district as well as the regression relationship between them. As apparent from the figure, we find a close relationship between private-sector workplace employment and the number of firms at the district level, with a regression R^2 of over 0.75. We use the estimated coefficients from this regression and the number of firms in each block to construct a predicted share of that block in total district private-sector workplace employment. We then use these predicted employment shares to allocate the district totals across blocks within districts.

Since this first step uses predicted employment shares to allocate district totals across blocks within districts, the district totals for private-sector workplace employment in our data are the same as in the 1933 census. To further assess the reliability of predicting workplace employment at the block level using information on the number of firms, we use the 1987 census data, which reports both workplace employment and the number of establishments by block. In Figure A.13, we display log workplace employment and the log number of establishments for each block as well as the regression relationship between them. As apparent from the figure, we also find a close relationship between these two variables at the block level, with a regression R^2 of over 0.60.

In the second step, we construct public-sector employment in 1933 for each modern block by combining data from the 1933 census with detailed information on the location of public buildings prior to the Second World War. The occupational census of 1933 reports city-level totals of public sector employees and their breakdown into sub-categories such as civil servants in the federal and city administration, primary and secondary school teachers, police officers, or clergymen. To allocate these occupation-specific totals for Berlin across blocks, we used a detailed street map of Berlin showing the location of each public building prior to the Second World War and its purpose (e.g. federal government ministries, public utilities, schools). This map was compiled by the Allied occupation authorities in 1945 (War Office 1945). We allocate the employment of each occupational group (e.g. primary school teachers) across the buildings in which workers from this group are typically employed (e.g. primary schools).

A.10.3 Travel Times Between Blocks in Berlin

To determine commuting costs in the model we need to know the minimum travel time between each of the 15,937 blocks of Berlin in our data, i.e. nearly 254 million ($15,937 \times 15,937$) bilateral connections. We have computed these travel times for 1936, 1986 and 2006. In 1936, commuting to work by car was rare, and hence we construct minimum travel times using the public transport network.¹² In 1986 and 2006, we construct minimum travel times by combining information on the public transport network and driving times by car.

To construct minimum travel times between each pair of blocks i and j by public transport for the three years, we collected information on the underground rail (“U-Bahn”), suburban rail (“S-Bahn”), tram (“Strassenbahn”) and bus (“Bus”) network of Berlin in each year. These networks were digitized using ArcGIS and we used the ArcGIS Network Analyst to compute the fastest connection between locations i

¹²Leyden (1933) reports data on travel by mode of transport in pre-war Berlin, in which travel by car accounts for less than 10 percent of all journeys.

and j . In this computation we allow passengers to combine all modes of public transport and walking to minimize the travel time between i and j . We use the following assumed travel speeds for each mode of transport: 5km/h for walking, 25km/h for underground and suburban rail travel, 14.5km/h for trams and 14.3km/h for buses. Whenever passengers change between modes of transport (e.g. changing from the suburban rail to a bus) we assume that 3 minutes are lost in waiting time at each connection point. These speeds of travel are taken from [Vetter \(1928\)](#). We assume that these speeds are the same in all three years of our dataset, which is supported by comparing these travel speeds to current public transport timetables. Note that these assumptions imply that the travel times from i to j and j to i are the same.

To construct minimum driving times by car between each pair of blocks i and j for 1986 and 2006, we obtained an ArcGIS shape file of the modern street network of Berlin from a commercial geographical data provider “Geofabrik” (www.geofabrik.de). This shape file contains information on the maximum and average speed on all streets in and around Berlin and also restrictions on driving such as one-way streets or prohibited turns. Therefore, the driving times from i to j and from j to i do not have to be the same, because of one-way streets and other similar restrictions on road traffic. Using the ArcGIS Network Analyst, we computed the minimum driving times between all pairs of locations i and j using the average travel speed on each street. As a check on our ArcGIS calculations, we compared the resulting bilateral minimum driving times for 100 randomly selected blocks to those computed using Google Maps.¹³

Figure [A.14](#) shows a scatter plot of our ArcGIS travel times and the Google travel times for the 10,000 bilateral connections between the 100 randomly chosen blocks. The correlation between the two estimates of bilateral driving times within Berlin is nearly 0.94. Our estimates of the car travel times are slightly lower than Google’s, with the median difference being 7.9 minutes. To compute the 1986 car travel times, we restricted the road network to streets in West Berlin. We also adjusted the shape file to account for the small number of changes in the main road network of West Berlin between 1986 and 2006.¹⁴

To combine the minimum travel times by public transport and car in 1986 and 2006 into a single travel time measure, we used data on the proportion of journeys undertaken by these two modes of transport in Berlin. In particular we use information on the modal split of commuting journeys in each of the 12 present-day districts of Berlin from [Senatsverwaltung für Stadtentwicklung \(2011\)](#). In this data the average share of journeys by car is about one third. We use this data to estimate a simple logit regression that explains the share of journeys undertaken by car in each of the 12 modern districts as a function of the average difference in driving times by car and public transport between blocks in this district and any other block in Berlin. In particular we estimate the following regression

$$\ln \left(\frac{\text{car}_d}{1 - \text{car}_d} \right) = \beta_1 + \beta_2 \Delta_d + \varepsilon_d \quad (98)$$

where d indexes districts, car_d is the share of journeys undertaken by car and Δ is the difference in travel time between public transport and driving in minutes. Figure [A.15](#) displays the fitted values from this

¹³Under its public use license Google restricts users to a small number of requests for travel times per day. Using Google’s public use license to compute all 254 million bilateral driving times would have taken several years.

¹⁴The main changes to the urban motorway system between 1986 and 2006 include the extension of the A113 between Adlershof and Kreuz Schönefeld, two small extensions of the A100 and the construction of the A111.

regression against the actual values of the data.

Using the parameter estimates from this regression we predict the share of journeys undertaken by car for each bilateral commute between two blocks in Berlin. Our final estimate of the average travel time between two blocks i and j is the weighted average of the car and public transport travel times using the predicted car and public transport shares as weights. We use the same weights to combine the public transport and car travel times for 1986.¹⁵

A.10.4 Block Characteristics

We have collected data on observable block characteristics from a number of sources, as discussed below.

Block Land Area and Centroids We used ArcGIS and a shapefile provided by the Statistical Office of Berlin (“Senatsverwaltung”) to compute geographic land area in square meters and the centroid of each block for 2006. As discussed in the data section in the paper, we hold the 2006 block structure constant for all years in our data.

Distance to the Nearest U-Bahn and S-Bahn station From each block centroid we compute the straight-line distance in meters to the nearest underground (U-Bahn) and suburban (S-Bahn) railway station in 1936, 1986 and 2006. Shapefiles showing the exact routing (line shapes) of the rail lines as well as the exact locations of the stations (point shapes) in 2006 were provided by the Statistical Office of Berlin (“Senatsverwaltung”). We used historic network plans to identify those stations that did not exist in 1936 or 1986. Scans of historic network plans are available from the website of Berlin Verkehr (www.berliner-berkehr.de). To create shapefiles of the 1936 and 1986 networks we start from the 2006 shapefiles and delete those parts of the networks that did not exist in 1936 or 1986. In this backward adjustment process a small number of stations were added that existed in 1936, but were no longer served in 2006 (and 1986).

Green Areas We used ArcGIS and a shapefile provided by the Statistical Office of Berlin (“Senatsverwaltung”) to compute the straight-line distance in meters from each block centroid to the edge of the nearest green area (public parks, forests and other green public areas in 2005). We also compute the square meters of green area for each block.

Water Areas We used ArcGIS and a shapefile provided by the Statistical Office of Berlin (“Senatsverwaltung”) to compute the straight-line distance in meters from each block centroid to the edge of the nearest canal, river or lake. We also create a dummy variable for blocks that are adjacent to a canal, river or lake.

Schools We used ArcGIS and a shapefile provided by the Statistical Office of Berlin (“Senatsverwaltung”) to compute the straight-line distance in meters from each block centroid to the nearest school in 2006.

¹⁵We were unable to find data on the modal split of commuting journeys in Berlin in 1986 by district. However, data in [Kloas, Kuhfeld, and Kunert \(1988\)](#) show that the overall share of journeys by car was very similar to 2006.

Noise To capture the average noise level within a block we used ArcGIS and data provided by the Statistical Office of Berlin (“Senatsverwaltung”) on the (estimated) average noise levels expressed in decibels (db) for 10×10 meter grid cells. For each block, we compute the average noise level across the grid cells that fall within the block.

Land Use The 2006 land value map published by the Committee of Valuation Experts (“Gutachterausschuss für Grundstückswerte”) defines zones (“Bodenrichtwertzonen”) that are homogenous in terms of land value, building density, and land use. We use this map to create four dummy variables for whether the typical land use in a block is commercial, residential, industrial or mixed.

Second World War Destruction We constructed the share of the built-up area in a block that was destroyed during the Second World War as reported on a map from the Agency for Cartography of Berlin in 1945 (“Gebäudeschäden im Gebiet der Stadt Berlin, Stand 1945, Topographische Karte 1:25000,” Herausgeber: Hauptamt für Vermessung der Stadt Berlin).

Listed Buildings The number of listed buildings in a block in 2008 was created based on a shapefile provided by the Statistical Office of Berlin (“Senatsverwaltung”).

Urban Regeneration Policies Post-Reunification We constructed three dummy variables indicating whether a block belongs to a renewal area (“Sanierungsgebiet”) designated in 2002, a renewal area designated in 2006, or an area of urban restructuring (“Stadtumbau West”) designated in 2005. Two shapefiles showing the exact boundaries of renewal areas and areas of urban restructuring were provided by the Statistical Office of Berlin (“Senatsverwaltung”).

Government Buildings Post-Reunification We construct a dummy variable for whether a major government building was located in a block in 2006 using a map showing all government buildings in 2006 provided by the Statistical Office of Berlin (“Senatsverwaltung”).

Wages The Statistical Yearbook of Berlin reports mean wages for each district of West Berlin in 1986. The data refer to mean annual wages of blue collar workers working in the manufacturing industry.

A.10.5 Commuting Survey Data

Micro Commuting Survey Data 2008 [Ahrens, Ließke, Wittwer, and Hubrich \(2009\)](#) reports the results of a representative commuting survey in Berlin and several other large German cities for 2008. The survey records for each trip that a respondent makes on the day of the survey the start and end district, time travelled in minutes and purpose of the trip. In this data we observe for Berlin 7,984 journeys between a worker’s place of residence and her place of work. We use these data to construct a matrix of bilateral commuting probabilities between the 12 districts of Berlin in 2008.

We also use these data to construct the fractions of commuters with travel times in the following eight bins: 0-10, 10-20, 20-30, 30-40, 40-50, 50-60, 60-75 and 75-90 minutes. In constructing the fractions of commuters for these travel time bins, we exclude the negligible fraction of workers that commute for longer than 90 minutes (in one direction from residence to workplace), who are likely to be influenced by factors outside the model. We therefore construct the fractions of commuters for these travel time bins conditional on commuting for 90 minutes or less, so that the fractions add up to one.

Commuting Survey Data 1982 Brög (1982) reports the results of a representative commuting survey of 27,560 households in West Berlin and West Germany. The data include 291 households in West Berlin and report travel times in minutes between place of residence and place of work. We use these data to construct the fraction of commuters with travel times in the following eight bins: 0-10, 10-20, 20-30, 30-40, 40-50, 50-60, 60-75 and 75-90 minutes. We again exclude the negligible fraction of workers that commute for longer than 90 minutes (in one direction from residence to workplace) and construct the commuting fractions conditional on commuting for 90 minutes or less so that they add up to one.

Commuting Survey Data 1930s The pre-war commuting data were taken from Feder (1939). In the second half of the 1930s, Gottfried Feder carried out a survey of commuting in Berlin. He surveyed a total of 24,336 workers across eight work locations in Berlin that he intended to be representative for the city and which included industry, service and public sector employers. He asked respondents for the travel time in minutes from their place of residence to their place of work. We use these data to construct the fraction of commuters with travel times in the following six bins: 0-20, 20-30, 30-45, 45-60, 60-75 and 75-90 minutes. We again exclude the negligible fraction of workers that commute for longer than 90 minutes (in one direction from residence to workplace) and construct the commuting fractions conditional on commuting for 90 minutes or less so that they add up to one.

A.10.6 Micro Data on Land Transactions

We follow the standard approach in the urban literature of assuming that floor space L is supplied by a competitive construction sector that uses geographic land K and capital M as inputs. Following Combes, Duranton, and Gobillon (2014) and Epple, Gordon, and Sieg (2010), we assume that the production function takes the Cobb-Douglas form: $L_i = M_i^\mu K_i^{1-\mu}$. We now show that these assumptions provide a good approximation to the micro data on property transactions for Berlin that are available from 2000-2012.

From the first-order condition for profit maximization in the construction sector, the ratio of capital to land area depends on the price of land relative to the price of capital:

$$\frac{M_i}{K_i} = \frac{\mu}{1-\mu} \frac{\mathbb{R}_i}{r}, \quad (99)$$

where \mathbb{R}_i is the price of land and r is the common price of capital across all locations. From the zero-profit condition, total revenue from floor space equals total payments to capital and land:

$$\frac{Q_i L_i}{K_i} = \frac{r M_i + \mathbb{R}_i K_i}{K_i}. \quad (100)$$

Combining these two conditions, total floor price multiplied by the price of floor price and divided by land area is a linear transformation of the price of land:

$$\frac{Q_i L_i}{K_i} = \frac{1}{1 - \mu} \mathbb{R}_i. \quad (101)$$

We have obtained access to confidential data from the Committee of Valuation Experts, which contain property transactions in Berlin from 2000-2012. In this data set we observe transaction prices, which correspond to $Q_i L_i$, as well as the corresponding lot sizes, which correspond to K_i . We compare property prices divided by the lot size in these transactions data to the standard land values reported by the Committee that are used in our empirical analysis. This comparison serves two purposes. First, a strong correlation will indicate that the standard land values provided by the Committee are truly reflective of the market valuation. Second, an approximately linear relationship will suggest that the Cobb Douglas functional form is a reasonable approximation for the construction sector in Berlin.

We adjust the observed prices in the property transactions data to 2006 prices using a Case-Shiller type repeated sales approach at the block level. Unlike in conventional hedonic analysis of Q_i there is no need to correct for housing attributes like the number of bathrooms or bedrooms because $(Q_i L_i)/K_i$ is directly observed in the data. However, since housing is durable and depreciates over time, it is important to control for the age of the building stock. We use the following specification to predict the average (log) price for a newly developed property per unit of geographic area (in meters squared) in a block in 2006 prices:

$$\ln(V_{kt}) = \sum_m b_m^{AC} AD_m + \sum_{n \neq 2006} b_n^{YD} YD_n + \Phi_i + \epsilon_{kt}. \quad (102)$$


where k indexes properties; i indexes blocks and t indexes time; V_{kt} is the transaction price of a property k sold in year t divided by its lot size (land area); AD_m is a full set of dummies for ten age cohorts m (0-5 years is the base category); YD_n is a full set of dummies for year n (2006 is the base category); ϵ_{kt} is a stochastic error; and Φ_i is a time-invariant block specific fixed effect, which we recover for further analysis.

The parameter estimates are reported in Table A.18. The transaction data set has sufficient observations to recover block fixed effects for 8,907 blocks. Figure A.10 provides a comparison of this measure of $(Q_i L_i)/K_i$ to the 2006 land values assessed by the Committee of Valuation Experts, which correspond to \mathbb{R}_i . As predicted by our framework, the two measures are log-linearly related with a slope of approximately one. The transactions data we obtained also allows for a validation of the GFZ measure reported by the Committee. Figure A.11 compares the mean floor area divided by the lot size for each block in the property transactions data to the values reported by the Committee. Again, we find that the two variables are closely correlated with a log slope of approximately one.

References


- AHLFELDT, G., S. REDDING, D. STURM, AND N. WOLF (2012): “The Economics of Density: Evidence from the Berlin Wall,” *CEP Discussion Paper*, 1154.
- AHRENS, G.-A., F. LIESKE, R. WITTWER, AND S. HUBRICH (2009): “Endbericht zur Verkehrserhebung Mobilität in Städten - SrV 2008 und Auswertungen zum SrV-Städtepegel,” Dresden: Technische Universität Dresden.
- ALBOUY, D. (2008): “Are Big Cities Bad Places to Live? Estimating Quality of Life across Metropolitan Areas,” *NBER Working Paper*, 14472.
- ALONSO, W. (1964): *Location and Land Use*. Harvard, Cambridge MA.
- AMERICAN EMBASSY (1965): *Handbook of Economic Statistics: Federal Republic of Germany and Western Sectors of Berlin*. American Embassy, Bonn.
- BRÖG, W. (1982): “Kontinuierliche Erhebung zum Verkehrsverhalten 1982 (KONTIV 82),” München: Institut für Verkehrs- und Infrastrukturforschung.
- CAMERON, A. C., AND P. K. TRIVELDI (2005): *Microeconometrics: Methods and Applications*. Cambridge University Press, Cambridge.
- COMBES, P.-P., G. DURANTON, AND L. GOBILLON (2014): “The Costs of Agglomeration: Land Prices in French Cities,” Wharton, mimeograph.
- CONLEY, T. G. (1999): “GMM Estimation with Cross Sectional Dependence,” *Journal of Econometrics*, 92(1), 1–45.
- DAVIS, M. A., AND F. ORTALO-MAGNÉ (2011): “Housing Expenditures, Wages, Rents,” *Review of Economic Dynamics*, 14(2), 248–261.
- DURANTON, G., AND D. PUGA (2004): “Micro-Foundations of Urban Agglomeration Economies,” in *Handbook of Regional and Urban Economics*, ed. by J. V. Henderson, and J.-F. Thisse, vol. 4, pp. 2063–2117. Elsevier, Amsterdam.
- EATON, J., AND S. KORTUM (2002): “Technology, Geography, and Trade,” *Econometrica*, 70(5), 1741–1779.
- EPPEL, D., B. GORDON, AND H. SIEG (2010): “A New Approach to Estimating the Production Function for Housing,” *American Economic Review*, 100(3), 905–924.
- FEDER, G. (1939): *Arbeitstätte - Wohnstätte*, Schriftenreihe der Reichsarbeitsgemeinschaft für Raumforschung an der Technischen Hochschule Berlin. Julius Springer, Berlin.
- FUJITA, M., AND H. OGAWA (1982): “Multiple Equilibria and Structural Transformation of Non-monocentric Urban Configurations,” *Regional Science and Urban Economics*, 12(2), 161–196.

- HANSEN, L. P. (1982): "Large Sample Properties of Generalized Method of Moments Estimators," *Econometrica*, 50(4), 1029–1054.
- KLOAS, J., H. KUHFIELD, AND U. KUNERT (1988): "Welche Entwicklung nimmt der Personenverkehr in Berlin-West? Zwei verkehrspolitische Szenarien," *Verkehr und Technik*, 41(10), 383–395.
- LEYDEN, F. (1933): *Gross-Berlin: Geographie einer Weltstadt*. Gebr. Mann Verlag, Berlin.
- LUCAS, R. E. (2000): "Externalities and Cities," *Review of Economic Dynamics*, 4(2), 245–274.
- McFADDEN, D. (1974): "The Measurement of Urban Travel Demand," *Journal of Public Economics*, 3(4), 303–328.
- MILLS, E. S. (1967): "An Aggregative Model of Resource Allocation in a Metropolitan Centre," *American Economic Review*, 57(2), 197–210.
- MUTH, R. (1969): *Cities and Housing*. University of Chicago Press, Chicago.
- ROBACK, J. (1982): "Wages, Rents and the Quality of Life," *Journal of Political Economy*, 90(6), 1257–1278.
- SENATSVERWALTUNG FÜR STADTENTWICKLUNG (2011): *Stadtentwicklungsplan Verkehr*. Senatsverwaltung, Berlin.
- SVEIKAUSKAS, L. A. (1975): "The Productivity of Cities," *Quarterly Journal of Economics*, 89(3), 393–413.
- VALENTINYI, A., AND B. HERRENDORF (2008): "Measuring Factor Income Shares at the Sectoral Level," *Review of Economic Dynamics*, 11(4), 820–835.
- VETTER, K. (1928): *Offizieller Führer für Berlin und Umgebung und Potsdam und seine Schlösser*. Rotophot, Berlin.
- WAR OFFICE (1945): *Germany Town Plan of Berlin 1945*, no. 4480 in Central Intelligence Unit and War Office, Geographical Section. General Staff.
- WHITE, H. (1980): "A Heteroskedasticity-Consistent Covariance Matrix Estimator and a Direct Test for Heteroskedasticity," *Econometrica*, 48(4), 817–838.



26

Figure A.1: Long-Differenced Log Land Prices for Division (1936-86)



27

Figure A.2: Long-Differenced Log Land Prices for Reunification (1986-2006)




Figure A.3: Commuting Moment Condition (Sum of Squared Deviations)




Figure A.4: Wage Moment Condition (Sum of Squared Deviations)




Figure A.5: Production Fundamentals Distance Grid Cell Moments (Reunification)




Figure A.6: Production Fundamentals Moment Condition (Sum of Squared Deviations)






Figure A.7: Residential Fundamentals Distance Grid Cell Moments (Reunification)





Note: Vertical red line indicates true parameter values.

Figure A.9: Monte Carlo Results (50 Replications)




Figure A.10: Transactions Prices Versus Assessed Value






Figure A.11: Density of Development Versus Assessed GFZ




Note: the graph shows the correlation between the log number of firms in the 1931 company register in each district of Berlin and the log of total private-sector workplace employment in the 1933 census. The R^2 of the regression is 0.77.

Figure A.12: District Employment and Number of Firms




Note: the graph shows the correlation between log workplace employment and the log number of establishments for each block of Berlin as reported in the 1987 census and the regression relationship between them. The R^2 is of the regression is 0.63.

Figure A.13: Block Employment and Establishments 1987



Note: the graph shows bilateral travel times in minutes for 100 randomly selected blocks in Berlin. The travel time for these 10,000 bilateral connections was computed using both Google's public use license and the ArcGIS Network Analyst. The correlation between these two measures of driving time is 0.94.

Figure A.14: ArcGIS Versus Google



Note: the graph shows the results of a logit regression that relates the share of car journeys in overall journeys in a district in 2010 to the average time saving from undertaking a trip originating in this district by car rather than public transport. See the main text for data sources and details of the estimation.

Figure A.15: Car Journeys in Overall Trips

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)
	$\Delta \ln Q$	$\Delta \ln Q$	$\Delta \ln Q$	$\Delta \ln Q$	$\Delta \ln Q$	$\Delta \ln \text{EmpR}$	$\Delta \ln \text{EmpR}$	$\Delta \ln \text{EmpW}$	$\Delta \ln \text{EmpW}$
CBD 1	-0.800*** (0.107)	-0.567*** (0.108)	-0.524*** (0.108)	-0.503*** (0.108)	-0.565*** (0.117)	-1.332*** (0.421)	-0.975*** (0.262)	-0.691 (0.512)	-0.639* (0.362)
CBD 2	-0.655*** (0.059)	-0.422*** (0.069)	-0.392*** (0.068)	-0.360*** (0.062)	-0.400*** (0.073)	-0.715** (0.273)	-0.361 (0.233)	-1.253*** (0.332)	-1.367*** (0.175)
CBD 3	-0.543*** (0.050)	-0.306*** (0.059)	-0.294*** (0.060)	-0.258*** (0.051)	-0.247*** (0.062)	-0.911*** (0.232)	-0.460* (0.245)	-0.341 (0.311)	-0.471*** (0.167)
CBD 4	-0.436*** (0.034)	-0.207*** (0.043)	-0.193*** (0.046)	-0.166*** (0.041)	-0.176*** (0.036)	-0.356*** (0.152)	-0.259 (0.196)	-0.512*** (0.171)	-0.521*** (0.131)
CBD 5	-0.353*** (0.028)	-0.139*** (0.030)	-0.123*** (0.033)	-0.098*** (0.032)	-0.100*** (0.024)	-0.301** (0.151)	-0.143 (0.159)	-0.436*** (0.166)	-0.340*** (0.121)
CBD 6	-0.291*** (0.035)	-0.125*** (0.029)	-0.094*** (0.026)	-0.077*** (0.026)	-0.090*** (0.024)	-0.360*** (0.141)	-0.135 (0.119)	-0.280** (0.138)	-0.142 (0.126)
Inner Boundary 1-6			Yes	Yes	Yes		Yes		Yes
Outer Boundary 1-6			Yes	Yes	Yes		Yes		Yes
Kudamm 1-6				Yes	Yes		Yes		Yes
Block Characteristics					Yes		Yes		Yes
District Fixed Effects		Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Observations	6260	6260	6260	6260	6260	5978	5978	2844	2844
R-squared	0.26	0.51	0.63	0.65	0.71	0.19	0.43	0.12	0.33

Note: This table reports a robustness test for Table 1 in the paper using clustered standard errors. Q denotes the price of floor space. EmpR denotes employment by residence. EmpW denotes employment by workplace. CBD1-CBD6 are six 500m distance grid cells for distance from the pre-war CBD. Inner Boundary 1-6 are six 500m grid cells for distance to the Inner Boundary between East and West Berlin. Outer Boundary 1-6 are six 500m grid cells for distance to the outer boundary between West Berlin and East Germany. Kudamm 1-6 are six 500m grid cells for distance to Breitscheid Platz on the Kurfürstendamm. Block characteristics include the logarithm of distance to schools, parks and water, land area of the block, the share of the block's built-up area destroyed during the Second World War, indicators for residential, commercial and industrial land use, and indicators for whether a block includes a government building and urban regeneration policies post-reunification. Robust standard errors in parentheses adjusted for clustering by statistical area ("Gebiete"). * significant at 10%; ** significant at 5%; *** significant at 1%.

Table A.1: Robustness Test for Baseline Division Results (1936-1986), Clustered Standard Errors

	(3)	(4)	(5)	(7)	(9)		(4)	(5)	(7)	(9)
	$\Delta \ln Q$	$\Delta \ln Q$	$\Delta \ln Q$	$\Delta \ln \text{EmpR}$	$\Delta \ln \text{EmpW}$		$\Delta \ln Q$	$\Delta \ln Q$	$\Delta \ln \text{EmpR}$	$\Delta \ln \text{EmpW}$
INN 1	-0.041* (0.024)	-0.035 (0.024)	0.006 (0.021)	-0.005 (0.118)	-0.658*** (0.164)	KU 1	-0.166*** (0.025)	-0.192*** (0.024)	-1.350*** (0.331)	0.746*** (0.251)
INN 2	-0.016 (0.023)	-0.009 (0.023)	0.012 (0.021)	-0.019 (0.094)	-0.252 (0.168)	KU 2	-0.142*** (0.028)	-0.149*** (0.029)	-0.184 (0.148)	0.362*** (0.162)
INN 3	0.009 (0.020)	0.017 (0.020)	0.028 (0.018)	-0.245*** (0.093)	-0.224 (0.145)	KU 3	-0.145*** (0.022)	-0.148*** (0.022)	-0.200*** (0.092)	-0.042 (0.141)
INN 4	-0.010 (0.019)	0.002 (0.019)	0.007 (0.018)	-0.148** (0.093)	-0.002 (0.143)	KU 4	-0.094*** (0.014)	-0.100*** (0.013)	-0.281*** (0.093)	-0.003 (0.117)
INN 5	0.006 (0.017)	0.025 (0.017)	0.029* (0.016)	-0.055 (0.099)	0.008 (0.150)	KU 5	-0.141*** (0.018)	-0.143*** (0.017)	-0.253*** (0.098)	0.272*** (0.127)
INN 6	-0.016 (0.014)	0.009 (0.013)	0.025** (0.012)	-0.013 (0.083)	-0.065 (0.128)	KU 6	-0.098*** (0.012)	-0.094*** (0.013)	-0.159*** (0.073)	0.360*** (0.104)
OUT 1	0.187*** (0.013)	0.189*** (0.013)	0.150*** (0.014)	0.644*** (0.111)	-1.300*** (0.228)					
OUT 2	0.201*** (0.012)	0.204*** (0.012)	0.170*** (0.012)	0.780*** (0.082)	-0.530*** (0.197)					
OUT 3	0.229*** (0.012)	0.231*** (0.012)	0.202*** (0.012)	0.678*** (0.078)	-0.569*** (0.156)					
OUT 4	0.212*** (0.011)	0.213*** (0.011)	0.190*** (0.011)	0.417*** (0.065)	-0.218 (0.137)					
OUT 5	0.167*** (0.012)	0.168*** (0.013)	0.148*** (0.011)	0.235*** (0.071)	-0.251* (0.129)					
OUT 6	0.117*** (0.012)	0.118*** (0.012)	0.109*** (0.010)	0.153** (0.078)	-0.317** (0.141)					

Note: This table reports the coefficients and standard errors on the additional distance grid cells in Table 1 in the paper. Q denotes the price of floor space. EmpR denotes employment by residence. EmpW denotes employment by workplace. INN1-INN6 are six 500m distance grid cells for distance from the inner boundary between East and West Berlin. OUT1-OUT6 are six 500m grid cells for distance to the Outer Boundary between West Berlin and East Germany. KU1-KU6 are six 500m grid cells for distance to Breitscheid Platz on the Kurfürstendamm. Column numbers refer to the columns in Table 1 in the paper. See Table 1 in the paper for further details. Heteroscedasticity and Autocorrelation Consistent (HAC) standard errors in parentheses (Conley 1999). * significant at 10%, ** significant at 5%, *** significant at 1%.

Table A.2: Other Coefficients from Baseline Division Results (1936-1986), Conley Standard Errors

	(1) $\Delta \ln Q$	(2) $\Delta \ln Q$	(3) $\Delta \ln Q$	(4) $\Delta \ln Q$	(5) $\Delta \ln Q$	(6) $\Delta \ln \text{EmpR}$	(7) $\Delta \ln \text{EmpR}$	(8) $\Delta \ln \text{EmpW}$	(9) $\Delta \ln \text{EmpW}$
CBD 1	0.398** (0.154)	0.408*** (0.128)	0.368*** (0.119)	0.369*** (0.118)	0.281** (0.121)	1.079*** (0.312)	1.025*** (0.313)	1.574** (0.678)	1.249* (0.734)
CBD 2	0.290* (0.165)	0.289** (0.136)	0.257** (0.127)	0.258** (0.126)	0.191 (0.125)	0.589* (0.352)	0.538 (0.340)	0.684** (0.330)	0.457 (0.351)
CBD 3	0.122** (0.049)	0.120** (0.047)	0.110** (0.042)	0.115** (0.044)	0.063* (0.033)	0.340 (0.211)	0.305* (0.175)	0.326* (0.187)	0.158 (0.205)
CBD 4	0.033* (0.018)	0.031 (0.027)	0.030 (0.024)	0.034 (0.024)	0.017 (0.019)	0.110 (0.079)	0.034 (0.079)	0.336* (0.182)	0.261 (0.221)
CBD 5	0.025* (0.014)	0.018 (0.017)	0.020 (0.016)	0.020 (0.015)	0.015 (0.013)	-0.012 (0.064)	-0.056 (0.056)	0.114 (0.131)	0.066 (0.155)
CBD 6	0.019 (0.015)	-0.000 (0.015)	-0.000 (0.014)	-0.003 (0.014)	0.005 (0.013)	0.060* (0.032)	0.053 (0.035)	0.049 (0.088)	0.110 (0.086)
Inner Boundary 1-6			Yes	Yes	Yes		Yes		Yes
Outer Boundary 1-6			Yes	Yes	Yes		Yes		Yes
Kudamm 1-6				Yes	Yes		Yes		Yes
Block Characteristics					Yes		Yes		Yes
District Fixed Effects		Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Observations	7050	7050	7050	7050	7050	6718	6718	5602	5602
R-squared	0.08	0.32	0.34	0.35	0.43	0.04	0.07	0.03	0.06

Note: This table reports a robustness test for Table 2 in the paper using clustered standard errors. Q denotes the price of floor space. EmpR denotes employment by residence. EmpW denotes employment by workplace. CBD1-CBD6 are six 500m distance grid cells for distance from the pre-war CBD. Inner Boundary 1-6 are six 500m grid cells for distance to the Inner Boundary between East and West Berlin. Outer Boundary 1-6 are six 500m grid cells for distance to the outer boundary between West Berlin and East Germany. Kudamm 1-6 are six 500m grid cells for distance to Breitscheid Platz on the Kurfürstendamm. Block characteristics include the logarithm of distance to schools, parks and water, the land area of the block, the share of the block's built-up area destroyed during the Second World War, indicators for residential, commercial and industrial land use, and indicators for whether a block includes a government building and urban regeneration policies post-reunification. Robust Standard Errors in Parentheses adjusted for clustering by statistical area ("Gebiete"). * significant at 10%, ** significant at 5%, *** significant at 1%.

Table A.3: Robustness Test for Baseline Reunification Results (1986-2006), Clustered Standard Errors

	(3)	(4)	(5)	(7)	(9)		(4)	(5)	(7)	(9)
	$\Delta \ln Q$	$\Delta \ln Q$	$\Delta \ln Q$	$\Delta \ln \text{EmpR}$	$\Delta \ln \text{EmpW}$		$\Delta \ln Q$	$\Delta \ln Q$	$\Delta \ln \text{EmpR}$	$\Delta \ln \text{EmpW}$
INN 1	0.035** (0.016)	0.033** (0.016)	0.030* (0.016)	0.031 (0.047)	-0.030 (0.113)	KU 1	0.085*** (0.024)	0.027 (0.024)	-0.231 (0.176)	0.159 (0.203)
INN 2	0.019 (0.022)	0.018 (0.022)	0.016 (0.022)	-0.010 (0.032)	0.006 (0.118)	KU 2	0.032* (0.018)	0.008 (0.016)	-0.102 (0.068)	0.295** (0.138)
INN 3	-0.017* (0.010)	-0.018* (0.010)	-0.017* (0.009)	0.004 (0.029)	-0.086 (0.093)	KU 3	0.017 (0.014)	0.021 (0.013)	0.014 (0.037)	-0.015 (0.118)
INN 4	-0.025*** (0.009)	-0.026*** (0.009)	-0.026*** (0.008)	0.075** (0.035)	-0.098 (0.103)	KU 4	-0.017 (0.012)	-0.009 (0.012)	0.006 (0.032)	0.022 (0.097)
INN 5	-0.036*** (0.010)	-0.038*** (0.010)	-0.042*** (0.008)	-0.017 (0.033)	-0.087 (0.099)	KU 5	-0.031*** (0.011)	-0.020** (0.010)	0.007 (0.040)	-0.075 (0.137)
INN 6	-0.019** (0.009)	-0.024*** (0.009)	-0.023*** (0.008)	-0.000 (0.032)	-0.150 (0.092)	KU 6	-0.006 (0.016)	0.006 (0.016)	0.052 (0.045)	-0.047 (0.116)
OUT 1	-0.011 (0.015)	-0.011 (0.015)	-0.006 (0.016)	0.039 (0.030)	0.095 (0.102)					
OUT 2	-0.030*** (0.006)	-0.030*** (0.006)	-0.026*** (0.006)	0.012 (0.027)	0.066 (0.079)					
OUT 3	-0.030*** (0.006)	-0.030*** (0.006)	-0.025*** (0.006)	0.009 (0.032)	0.144 (0.088)					
OUT 4	-0.030*** (0.006)	-0.030*** (0.006)	-0.021*** (0.007)	-0.001 (0.026)	0.014 (0.077)					
OUT 5	-0.030*** (0.006)	-0.030*** (0.006)	-0.024*** (0.006)	-0.031 (0.026)	0.013 (0.079)					
OUT 6	-0.019*** (0.007)	-0.019*** (0.007)	-0.016*** (0.006)	0.011 (0.037)	-0.088 (0.095)					

Note: This table reports the coefficients and standard errors on the additional distance grid cells in Table 2 in the paper. Q denotes the price of floor space. EmpR denotes employment by residence. EmpW denotes employment by workplace. INN1-INN6 are six 500m distance grid cells for distance from the inner boundary between East and West Berlin. OUT1-OUT6 are six 500m grid cells for distance to the Outer Boundary between West Berlin and East Germany. KU1-KU6 are six 500m grid cells for distance to Breitscheid Platz on the Kurfürstendamm. Column numbers refer to the column numbers in Table 2 in the paper. See Table 2 in the paper for further details. Heteroscedasticity and Autocorrelation Consistent (HAC) standard errors in parentheses (Conley 1999). * significant at 10%; ** significant at 5%; *** significant at 1%.

Table A.4: Other Coefficients from Baseline Reunification Results (1986-2006), Conley Standard Errors

	(1) $\Delta \ln Q$	(2) $\Delta \ln Q$	(3) $\Delta \ln Q$	(4) $\Delta \ln Q$	(5) $\Delta \ln Q$
CBD 1	-0.718*** (0.039)	-0.506*** (0.046)	-0.493*** (0.047)	-0.475*** (0.047)	-0.489*** (0.050)
CBD 2	-0.605*** (0.027)	-0.393*** (0.034)	-0.381*** (0.035)	-0.354*** (0.033)	-0.368*** (0.035)
CBD 3	-0.485*** (0.024)	-0.274*** (0.031)	-0.264*** (0.030)	-0.235*** (0.027)	-0.246*** (0.028)
CBD 4	-0.410*** (0.014)	-0.209*** (0.025)	-0.195*** (0.025)	-0.173*** (0.022)	-0.171*** (0.021)
CBD 5	-0.328*** (0.014)	-0.141*** (0.018)	-0.126*** (0.018)	-0.104*** (0.019)	-0.101*** (0.018)
CBD 6	-0.249*** (0.016)	-0.113*** (0.015)	-0.090*** (0.013)	-0.074*** (0.013)	-0.070*** (0.013)
Inner Boundary 1-6			Yes	Yes	Yes
Outer Boundary 1-6			Yes	Yes	Yes
Kudamm 1-6				Yes	Yes
Block Characteristics					Yes
District Fixed Effects		Yes	Yes	Yes	Yes
Observations	6260	6260	6260	6260	6260
R-squared	0.34	0.58	0.67	0.69	0.70

Note: Q denotes price of floor space. CBD1-CBD6 are six 500m distance grid cells for distance from the pre-war CBD. Inner Boundary 1-6 are six 500m grid cells for distance to the Inner Boundary between East and West Berlin. Outer Boundary 1-6 are six 500m grid cells for distance to the outer boundary between West Berlin and East Germany. Kudamm 1-6 are six 500m grid cells for distance to Breitscheid Platz on the Kurfürstendamm. Block characteristics include the logarithm of distance to schools, parks and water, the land area of the block, the share of the block's built-up area destroyed during the Second World War, indicators for residential, commercial and industrial land use, and indicators for whether a block includes a government building and urban regeneration policies post-reunification. Heteroscedasticity and Autocorrelation Consistent (HAC) standard errors in parentheses (Conley 1999). * significant at 10%; ** significant at 5%; *** significant at 1%.

Table A.5: Early Division Period (1936-66), Conley Standard Errors

	(1) $\Delta \ln Q$	(2) $\Delta \ln Q$	(3) $\Delta \ln Q$	(4) $\Delta \ln Q$	(5) $\Delta \ln Q$
CBD 1	-0.718*** (0.051)	-0.506*** (0.065)	-0.493*** (0.069)	-0.475*** (0.068)	-0.489*** (0.074)
CBD 2	-0.605*** (0.029)	-0.393*** (0.047)	-0.381*** (0.051)	-0.354*** (0.046)	-0.368*** (0.053)
CBD 3	-0.485*** (0.040)	-0.274*** (0.051)	-0.264*** (0.052)	-0.235*** (0.047)	-0.246*** (0.051)
CBD 4	-0.410*** (0.022)	-0.209*** (0.033)	-0.195*** (0.035)	-0.173*** (0.032)	-0.171*** (0.030)
CBD 5	-0.328*** (0.022)	-0.141*** (0.021)	-0.126*** (0.023)	-0.104*** (0.024)	-0.101*** (0.022)
CBD 6	-0.249*** (0.030)	-0.113*** (0.021)	-0.090*** (0.020)	-0.074*** (0.018)	-0.070*** (0.018)
Inner Boundary 1-6			Yes	Yes	Yes
Outer Boundary 1-6			Yes	Yes	Yes
Kudamm 1-6				Yes	Yes
Block Characteristics					Yes
District Fixed Effects		Yes	Yes	Yes	Yes
Observations	6260	6260	6260	6260	6260
R-squared	0.34	0.58	0.67	0.69	0.70

Note: This table reports a robustness test for Table A5 in this web appendix using clustered standard errors. Q denotes price of floor space. CBD1-CBD6 are six 500m distance grid cells for distance from the pre-war CBD. Inner Boundary 1-6 are six 500m grid cells for distance to the Inner Boundary between East and West Berlin. Outer Boundary 1-6 are six 500m grid cells for distance to the outer boundary between West Berlin and East Germany. Kudamm 1-6 are six 500m grid cells for distance to Breitscheid Platz on the Kurfürstendamm. Block characteristics include the logarithm of distance to schools, parks and water, the land area of the block, the share of the block's built-up area destroyed during the Second World War, indicators for residential, commercial and industrial land use, and indicators for whether a block includes a government building and urban regeneration policies post-reunification. Robust Standard Errors in Parentheses adjusted for clustering by statistical area ("Gebiete"). * significant at 10%; ** significant at 5%; *** significant at 1%.

Table A.6: Robustness Test for Early Division Period (1936-66), Clustered Standard Errors

	(1) $\Delta \ln Q$	(2) $\Delta \ln Q$	(3) $\Delta \ln Q$	(4) $\Delta \ln Q$	(5) $\Delta \ln Q$
CBD 1	-0.088*** (0.020)	-0.066*** (0.017)	-0.030 (0.019)	-0.028 (0.019)	-0.074*** (0.020)
CBD 2	-0.069*** (0.015)	-0.042*** (0.016)	-0.008 (0.017)	-0.006 (0.017)	-0.024 (0.018)
CBD 3	-0.094*** (0.018)	-0.061*** (0.019)	-0.047** (0.019)	-0.044** (0.019)	-0.005 (0.016)
CBD 4	-0.031*** (0.011)	-0.002 (0.013)	-0.002 (0.014)	0.001 (0.014)	-0.003 (0.012)
CBD 5	-0.029*** (0.008)	0.001 (0.010)	0.000 (0.011)	0.002 (0.011)	-0.003 (0.008)
CBD 6	-0.045*** (0.008)	-0.011 (0.009)	-0.000 (0.010)	0.000 (0.010)	-0.012 (0.008)
Inner Boundary 1-6			Yes	Yes	Yes
Outer Boundary 1-6			Yes	Yes	Yes
Kudamm 1-6				Yes	Yes
Block Characteristics					Yes
District Fixed Effects		Yes	Yes	Yes	Yes
Observations	7248	7248	7248	7248	7248
R-squared	0.01	0.09	0.16	0.16	0.41

Note: Q denotes price of floor space. CBD1-CBD6 are six 500m distance grid cells for distance from the pre-war CBD. Inner Boundary 1-6 are six 500m grid cells for distance to the Inner Boundary between East and West Berlin. Outer Boundary 1-6 are six 500m grid cells for distance to the outer boundary between West Berlin and East Germany. Kudamm 1-6 are six 500m grid cells for distance to Breitscheid Platz on the Kurfürstendamm. Block characteristics include the logarithm of distance to schools, parks and water, the land area of the block, the share of the block's built-up area destroyed during the Second World War, indicators for residential, commercial and industrial land use, and indicators for whether a block includes a government building and urban regeneration policies post-reunification. Heteroscedasticity and Autocorrelation Consistent (HAC) standard errors in parentheses (Conley 1999). * significant at 10%; ** significant at 5%; *** significant at 1%.

Table A.7: Late Division Period (1966-86), Conley Standard Errors

	(1)	(2)	(3)	(4)	(5)
	$\Delta \ln Q$	$\Delta \ln Q$	$\Delta \ln Q$	$\Delta \ln Q$	$\Delta \ln Q$
CBD 1	-0.088 (0.060)	-0.066 (0.049)	-0.030 (0.047)	-0.028 (0.047)	-0.074 (0.049)
CBD 2	-0.069 (0.041)	-0.042 (0.038)	-0.008 (0.039)	-0.006 (0.038)	-0.024 (0.039)
CBD 3	-0.094** (0.043)	-0.061 (0.049)	-0.047 (0.046)	-0.044 (0.048)	-0.005 (0.027)
CBD 4	-0.031 (0.019)	-0.002 (0.020)	-0.002 (0.024)	0.001 (0.023)	-0.003 (0.016)
CBD 5	-0.029* (0.016)	0.001 (0.020)	0.000 (0.022)	0.002 (0.021)	-0.003 (0.013)
CBD 6	-0.045*** (0.014)	-0.011 (0.017)	-0.000 (0.016)	0.000 (0.016)	-0.012 (0.012)
Inner Boundary 1-6			Yes	Yes	Yes
Outer Boundary 1-6			Yes	Yes	Yes
Kudamm 1-6				Yes	Yes
Block Characteristics					Yes
District Fixed Effects		Yes	Yes	Yes	Yes
Observations	7248	7248	7248	7248	7248
R-squared	0.01	0.09	0.16	0.16	0.41

Note: This table reports a robustness test for Table A7 in this web appendix using clustered standard errors. Q denotes price of floor space. CBD1-CBD6 are six 500m distance grid cells for distance from the pre-war CBD. Inner Boundary 1-6 are six 500m grid cells for distance to the Inner Boundary between East and West Berlin. Outer Boundary 1-6 are six 500m grid cells for distance to the outer boundary between West Berlin and East Germany. Kudamm 1-6 are six 500m grid cells for distance to Breitscheid Platz on the Kurfürstendamm. Block characteristics include the logarithm of distance to schools, parks and water, the land area of the block, the share of the block's built-up area destroyed during the Second World War, indicators for residential, commercial and industrial land use, and indicators for whether a block includes a government building and urban regeneration policies post-reunification. Robust Standard Errors in Parentheses adjusted for clustering by statistical area ("Gebiete"). * significant at 10%; ** significant at 5%; *** significant at 1%.

Table A.8: Robustness Test for Late Division Period (1966-86), Clustered Standard Errors

	(1) $\Delta \ln Q$ 1936-86	(2) $\Delta \ln Q$ 1936-86	(3) $\Delta \ln Q$ 1936-86	(4) $\Delta \ln Q$ 1986-2006	(5) $\Delta \ln Q$ 1986-2006	(6) $\Delta \ln Q$ 1986-2006
CBD 1	-0.736*** (0.059)	-0.533*** (0.062)	-0.548*** (0.071)	0.381*** (0.101)	0.402*** (0.088)	0.280*** (0.087)
CBD 2	-0.627*** (0.046)	-0.407*** (0.047)	-0.395*** (0.051)	0.282** (0.112)	0.287*** (0.096)	0.190** (0.087)
CBD 3	-0.515*** (0.038)	-0.291*** (0.039)	-0.241*** (0.034)	0.115*** (0.039)	0.118*** (0.033)	0.063** (0.028)
CBD 4	-0.403*** (0.021)	-0.192*** (0.031)	-0.169*** (0.025)	0.024* (0.014)	0.029 (0.023)	0.016 (0.020)
CBD 5	-0.332*** (0.018)	-0.131*** (0.024)	-0.098*** (0.020)	0.019* (0.010)	0.016 (0.015)	0.015 (0.013)
CBD 6	-0.276*** (0.016)	-0.120*** (0.019)	-0.088*** (0.016)	0.015* (0.009)	-0.001 (0.012)	0.005 (0.011)
U/S-Bahn	-0.143*** (0.012)	-0.077*** (0.010)	-0.049*** (0.008)	0.037*** (0.007)	0.012** (0.006)	0.005 (0.005)
Inner Boundary 1-6			Yes			Yes
Outer Boundary 1-6			Yes			Yes
Kudamm 1-6			Yes			Yes
Block Characteristics			Yes			Yes
District Fixed Effects		Yes	Yes		Yes	Yes
Observations	6260	6260	6260	7050	7050	7050
R-squared	0.30	0.52	0.71	0.08	0.32	0.43

Note: Q denotes price of floor space. CBD1-CBD6 are six 500m distance grid cells for distance from the pre-war CBD. U/S-Bahn is an indicator variable that is one if a block lies within 250 meters of a U-bahn or S-bahn station and zero otherwise. Inner Boundary 1-6 are six 500m grid cells for distance to the Inner Boundary between East and West Berlin. Outer Boundary 1-6 are six 500m grid cells for distance to the outer boundary between West Berlin and East Germany. Kudamm 1-6 are six 500m grid cells for distance to Breitscheid Platz on the Kurfürstendamm. Block characteristics include the logarithm of distance to schools, parks and water, the land area of the block, the share of the block's built-up area destroyed during the Second World War, indicators for residential, commercial and industrial land use, and indicators for whether a block includes a government building and urban regeneration policies post-reunification. Heteroscedasticity and Autocorrelation Consistent (HAC) standard errors in parentheses (Conley 1999). * significant at 10%; ** significant at 5%; *** significant at 1%. statistical area ("Gebiete"). * significant at 10%; ** significant at 5%; *** significant at 1%.

Table A.9: Transport Access Results for Division and Reunification (1936-86 and 1986-2006), Conley Standard Errors

	(1) $\Delta \ln Q$ 1936-86	(2) $\Delta \ln Q$ 1936-86	(3) $\Delta \ln Q$ 1936-86	(4) $\Delta \ln Q$ 1986-2006	(5) $\Delta \ln Q$ 1986-2006	(6) $\Delta \ln Q$ 1986-2006
CBD 1	-0.736*** (0.086)	-0.533*** (0.094)	-0.548*** (0.108)	0.381** (0.149)	0.402*** (0.125)	0.280** (0.120)
CBD 2	-0.627*** (0.066)	-0.407*** (0.069)	-0.395*** (0.073)	0.282* (0.167)	0.287** (0.136)	0.190 (0.125)
CBD 3	-0.515*** (0.060)	-0.291*** (0.059)	-0.241*** (0.064)	0.115** (0.053)	0.118** (0.047)	0.063* (0.033)
CBD 4	-0.403*** (0.031)	-0.192*** (0.039)	-0.169*** (0.035)	0.024 (0.019)	0.029 (0.027)	0.016 (0.019)
CBD 5	-0.332*** (0.027)	-0.131*** (0.029)	-0.098*** (0.024)	0.019 (0.014)	0.016 (0.017)	0.015 (0.013)
CBD 6	-0.276*** (0.031)	-0.120*** (0.028)	-0.088*** (0.023)	0.015 (0.013)	-0.001 (0.015)	0.005 (0.013)
U/S-Bahn	-0.143*** (0.019)	-0.077*** (0.014)	-0.049*** (0.010)	0.037*** (0.008)	0.012** (0.005)	0.005 (0.005)
Inner Boundry 1-6			Yes			Yes
Outer Boundary 1-6			Yes			Yes
Kudamm 1-6			Yes			Yes
Block Characteristics			Yes			Yes
District Fixed Effects		Yes	Yes		Yes	Yes
Observations	6260	6260	6260	7050	7050	7050
R-squared	0.30	0.52	0.71	0.08	0.32	0.43

Note: This table reports a robustness test for Table A9 in this web appendix using clustered standard errors. Q denotes price of floor space. CBD1-CBD6 are six 500m distance grid cells for distance from the pre-war CBD. U/S-Bahn is an indicator variable that is one if a block lies within 250 meters of a U-bahn or S-bahn station and zero otherwise. Inner Boundary 1-6 are six 500m grid cells for distance to the Inner Boundary between East and West Berlin. Outer Boundary 1-6 are six 500m grid cells for distance to the outer boundary between West Berlin and East Germany. Kudamm 1-6 are six 500m grid cells for distance to Breitscheid Platz on the Kurfürstendamm. Block characteristics include the logarithm of distance to schools, parks and water, the land area of the block, the share of the block's built-up area destroyed during the Second World War, indicators for residential, commercial and industrial land use, and indicators for whether a block includes a government building and urban regeneration policies post-reunification. Standard errors in parentheses are heteroscedasticity robust and clustered on statistical area (Gebiete). * significant at 10%; ** significant at 5%; *** significant at 1%. statistical area ("Gebiete"). * significant at 10%; ** significant at 5%; *** significant at 1%.

Table A.10: Robustness Test for Transport Access Results for Division and Reunification (1936-86 and 1986-2006), Clustered Standard Errors

	(1) $\Delta \ln A$ 1936-86	(2) $\Delta \ln B$ 1936-86	(3) $\Delta \ln A$ 1986-2006	(4) $\Delta \ln B$ 1986-2006	(5) $\Delta \ln QC$ 1936-1986	(6) $\Delta \ln QC$ 1986-2006
CBD 1	-0.207*** (0.065)	-0.347*** (0.089)	0.261** (0.109)	0.203*** (0.060)	-0.229*** (0.013)	0.065*** (0.009)
CBD 2	-0.260*** (0.038)	-0.242*** (0.064)	0.144** (0.071)	0.109 (0.071)	-0.184*** (0.007)	0.065*** (0.007)
CBD 3	-0.138*** (0.030)	-0.262*** (0.037)	0.077*** (0.024)	0.059* (0.032)	-0.177*** (0.008)	0.043*** (0.007)
CBD 4	-0.131*** (0.015)	-0.154*** (0.031)	0.057*** (0.016)	0.010 (0.010)	-0.189*** (0.006)	0.048*** (0.005)
CBD 5	-0.095*** (0.016)	-0.126*** (0.020)	0.028** (0.013)	-0.014 (0.010)	-0.188*** (0.006)	0.055*** (0.006)
CBD 6	-0.061*** (0.021)	-0.117*** (0.026)	0.023** (0.010)	0.001 (0.006)	-0.170*** (0.005)	0.035*** (0.004)
Counterfactuals					Yes	Yes
Agglomeration Effects					No	No
Observations	2844	5978	5602	6718	6260	7050
R-squared	0.09	0.06	0.02	0.03	0.10	0.07

Note: This table reports a robustness test for Table 4 in the paper using clustered standard errors. Columns (1)-(4) based on calibrating the model for $\nu=\epsilon\kappa=0.07$ and $\epsilon=6.83$ from the gravity equation estimation. Columns (5)-(6) report counterfactuals for these parameter values. A denotes adjusted overall productivity. B denotes adjusted overall amenities. QC denotes counterfactual floor prices (simulating the effect of division on West Berlin). Column (5) simulates division holding A and B constant at their 1936 values. Column (6) simulates reunification holding A and B for West Berlin constant at their 1986 values and using 1936 values of A and B for East Berlin. CBD1-CBD6 are six 500m distance grid cells for distance from the pre-war CBD. Robust Standard Errors in Parentheses adjusted for clustering by statistical area ("Gebiete"). * significant at 10%; ** significant at 5%; *** significant at 1%.

Table A.11: Robustness Test for Floor Prices, Productivity and Amenities, Clustered Standard Errors

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)
	$\Delta \ln A$	$\Delta \ln \text{Upsilon}$	$\Delta \ln a$	$\Delta \ln B$	$\Delta \ln \Omega$	$\Delta \ln b$	$\Delta \ln A$	$\Delta \ln \text{Upsilon}$	$\Delta \ln a$	$\Delta \ln B$	$\Delta \ln \Omega$	$\Delta \ln b$
	1936-86	1936-86	1936-86	1936-86	1936-86	1936-1986	1986-2006	1986-2006	1986-2006	1986-2006	1986-2006	1986-2006
CBD 1	-0.199*** (0.043)	-0.215*** (0.011)	0.016 (0.039)	-0.294*** (0.063)	-0.310*** (0.042)	0.016 (0.041)	0.229*** (0.064)	0.157*** (0.017)	0.072 (0.050)	0.175*** (0.048)	0.129*** (0.029)	0.046 (0.033)
CBD 2	-0.248*** (0.028)	-0.162*** (0.008)	-0.086*** (0.024)	-0.204*** (0.049)	-0.213*** (0.025)	0.010 (0.049)	0.127** (0.051)	0.123*** (0.018)	0.004 (0.038)	0.092* (0.053)	0.073*** (0.019)	0.019 (0.037)
CBD 3	-0.139*** (0.019)	-0.125*** (0.009)	-0.013 (0.016)	-0.224*** (0.034)	-0.146*** (0.011)	-0.078** (0.033)	0.066*** (0.021)	0.077*** (0.007)	-0.011 (0.021)	0.049** (0.023)	0.034** (0.017)	0.015 (0.029)
CBD 4	-0.130*** (0.015)	-0.111*** (0.006)	-0.019 (0.016)	-0.129*** (0.022)	-0.128*** (0.011)	-0.001 (0.025)	0.048*** (0.013)	0.056*** (0.003)	-0.007 (0.014)	0.005 (0.007)	0.011 (0.009)	-0.007 (0.010)
CBD 5	-0.095*** (0.013)	-0.090*** (0.008)	-0.005 (0.011)	-0.105*** (0.013)	-0.156*** (0.011)	0.051*** (0.016)	0.022* (0.012)	0.047*** (0.004)	-0.024* (0.013)	-0.017** (0.007)	0.015** (0.006)	-0.032*** (0.009)
CBD 6	-0.062*** (0.013)	-0.071*** (0.006)	0.009 (0.012)	-0.101*** (0.014)	-0.139*** (0.009)	0.037*** (0.014)	0.018** (0.009)	0.040*** (0.004)	-0.022** (0.010)	-0.003 (0.005)	0.005 (0.005)	-0.007 (0.007)
Observations	2844	2844	2844	5978	5978	5978	5602	5602	5602	6718	6718	6718
R-squared	0.09	0.35	0.01	0.04	0.09	0.00	0.02	0.22	0.00	0.02	0.03	0.00

Note: This table is based on the parameter estimates from pooling division and reunification. A denotes adjusted overall productivity. Upsilon denotes production externalities. a denotes adjusted production fundamentals. B denotes adjusted overall amenities. Omega denotes residential externalities. b denotes adjusted production fundamentals. CBD1-CBD6 are six 500m distance grid cells for distance from the pre-war CBD. Heteroscedasticity and Autocorrelation Consistent (HAC) standard errors in parentheses (Conley 1999). * significant at 10%; ** significant at 5%; *** significant at 1%.

Table A.12: Fundamentals and Externalities (Parameter Estimates Pooling Division and Reunification, Conley Standard Errors)

	(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)
	$\Delta \ln A$	$\Delta \ln \text{Upsilon}$	$\Delta \ln a$	$\Delta \ln B$	$\Delta \ln \Omega$	$\Delta \ln b$	$\Delta \ln A$	$\Delta \ln \text{Upsilon}$	$\Delta \ln a$	$\Delta \ln B$	$\Delta \ln \Omega$	$\Delta \ln b$
	1936-86	1936-86	1936-86	1936-86	1936-86	1936-1986	1986-2006	1986-2006	1986-2006	1986-2006	1986-2006	1986-2006
CBD 1	-0.199*** (0.056)	-0.215*** (0.016)	0.016 (0.044)	-0.294*** (0.081)	-0.310*** (0.050)	0.016 (0.033)	0.229** (0.096)	0.157*** (0.023)	0.072 (0.074)	0.175*** (0.054)	0.129*** (0.036)	0.046** (0.018)
CBD 2	-0.248*** (0.035)	-0.162*** (0.012)	-0.086*** (0.024)	-0.204*** (0.061)	-0.213*** (0.040)	0.010 (0.055)	0.127* (0.065)	0.123*** (0.028)	0.004 (0.041)	0.092 (0.064)	0.073*** (0.022)	0.019 (0.044)
CBD 3	-0.139*** (0.028)	-0.125*** (0.014)	-0.013 (0.018)	-0.224*** (0.039)	-0.146*** (0.014)	-0.078** (0.038)	0.066*** (0.022)	0.077*** (0.007)	-0.011 (0.020)	0.049* (0.029)	0.034* (0.020)	0.015 (0.035)
CBD 4	-0.130*** (0.015)	-0.111*** (0.009)	-0.019 (0.015)	-0.129*** (0.033)	-0.128*** (0.016)	-0.001 (0.033)	0.048*** (0.015)	0.056*** (0.005)	-0.007 (0.016)	0.005 (0.010)	0.011 (0.011)	-0.007 (0.012)
CBD 5	-0.095*** (0.015)	-0.090*** (0.011)	-0.005 (0.013)	-0.105*** (0.024)	-0.156*** (0.017)	0.051** (0.022)	0.022* (0.012)	0.047*** (0.006)	-0.024* (0.013)	-0.017 (0.010)	0.015* (0.008)	-0.032** (0.012)
CBD 6	-0.062*** (0.020)	-0.071*** (0.009)	0.009 (0.019)	-0.101*** (0.029)	-0.139*** (0.019)	0.037* (0.021)	0.018** (0.009)	0.040*** (0.006)	-0.022* (0.011)	-0.003 (0.006)	0.005 (0.006)	-0.007 (0.009)
Observations	2844	2844	2844	5978	5978	5978	5602	5602	5602	6718	6718	6718
R-squared	0.09	0.35	0.01	0.04	0.09	0.00	0.02	0.22	0.00	0.02	0.03	0.00

Note: This table is based on the parameter estimates from pooling division and reunification. A denotes adjusted overall productivity. Upsilon denotes production externalities, a denotes adjusted production fundamentals, B denotes adjusted overall amenities. Omega denotes residential externalities, b denotes adjusted production fundamentals. CBD1-CBD6 are six 500m distance grid cells for distance from the pre-war CBD. Robust Standard Errors in Parentheses adjusted for clustering by statistical area ("Gebiete"). * significant at 10%; ** significant at 5%; *** significant at 1%.

Table A.13: Robustness Test for Fundamentals and Externalities (Parameter Estimates Pooling Division and Reunification, Clustered Standard Errors)

	(1) Division Efficient GMM	(2) Reunification Efficient GMM	(3) Division and Reunification Efficient GMM
Productivity Elasticity (λ)	0.0725*** (0.0047)	0.0544*** (0.0082)	0.0665*** (0.0047)
Productivity Decay (δ)	0.3621*** (0.1250)	0.7580*** (0.3981)	0.3652*** (0.0956)
Residential Elasticity (η)	0.1472*** (0.0064)	0.1152*** (0.0207)	0.1469*** (0.0074)
Residential Decay (ρ)	0.8425*** (0.2233)	0.5281** (0.2011)	0.6282*** (0.1730)

Note: Generalized Method of Moments (GMM) estimates. Robustness to using assumed values of $\nu = \epsilon\kappa = 0.07$ and $\epsilon = 6.83$ and estimating the agglomeration parameters $\{\lambda, \delta, \epsilon, \rho\}$. Heteroscedasticity and Autocorrelation Consistent (HAC) standard errors in parentheses (Conley 1999). * significant at 10%; ** significant at 5%; *** significant at 1%.

Table A.14: Robustness Test for Generalized Method of Moments (GMM) Estimation

	(1)	(2)
	ln Model Density of Development 2006	ln Model Density of Development 2006
ln Data Density of Development 2006	0.9610*** (0.0296)	0.9610*** (0.0181)
Standard Errors	Conley	Clustered
Observations	7050	7050
R-squared	0.37	0.37

Note: The table is based on the parameter estimates pooling division and reunification from Table 5 of the paper. The dependent variable is the logarithm of the adjusted density of development in the model (φ) for 2006. The independent variable is the logarithm of the ratio of floor space to geographical land area (GFZ) in the data for 2006. Column (1) reports Heteroscedasticity and Autocorrelation Consistent (HAC) standard errors following Conley (1999). Column (2) reports standard errors clustered by statistical area ("Gebiet"). * significant at 10%; ** significant at 5%; *** significant at 1%.

Table A.15: Density of Development Overidentification Check

	(1)	(2)	(3)	(4)
	In Production	In Residential	In Production	In Residential
	Fundamental	Fundamental	Fundamental	Fundamental
	2006	2006	2006	2006
Green Areas	0.0061*** (0.0007)	0.0185*** (0.0010)	0.0061*** (0.0009)	0.0185*** (0.0014)
Water Areas	0.0440*** (0.0066)	0.0487*** (0.0109)	0.0440*** (0.0093)	0.0487*** (0.0174)
War Destruction	-0.0356 (0.0151)	-0.1935*** (0.0232)	-0.0356 (0.0222)	-0.1935*** (0.0407)
Listed Buildings	0.0503*** (0.0032)	0.0195*** (0.0047)	0.0503*** (0.0042)	0.0195*** (0.0054)
Noise	0.0062 (0.0201)	-0.2869*** (0.0286)	0.0062 (0.0356)	-0.2869*** (0.0510)
Standard Errors	Conley	Conley	Clustered	Clustered
Observations	0.123	0.218	0.123	0.218
R-squared	9437	11863	9437	11863

Note: This table is based on the parameter estimates pooling division and reunification from Table 5 in the paper. The dependent variable in Columns (1) and (3) is the log adjusted production fundamental in the model (a) for 2006. The dependent variable in Columns (2) and (4) is the log adjusted residential fundamental in the model (b) in 2006. The independent variable is the log ratio of floor space to geographical land area (GFZ) in the data for 2006. Green Areas are the logarithm of one plus the square meters of green areas in a block; Water Areas is a dummy which is one if the block is adjacent to a lake, river or canal; War Destruction is the share of the block's built-up area that was destroyed during the Second World War; Listed Buildings is the logarithm of one plus the number of listed buildings in a block; Noise is the logarithm of the average noise level in decibel in a block; Columns (1) and (2) report Heteroscedasticity and Autocorrelation Consistent (HAC) standard errors following Conley (1999). Columns (3) and (4) report standard errors clustered by statistical area ("Gebiet"). * significant at 10%; ** significant at 5%; *** significant at 1%.

Table A.16: Production and Residential Fundamentals Overidentification Check

	(1) $\Delta \ln QC$ 1936-86	(2) $\Delta \ln QC$ 1936-86	(3) $\Delta \ln QC$ 1936-86	(4) $\Delta \ln QC$ 1936-1986	(5) $\Delta \ln QC$ 1986-2006	(6) $\Delta \ln QC$ 1936-1986
CBD 1	-0.839*** (0.055)	-0.667*** (0.031)	-0.666*** (0.050)	-0.752*** (0.030)	0.472*** (0.048)	0.923*** (0.056)
CBD 2	-0.627*** (0.038)	-0.456*** (0.019)	-0.635*** (0.044)	-0.585*** (0.022)	0.251*** (0.045)	0.689*** (0.064)
CBD 3	-0.518*** (0.044)	-0.348*** (0.017)	-0.592*** (0.059)	-0.476*** (0.023)	0.086** (0.041)	0.416*** (0.042)
CBD 4	-0.521*** (0.039)	-0.329*** (0.012)	-0.642*** (0.052)	-0.470*** (0.022)	-0.060** (0.030)	0.311*** (0.034)
CBD 5	-0.544*** (0.028)	-0.306*** (0.012)	-0.733*** (0.036)	-0.482*** (0.019)	-0.076*** (0.027)	0.253*** (0.030)
CBD 6	-0.489*** (0.024)	-0.265*** (0.008)	-0.709*** (0.034)	-0.417*** (0.015)	-0.133*** (0.025)	0.163*** (0.026)
Counterfactuals	Yes	Yes	Yes	Yes	Yes	Yes
Agglomeration Effects	Yes	Yes	Yes	Yes	Yes	Yes
Observations	6260	6260	6260	6260	7050	6260
R-squared	0.12	0.15	0.08	0.11	0.01	0.06

Note: This table is based on the parameter estimates pooling division and reunification from Table 5 in the paper. QC denotes counterfactual floor prices. Column (1) simulates division using our estimates of production and residential externalities and 1936 fundamentals. Column (2) simulates division using our estimates of production externalities and 1936 fundamentals but setting residential externalities to zero. Column (3) simulates division using our estimates of residential externalities and 1936 fundamentals but setting production externalities to zero. Column (4) simulates division using our estimates of production and residential externalities and 1936 fundamentals but halving their rates of spatial decay with travel time. Column (5) simulates reunification using our estimates of production and residential externalities, 1986 fundamentals for West Berlin, and 2006 fundamentals for East Berlin. Column (6) simulates reunification using our estimates of production and residential externalities, 1986 fundamentals for West Berlin and 1936 fundamentals for East Berlin. CBD1-CBD6 are six 500m distance grid cells for distance from the pre-war CBD. Robust Standard Errors in Parentheses adjusted for clustering by statistical area ("Gebiete"). * significant at 10%; ** significant at 5%; *** significant at 1%.

Table A.17: Robustness Test for Counterfactuals, Clustered Standard Errors

	ln(Transaction Price/Lot size)	
	Coefficient	Standard Error
Year: 2000	-0.073***	(0.020)
Year: 2001	-0.105***	(0.021)
Year: 2002	-0.142***	(0.020)
Year: 2003	-0.176***	(0.019)
Year: 2004	-0.193***	(0.020)
Year: 2005	-0.124***	(0.017)
Year: 2007	0.082***	(0.017)
Year: 2008	-0.004	(0.017)
Year: 2009	-0.014	(0.019)
Year: 2010	0.065***	(0.018)
Year: 2011	0.203***	(0.018)
Year: 2012	0.279***	(0.023)
Age cohort: 5 to 15 years	-0.297***	(0.031)
Age cohort: 15 to 25 years	-0.569***	(0.035)
Age cohort: 25 to 35 years	-0.783***	(0.035)
Age cohort: 35 to 45 years	-1.014***	(0.036)
Age cohort: 45 to 55 years	-1.155***	(0.038)
Age cohort: 55 to 65 years	-1.021***	(0.039)
Age cohort: 65 to 75 years	-0.988***	(0.033)
Age cohort: 75 to 85 years	-1.058***	(0.035)
Age cohort: 85 to 95 years	-0.967***	(0.039)
Age cohort: 95 to 105 years	-0.822***	(0.039)
Age cohort: 105 to 115 years	-0.823***	(0.042)
Age cohort: 115 to 125 years	-0.859***	(0.048)
Age cohort: 125 to 135 years	-0.892***	(0.070)
Age cohort: 135 to 145 years	-0.883***	(0.071)
Age cohort: 145 to 155 years	-0.854***	(0.135)
Age cohort: 155 to 165 years	-1.419***	(0.206)
Age cohort: 165 to 175 years	-1.481***	(0.509)
Age cohort: 175 to 185 years	-0.430	(0.314)
Age cohort: 185 to 195 years	-0.607***	(0.115)
Age cohort: 195 to 205 years	-0.811*	(0.462)
Age cohort: 205 to 215 years	-0.619**	(0.306)
Block fixed effects	Yes	
R-squared	0.769	
Observations	51,275	

Note: This table reports the results of estimating a Case-Shiller type repeated sales specification at the block level using the micro data on property transactions from 2000-2012. Standard errors in parentheses are heteroscedasticity robust and clustered by block. * significant at 10%; ** significant at 5%; *** significant at 1%.

Table A.18: Micro Data on Property Transactions